

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|-----------------|------|-------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | | 0 | ～10 | ～20 | ～30 | ～40 | ～50 | ～60 | ～70 | ～80 | ～100 | 101～ |
| 一般細菌 | 全体 | 1,604 | 1,538 | 63 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 502 | 467 | 32 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 147 | 135 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 665 | 649 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 290 | 287 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 大腸菌(定性) | 全体 | 1,600 | 陰性 | 陽性 | | | | | | | | | |
| | 表流水 | 501 | 501 | 0 | | | | | | | | | |
| | ダム湖沼 | 147 | 147 | 0 | | | | | | | | | |
| | 地下水 | 665 | 665 | 0 | | | | | | | | | |
| | その他 | 287 | 287 | 0 | | | | | | | | | |
| カドミウム及びその化合物 | 全体 | 1,452 | ～0.001 | ～0.002 | ～0.003 | ～0.004 | ～0.005 | ～0.006 | ～0.007 | ～0.008 | ～0.009 | ～0.010 | 0.011～ |
| | 表流水 | 445 | 445 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 131 | 131 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 606 | 606 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 270 | 270 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 水銀及びその化合物 | 全体 | 1,437 | ～0.00005 | ～0.00010 | ～0.00015 | ～0.00020 | ～0.00025 | ～0.00030 | ～0.00035 | ～0.00040 | ～0.00045 | ～0.00050 | 0.00051～ |
| | 表流水 | 447 | 447 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 131 | 131 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 599 | 599 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 260 | 259 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| セレン及びその化合物 | 全体 | 1,451 | ～0.001 | ～0.002 | ～0.003 | ～0.004 | ～0.005 | ～0.006 | ～0.007 | ～0.008 | ～0.009 | ～0.010 | 0.011～ |
| | 表流水 | 445 | 445 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 131 | 131 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 605 | 605 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 270 | 270 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 鉛及びその化合物 | 全体 | 1,472 | ～0.001 | ～0.002 | ～0.003 | ～0.004 | ～0.005 | ～0.006 | ～0.007 | ～0.008 | ～0.009 | ～0.010 | 0.011～ |
| | 表流水 | 460 | 460 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 135 | 135 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 611 | 605 | 3 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 266 | 264 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ヒ素及びその化合物 | 全体 | 1,453 | ～0.001 | ～0.002 | ～0.003 | ～0.004 | ～0.005 | ～0.006 | ～0.007 | ～0.008 | ～0.009 | ～0.010 | 0.011～ |
| | 表流水 | 447 | 1,344 | 51 | 30 | 15 | 7 | 3 | 2 | 1 | 0 | 0 | 0 |
| | ダム湖沼 | 131 | 437 | 5 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 605 | 130 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 270 | 524 | 36 | 24 | 13 | 5 | 2 | 1 | 0 | 0 | 0 | 0 |
| | | 270 | 253 | 10 | 2 | 1 | 1 | 1 | 1 | 1 | 0 | 0 | 0 |
| 六価クロム化合物 | 全体 | 1,474 | ～0.002 | ～0.004 | ～0.006 | ～0.008 | ～0.010 | ～0.012 | ～0.014 | ～0.016 | ～0.018 | ～0.020 | 0.021～ |
| | 表流水 | 456 | 1,473 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 134 | 456 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 612 | 134 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 272 | 611 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 272 | 272 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 亜硝酸態窒素 | 全体 | 1,496 | ～0.004 | ～0.008 | ～0.012 | ～0.016 | ～0.020 | ～0.024 | ～0.028 | ～0.032 | ～0.036 | ～0.040 | 0.041～ |
| | 表流水 | 458 | 1,495 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 138 | 457 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 611 | 138 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 289 | 611 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 289 | 289 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| シアン化物イオン及び塩化シアン | 全体 | 1,456 | ～0.001 | ～0.002 | ～0.003 | ～0.004 | ～0.005 | ～0.006 | ～0.007 | ～0.008 | ～0.009 | ～0.010 | 0.011～ |
| | 表流水 | 454 | 1,455 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 132 | 454 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 607 | 132 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 263 | 607 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 263 | 262 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | 計 | 区分 | | | | | | | | | | |
|------------------------------------|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | ～0.50 | ～1.00 | ～2.00 | ～3.00 | ～4.00 | ～5.00 | ～6.00 | ～7.00 | ～8.00 | ～10.00 | 10.01～ |
| 硝酸態窒素及び亜硝酸態窒素 | | ～0.50 | ～1.00 | ～2.00 | ～3.00 | ～4.00 | ～5.00 | ～6.00 | ～7.00 | ～8.00 | ～10.00 | 10.01～ |
| 全体 | 1,526 | 741 | 372 | 284 | 61 | 33 | 18 | 8 | 5 | 3 | 1 | 0 |
| 表流水 | 470 | 271 | 137 | 50 | 11 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 139 | 109 | 26 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 626 | 232 | 142 | 146 | 46 | 26 | 18 | 8 | 5 | 3 | 0 | 0 |
| その他 | 291 | 129 | 67 | 85 | 3 | 6 | 0 | 0 | 0 | 0 | 1 | 0 |
| フッ素及びその化合物 | | ～0.08 | ～0.16 | ～0.24 | ～0.32 | ～0.40 | ～0.48 | ～0.56 | ～0.64 | ～0.72 | ～0.80 | 0.81～ |
| 全体 | 1,512 | 1,065 | 357 | 54 | 18 | 12 | 3 | 3 | 0 | 0 | 0 | 0 |
| 表流水 | 463 | 353 | 90 | 13 | 2 | 4 | 1 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 139 | 102 | 27 | 8 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 619 | 411 | 152 | 31 | 15 | 6 | 2 | 2 | 0 | 0 | 0 | 0 |
| その他 | 291 | 199 | 88 | 2 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| ホウ素及びその化合物 | | ～0.1 | ～0.2 | ～0.3 | ～0.4 | ～0.5 | ～0.6 | ～0.7 | ～0.8 | ～0.9 | ～1.0 | 1.1～ |
| 全体 | 1,436 | 1,403 | 18 | 8 | 1 | 4 | 1 | 0 | 0 | 0 | 0 | 1 |
| 表流水 | 441 | 436 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 130 | 126 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 602 | 582 | 11 | 5 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 |
| その他 | 263 | 259 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| 四塩化炭素 | | ～0.0002 | ～0.0004 | ～0.0006 | ～0.0008 | ～0.0010 | ～0.0012 | ～0.0014 | ～0.0016 | ～0.0018 | ～0.0020 | 0.0021～ |
| 全体 | 1,453 | 1,452 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 443 | 443 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 130 | 130 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 607 | 606 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 273 | 273 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,4-ジオキサン | | ～0.005 | ～0.010 | ～0.015 | ～0.020 | ～0.025 | ～0.030 | ～0.035 | ～0.040 | ～0.045 | ～0.050 | 0.051～ |
| 全体 | 1,432 | 1,432 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 436 | 436 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 129 | 129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 601 | 601 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 266 | 266 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| シス-1,2-ジクロロエチレン及びトランス-1,2-ジクロロエチレン | | ～0.004 | ～0.008 | ～0.012 | ～0.016 | ～0.020 | ～0.024 | ～0.028 | ～0.032 | ～0.036 | ～0.040 | 0.041～ |
| 全体 | 1,452 | 1,452 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 443 | 443 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 130 | 130 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 606 | 606 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 273 | 273 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ジクロロメタン | | ～0.002 | ～0.004 | ～0.006 | ～0.008 | ～0.010 | ～0.012 | ～0.014 | ～0.016 | ～0.018 | ～0.020 | 0.021～ |
| 全体 | 1,452 | 1,452 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 442 | 442 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 130 | 130 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 607 | 607 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 273 | 273 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| テトラクロロエチレン | | ～0.001 | ～0.002 | ～0.003 | ～0.004 | ～0.005 | ～0.006 | ～0.007 | ～0.008 | ～0.009 | ～0.010 | 0.011～ |
| 全体 | 1,452 | 1,451 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 442 | 442 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 130 | 130 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 607 | 606 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 273 | 273 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| トリクロロエチレン | | ～0.001 | ～0.002 | ～0.003 | ～0.004 | ～0.005 | ～0.006 | ～0.007 | ～0.008 | ～0.009 | ～0.010 | 0.011～ |
| 全体 | 1,452 | 1,451 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 442 | 442 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 130 | 130 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 607 | 606 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 273 | 273 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ベンゼン | | ～0.001 | ～0.002 | ～0.003 | ～0.004 | ～0.005 | ～0.006 | ～0.007 | ～0.008 | ～0.009 | ～0.010 | 0.011～ |
| 全体 | 1,452 | 1,452 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 442 | 442 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 130 | 130 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 607 | 607 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 273 | 273 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|------------|------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 塩素酸 | 全体 | 1,506 | ~0.06 | ~0.12 | ~0.18 | ~0.24 | ~0.30 | ~0.36 | ~0.42 | ~0.48 | ~0.54 | ~0.60 | 0.61~ |
| | 表流水 | 470 | 1,105 | 301 | 66 | 16 | 14 | 2 | 1 | 1 | 0 | 0 | 0 |
| | ダム湖沼 | 138 | 323 | 117 | 23 | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 617 | 86 | 34 | 13 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 281 | 469 | 108 | 23 | 10 | 5 | 1 | 0 | 1 | 0 | 0 | 0 |
| | | | 227 | 42 | 7 | 0 | 3 | 1 | 1 | 0 | 0 | 0 | 0 |
| クロロ酢酸 | 全体 | 1,457 | ~0.002 | ~0.004 | ~0.006 | ~0.008 | ~0.010 | ~0.012 | ~0.014 | ~0.016 | ~0.018 | ~0.020 | 0.021~ |
| | 表流水 | 463 | 1,456 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 132 | 462 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 607 | 132 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 255 | 607 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | 255 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| クロロホルム | 全体 | 1,501 | ~0.006 | ~0.012 | ~0.018 | ~0.024 | ~0.030 | ~0.036 | ~0.042 | ~0.048 | ~0.056 | ~0.060 | 0.061~ |
| | 表流水 | 470 | 1,096 | 284 | 84 | 31 | 5 | 1 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 134 | 301 | 113 | 37 | 15 | 3 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 620 | 66 | 48 | 14 | 5 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 277 | 566 | 38 | 11 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | 163 | 85 | 22 | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| ジクロロ酢酸 | 全体 | 1,462 | ~0.003 | ~0.006 | ~0.009 | ~0.012 | ~0.015 | ~0.018 | ~0.021 | ~0.024 | ~0.027 | ~0.030 | 0.031~ |
| | 表流水 | 463 | 1,140 | 212 | 80 | 24 | 4 | 1 | 1 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 132 | 318 | 93 | 35 | 14 | 2 | 0 | 1 | 0 | 0 | 0 | 0 |
| | 地下水 | 607 | 84 | 27 | 15 | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 260 | 573 | 30 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | 165 | 62 | 26 | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| ジブロモクロロメタン | 全体 | 1,501 | ~0.01 | ~0.02 | ~0.03 | ~0.04 | ~0.05 | ~0.06 | ~0.07 | ~0.08 | ~0.09 | ~0.10 | 0.11~ |
| | 表流水 | 470 | 1,496 | 3 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 134 | 470 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 620 | 134 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 277 | 617 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | 275 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 臭素酸 | 全体 | 1,444 | ~0.001 | ~0.002 | ~0.003 | ~0.004 | ~0.005 | ~0.006 | ~0.007 | ~0.008 | ~0.009 | ~0.010 | 0.011~ |
| | 表流水 | 459 | 1,405 | 30 | 8 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 132 | 446 | 9 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 603 | 131 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 250 | 593 | 9 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | 235 | 11 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 総トリハロメタン | 全体 | 1,501 | ~0.010 | ~0.020 | ~0.030 | ~0.040 | ~0.050 | ~0.060 | ~0.070 | ~0.080 | ~0.090 | ~0.100 | 0.101~ |
| | 表流水 | 470 | 968 | 363 | 128 | 31 | 8 | 3 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 134 | 264 | 151 | 41 | 11 | 2 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 620 | 59 | 52 | 18 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 277 | 536 | 49 | 25 | 7 | 2 | 1 | 0 | 0 | 0 | 0 | 0 |
| | | | 109 | 111 | 44 | 9 | 3 | 1 | 0 | 0 | 0 | 0 | 0 |
| トリクロロ酢酸 | 全体 | 1,462 | ~0.003 | ~0.006 | ~0.009 | ~0.012 | ~0.015 | ~0.018 | ~0.021 | ~0.024 | ~0.027 | ~0.030 | 0.031~ |
| | 表流水 | 463 | 1,100 | 206 | 96 | 39 | 11 | 9 | 1 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 132 | 312 | 89 | 31 | 19 | 5 | 7 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 607 | 75 | 29 | 18 | 5 | 4 | 0 | 1 | 0 | 0 | 0 | 0 |
| | その他 | 260 | 554 | 32 | 12 | 8 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | 159 | 56 | 35 | 7 | 1 | 2 | 0 | 0 | 0 | 0 | 0 |
| ブロモジクロロメタン | 全体 | 1,501 | ~0.003 | ~0.006 | ~0.009 | ~0.012 | ~0.015 | ~0.018 | ~0.021 | ~0.024 | ~0.027 | ~0.030 | 0.031~ |
| | 表流水 | 470 | 1,027 | 323 | 121 | 24 | 4 | 2 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 134 | 290 | 141 | 34 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 620 | 63 | 54 | 15 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 277 | 540 | 50 | 23 | 5 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| | | | 134 | 78 | 49 | 14 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| ブロモホルム | 全体 | 1,500 | ~0.009 | ~0.018 | ~0.027 | ~0.036 | ~0.045 | ~0.054 | ~0.063 | ~0.072 | ~0.081 | ~0.090 | 0.091~ |
| | 表流水 | 470 | 1,486 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 134 | 461 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 619 | 133 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 277 | 616 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | 276 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | 計 | 区分 | | | | | | | | | | |
|-------------------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | ～0.008 | ～0.016 | ～0.024 | ～0.032 | ～0.040 | ～0.048 | ～0.056 | ～0.064 | ～0.072 | ～0.080 | 0.081～ |
| ホルムアルデヒド | | ～0.008 | ～0.016 | ～0.024 | ～0.032 | ～0.040 | ～0.048 | ～0.056 | ～0.064 | ～0.072 | ～0.080 | 0.081～ |
| 全体 | 1,437 | 1,432 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 460 | 459 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 132 | 132 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 601 | 598 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 244 | 243 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 亜鉛及びその化合物 | | ～0.02 | ～0.04 | ～0.06 | ～0.08 | ～0.10 | ～0.20 | ～0.40 | ～0.60 | ～0.80 | ～1.00 | 1.01～ |
| 全体 | 1,461 | 1,452 | 5 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 455 | 455 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 131 | 131 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 606 | 599 | 3 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 269 | 267 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| アルミニウム及びその化合物 | | ～0.02 | ～0.04 | ～0.06 | ～0.08 | ～0.10 | ～0.12 | ～0.14 | ～0.16 | ～0.18 | ～0.20 | 0.21～ |
| 全体 | 1,531 | 1,213 | 224 | 63 | 26 | 2 | 1 | 2 | 0 | 0 | 0 | 0 |
| 表流水 | 483 | 319 | 125 | 27 | 11 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 141 | 88 | 26 | 21 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 630 | 581 | 31 | 10 | 5 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| その他 | 277 | 225 | 42 | 5 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 鉄及びその化合物 | | ～0.03 | ～0.06 | ～0.09 | ～0.12 | ～0.15 | ～0.18 | ～0.21 | ～0.24 | ～0.27 | ～0.30 | 0.31～ |
| 全体 | 1,518 | 1,500 | 10 | 5 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 表流水 | 476 | 473 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 138 | 137 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 630 | 622 | 4 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 274 | 268 | 3 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 銅及びその化合物 | | ～0.02 | ～0.04 | ～0.06 | ～0.08 | ～0.10 | ～0.20 | ～0.40 | ～0.60 | ～0.80 | ～1.00 | 1.01～ |
| 全体 | 1,457 | 1,446 | 6 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 451 | 450 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 133 | 133 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 605 | 596 | 5 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 268 | 267 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ナトリウム及びその化合物 | | ～5.0 | ～10.0 | ～20.0 | ～40.0 | ～60.0 | ～80.0 | ～100.0 | ～120.0 | ～150.0 | ～200.0 | 200.1～ |
| 全体 | 1,473 | 179 | 618 | 529 | 134 | 8 | 4 | 1 | 0 | 0 | 0 | 0 |
| 表流水 | 454 | 92 | 209 | 130 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 134 | 14 | 85 | 17 | 17 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 611 | 44 | 223 | 258 | 74 | 7 | 4 | 1 | 0 | 0 | 0 | 0 |
| その他 | 274 | 29 | 101 | 124 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| マンガン及びその化合物 | | ～0.005 | ～0.010 | ～0.015 | ～0.020 | ～0.025 | ～0.030 | ～0.035 | ～0.040 | ～0.045 | ～0.050 | 0.051～ |
| 全体 | 1,527 | 1,502 | 16 | 4 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 475 | 473 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 138 | 138 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 641 | 619 | 14 | 4 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 273 | 272 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 塩化物イオン | | ～5.0 | ～10.0 | ～20.0 | ～40.0 | ～60.0 | ～80.0 | ～100.0 | ～120.0 | ～150.0 | ～200.0 | 200.1～ |
| 全体 | 1,598 | 307 | 515 | 589 | 157 | 21 | 7 | 2 | 0 | 0 | 0 | 0 |
| 表流水 | 492 | 111 | 162 | 176 | 37 | 6 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 146 | 10 | 46 | 72 | 13 | 4 | 1 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 663 | 142 | 226 | 220 | 61 | 6 | 6 | 2 | 0 | 0 | 0 | 0 |
| その他 | 297 | 44 | 81 | 121 | 46 | 5 | 0 | 0 | 0 | 0 | 0 | 0 |
| カルシウム、マグネシウム等(硬度) | | ～10 | ～20 | ～30 | ～50 | ～80 | ～100 | ～150 | ～200 | ～250 | ～300 | 301～ |
| 全体 | 1,507 | 48 | 156 | 220 | 494 | 434 | 104 | 35 | 10 | 3 | 2 | 1 |
| 表流水 | 467 | 35 | 83 | 86 | 161 | 90 | 10 | 2 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 136 | 4 | 16 | 38 | 54 | 16 | 7 | 1 | 0 | 0 | 0 | 0 |
| 地下水 | 628 | 3 | 23 | 56 | 205 | 232 | 74 | 23 | 10 | 1 | 1 | 0 |
| その他 | 276 | 6 | 34 | 40 | 74 | 96 | 13 | 9 | 0 | 2 | 1 | 1 |
| 蒸発残留物 | | ～30 | ～50 | ～100 | ～150 | ～200 | ～250 | ～300 | ～350 | ～400 | ～500 | 501～ |
| 全体 | 1,489 | 36 | 102 | 616 | 422 | 235 | 50 | 15 | 6 | 6 | 1 | 0 |
| 表流水 | 459 | 25 | 57 | 233 | 106 | 33 | 4 | 1 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 136 | 2 | 12 | 90 | 17 | 10 | 3 | 2 | 0 | 0 | 0 | 0 |
| 地下水 | 621 | 2 | 13 | 195 | 221 | 136 | 34 | 10 | 5 | 5 | 0 | 0 |
| その他 | 273 | 7 | 20 | 98 | 78 | 56 | 9 | 2 | 1 | 1 | 1 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|---------------|-------|-------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | | | ～0.02 | ～0.04 | ～0.06 | ～0.08 | ～0.10 | ～0.12 | ～0.14 | ～0.16 | ～0.18 | ～0.20 | 0.21～ |
| 陰イオン界面活性剤 | | | | | | | | | | | | | |
| 全体 | 1,376 | 1,376 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 435 | 435 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 130 | 130 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 561 | 561 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 250 | 250 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ジエオスミン | | | ～0.000001 | ～0.000002 | ～0.000004 | ～0.000006 | ～0.000008 | ～0.000010 | ～0.000012 | ～0.000014 | ～0.000016 | ～0.000020 | 0.000021～ |
| 全体 | 1,324 | 1,205 | 80 | 33 | 4 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 447 | 377 | 51 | 17 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 132 | 108 | 14 | 8 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 526 | 517 | 2 | 5 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 219 | 203 | 13 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-メチルイソボルネオール | | | ～0.000001 | ～0.000002 | ～0.000004 | ～0.000006 | ～0.000008 | ～0.000010 | ～0.000012 | ～0.000014 | ～0.000016 | ～0.000020 | 0.000021～ |
| 全体 | 1,325 | 1,289 | 25 | 8 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 表流水 | 448 | 428 | 15 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 132 | 126 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 526 | 524 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| その他 | 219 | 211 | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 非イオン界面活性剤 | | | ～0.005 | ～0.006 | ～0.007 | ～0.008 | ～0.010 | ～0.012 | ～0.014 | ～0.016 | ～0.018 | ～0.020 | 0.021～ |
| 全体 | 1,377 | 1,377 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 436 | 436 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 130 | 130 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 561 | 561 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 250 | 250 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| フェノール類 | | | ～0.0005 | ～0.0010 | ～0.0015 | ～0.0020 | ～0.0025 | ～0.0030 | ～0.0035 | ～0.0040 | ～0.0045 | ～0.0050 | 0.0051～ |
| 全体 | 1,368 | 1,368 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 433 | 433 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 128 | 128 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 559 | 559 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 248 | 248 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 有機物(TOCの量) | | | ～0.5 | 0.6 | 0.7 | 0.8 | 0.9 | 1 | ～2.0 | ～3.0 | ～4.0 | ～5.0 | 5.1～ |
| 全体 | 1,614 | 1,027 | 148 | 158 | 108 | 78 | 28 | 66 | 1 | 0 | 0 | 0 | 0 |
| 表流水 | 500 | 256 | 77 | 60 | 42 | 19 | 15 | 31 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 148 | 49 | 14 | 21 | 17 | 16 | 6 | 24 | 1 | 0 | 0 | 0 | 0 |
| 地下水 | 670 | 578 | 35 | 21 | 10 | 16 | 4 | 6 | 0 | 0 | 0 | 0 | 0 |
| その他 | 296 | 144 | 22 | 56 | 39 | 27 | 3 | 5 | 0 | 0 | 0 | 0 | 0 |
| pH値 | | | ～5.8 | ～6.0 | ～6.3 | ～6.6 | ～6.9 | ～7.2 | ～7.5 | ～7.8 | ～8.2 | ～8.6 | 8.7～ |
| 全体 | 1,678 | 0 | 0 | 10 | 59 | 205 | 500 | 581 | 239 | 79 | 5 | 0 | 0 |
| 表流水 | 525 | 0 | 0 | 0 | 12 | 38 | 151 | 248 | 67 | 9 | 0 | 0 | 0 |
| ダム湖沼 | 153 | 0 | 0 | 0 | 0 | 16 | 55 | 61 | 21 | 0 | 0 | 0 | 0 |
| 地下水 | 698 | 0 | 0 | 8 | 42 | 127 | 198 | 161 | 101 | 56 | 5 | 0 | 0 |
| その他 | 302 | 0 | 0 | 2 | 5 | 24 | 96 | 111 | 50 | 14 | 0 | 0 | 0 |
| 味の異常回数 | | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10～ |
| 全体 | 1,632 | 1,632 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 509 | 509 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 148 | 148 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 681 | 681 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 294 | 294 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 臭気の異常回数 | | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10～ |
| 全体 | 1,643 | 1,639 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 513 | 513 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 148 | 146 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 683 | 681 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 299 | 299 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 色度 | | | ～0.5 | ～1.0 | ～1.5 | ～2.0 | ～2.5 | ～3.0 | ～3.5 | ～4.0 | ～4.5 | ～5.0 | 5.1～ |
| 全体 | 1,650 | 1,528 | 90 | 22 | 5 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 510 | 473 | 28 | 5 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 150 | 134 | 15 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 684 | 634 | 35 | 11 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| その他 | 306 | 287 | 12 | 5 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|------------------|------|-------|-------|------|------|------|------|------|------|------|------|------|------|
| | | | ~0.1 | ~0.2 | ~0.4 | ~0.6 | ~0.8 | ~1.0 | ~1.2 | ~1.4 | ~1.6 | ~2.0 | 2.1~ |
| 濁度 | 全体 | 1,714 | 1,696 | 17 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 542 | 537 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 151 | 151 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 714 | 705 | 8 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 307 | 303 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| アンチモン及びその化合物 | 全体 | 955 | 955 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 346 | 346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 84 | 84 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 376 | 376 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 149 | 149 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ウラン及びその化合物 | 全体 | 954 | 926 | 16 | 5 | 1 | 1 | 2 | 0 | 0 | 2 | 1 | 0 |
| | 表流水 | 346 | 345 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 84 | 83 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 378 | 355 | 13 | 5 | 1 | 0 | 1 | 0 | 0 | 2 | 1 | 0 |
| | その他 | 146 | 143 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ニッケル及びその化合物 | 全体 | 1,012 | 1,007 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 363 | 362 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 90 | 89 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 396 | 394 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 163 | 162 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,2-ジクロロエタン | 全体 | 974 | 974 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 346 | 346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 85 | 85 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 384 | 384 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 159 | 159 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| トルエン | 全体 | 973 | 973 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 346 | 346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 85 | 85 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 384 | 384 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 158 | 158 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| フタル酸ジ(2-エチルヘキシル) | 全体 | 854 | 853 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 328 | 327 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 80 | 80 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 333 | 333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 113 | 113 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 亜塩素酸 | 全体 | 441 | 441 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 145 | 145 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 40 | 40 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 211 | 211 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 45 | 45 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 二酸化塩素 | 全体 | 164 | 164 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 42 | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 106 | 106 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ジクロロアセトニトリル | 全体 | 962 | 960 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 364 | 362 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 91 | 91 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 388 | 388 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 119 | 119 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|------------------------|------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 抱水クロラール | | | ~0.003 | ~0.006 | ~0.009 | ~0.012 | ~0.015 | ~0.018 | ~0.021 | ~0.024 | ~0.027 | ~0.030 | 0.031~ |
| | 全体 | 963 | 909 | 48 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 365 | 339 | 23 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 91 | 82 | 8 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 388 | 385 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 119 | 103 | 14 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 農薬類 | | | ~0.01 | ~0.02 | ~0.03 | ~0.05 | ~0.10 | ~0.20 | ~0.30 | ~0.50 | ~0.70 | ~1.00 | 1.01~ |
| | 全体 | 654 | 626 | 9 | 7 | 8 | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 304 | 284 | 6 | 3 | 7 | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 63 | 61 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 201 | 195 | 1 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 86 | 86 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 残留塩素 | | | <0.1 | 0.1 | 0.2 | 0.3 | 0.4 | 0.5 | 0.6 | ~0.8 | ~1.0 | ~1.2 | 1.3~ |
| | 全体 | 1,591 | 0 | 10 | 52 | 229 | 249 | 280 | 275 | 352 | 124 | 15 | 5 |
| | 表流水 | 526 | 0 | 2 | 3 | 30 | 54 | 87 | 113 | 165 | 63 | 6 | 3 |
| | ダム湖沼 | 133 | 0 | 0 | 1 | 3 | 9 | 23 | 26 | 40 | 26 | 4 | 1 |
| | 地下水 | 659 | 0 | 8 | 37 | 164 | 150 | 123 | 80 | 78 | 17 | 2 | 0 |
| | その他 | 273 | 0 | 0 | 11 | 32 | 36 | 47 | 56 | 69 | 18 | 3 | 1 |
| 遊離炭酸 | | | ~2.0 | ~4.0 | ~6.0 | ~8.0 | ~10.0 | ~12.0 | ~14.0 | ~16.0 | ~18.0 | ~20.0 | 20.1~ |
| | 全体 | 974 | 227 | 327 | 154 | 80 | 60 | 34 | 19 | 10 | 13 | 11 | 39 |
| | 表流水 | 360 | 130 | 157 | 48 | 14 | 8 | 2 | 1 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 95 | 19 | 36 | 19 | 12 | 7 | 2 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 374 | 51 | 72 | 58 | 42 | 40 | 27 | 16 | 9 | 13 | 10 | 36 |
| | その他 | 145 | 27 | 62 | 29 | 12 | 5 | 3 | 2 | 1 | 0 | 1 | 3 |
| 1,1,1-トリクロロエタン | | | ~0.030 | ~0.060 | ~0.090 | ~0.120 | ~0.150 | ~0.180 | ~0.210 | ~0.240 | ~0.270 | ~0.300 | 0.301~ |
| | 全体 | 976 | 976 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 349 | 349 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 85 | 85 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 384 | 384 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 158 | 158 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| メチル-tert-ブチルエーテル(MTBE) | | | ~0.002 | ~0.004 | ~0.006 | ~0.008 | ~0.010 | ~0.012 | ~0.014 | ~0.016 | ~0.018 | ~0.020 | 0.021~ |
| | 全体 | 956 | 956 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 348 | 348 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 82 | 82 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 374 | 374 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 152 | 152 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 有機物等(過マンガン酸カリウム消費量) | | | ~0.3 | ~0.6 | ~0.9 | ~1.2 | ~1.5 | ~1.8 | ~2.1 | ~2.4 | ~2.7 | ~3.0 | 3.1~ |
| | 全体 | 566 | 103 | 91 | 118 | 97 | 74 | 32 | 21 | 10 | 15 | 2 | 3 |
| | 表流水 | 220 | 9 | 24 | 44 | 51 | 46 | 20 | 14 | 6 | 4 | 1 | 1 |
| | ダム湖沼 | 44 | 2 | 4 | 7 | 12 | 5 | 5 | 1 | 1 | 4 | 1 | 2 |
| | 地下水 | 225 | 84 | 52 | 48 | 18 | 15 | 3 | 2 | 2 | 1 | 0 | 0 |
| | その他 | 77 | 8 | 11 | 19 | 16 | 8 | 4 | 4 | 1 | 6 | 0 | 0 |
| 臭気強度(TON) | | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | ~8 | ~10 | ~15 | 16~ |
| | 全体 | 722 | 568 | 119 | 24 | 9 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| | 表流水 | 284 | 210 | 59 | 9 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 74 | 61 | 8 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 266 | 228 | 26 | 9 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 98 | 69 | 26 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| 腐食性(ランゲリア指数) | | | ~-4.0 | ~-3.5 | ~-3.0 | ~-2.5 | ~-2.0 | ~-1.5 | ~-1.0 | ~-0.5 | ~0.0 | ~0.5 | 0.6~ |
| | 全体 | 990 | 0 | 7 | 22 | 77 | 185 | 304 | 272 | 98 | 20 | 4 | 1 |
| | 表流水 | 371 | 0 | 6 | 16 | 35 | 76 | 108 | 102 | 27 | 0 | 0 | 1 |
| | ダム湖沼 | 95 | 0 | 1 | 2 | 21 | 18 | 25 | 20 | 7 | 1 | 0 | 0 |
| | 地下水 | 371 | 0 | 0 | 2 | 12 | 50 | 121 | 118 | 49 | 16 | 3 | 0 |
| | その他 | 153 | 0 | 0 | 2 | 9 | 41 | 50 | 32 | 15 | 3 | 1 | 0 |
| 従属栄養細菌 | | | 0 | ~200 | ~400 | ~600 | ~800 | ~1000 | ~1200 | ~1400 | ~1600 | ~2000 | 2001~ |
| | 全体 | 996 | 569 | 422 | 3 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 368 | 250 | 117 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 91 | 62 | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 389 | 170 | 216 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 148 | 87 | 60 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|---|------|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1,1-ジクロロエチレン | | | ~0.002 | ~0.004 | ~0.006 | ~0.008 | ~0.010 | ~0.012 | ~0.014 | ~0.016 | ~0.018 | ~0.020 | 0.021~ |
| | 全体 | 975 | 974 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 348 | 347 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 82 | 82 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 386 | 386 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 159 | 159 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ペルフルオロオクタン sulfone(PFOS)及びペルフルオロオクタンスulfone(PFOA) | | | ~0.000005 | ~0.000010 | ~0.000015 | ~0.000020 | ~0.000025 | ~0.000030 | ~0.000035 | ~0.000040 | ~0.000045 | ~0.000050 | 0.000051~ |
| | 全体 | 680 | 564 | 73 | 21 | 6 | 9 | 3 | 2 | 1 | 1 | 0 | 0 |
| | 表流水 | 277 | 254 | 18 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 56 | 48 | 5 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 254 | 181 | 41 | 12 | 4 | 9 | 3 | 2 | 1 | 1 | 0 | 0 |
| | その他 | 93 | 81 | 9 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,3-ジクロロプロペン(D-D) | | | ~0.0005 | ~0.0010 | ~0.0015 | ~0.0025 | ~0.0035 | ~0.0050 | ~0.0150 | ~0.0250 | ~0.0350 | ~0.0500 | 0.0501~ |
| | 全体 | 564 | 564 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 251 | 251 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 52 | 52 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 188 | 188 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 73 | 73 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2,2-DPA(ダラボン) | | | ~0.0008 | ~0.0016 | ~0.0024 | ~0.0040 | ~0.0056 | ~0.0080 | ~0.0240 | ~0.0400 | ~0.0560 | ~0.0800 | 0.0801~ |
| | 全体 | 417 | 415 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 204 | 202 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 48 | 48 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 128 | 128 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 37 | 37 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2,4-D(2,4-PA) | | | ~0.0002 | ~0.0004 | ~0.0006 | ~0.0010 | ~0.0014 | ~0.0020 | ~0.0060 | ~0.0100 | ~0.0140 | ~0.0200 | 0.0201~ |
| | 全体 | 542 | 542 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 249 | 249 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 168 | 168 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 71 | 71 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EPN | | | ~0.00006 | ~0.00012 | ~0.00018 | ~0.00030 | ~0.00042 | ~0.00060 | ~0.00180 | ~0.00300 | ~0.00420 | ~0.00600 | 0.00601~ |
| | 全体 | 560 | 560 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 251 | 251 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 53 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 187 | 187 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 69 | 69 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MCPA | | | ~0.0005 | ~0.0010 | ~0.0015 | ~0.0020 | ~0.0025 | ~0.0030 | ~0.0035 | ~0.00400 | ~0.0045 | ~0.0050 | 0.0051~ |
| | 全体 | 532 | 532 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 268 | 268 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 150 | 150 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 60 | 60 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| アシュラム | | | ~0.009 | ~0.018 | ~0.027 | ~0.045 | ~0.063 | ~0.090 | ~0.270 | ~0.450 | ~0.630 | ~0.90 | 0.901~ |
| | 全体 | 521 | 521 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 249 | 249 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 52 | 52 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 161 | 161 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 59 | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| アセフェート | | | ~0.0008 | ~0.0016 | ~0.0024 | ~0.0040 | ~0.0056 | ~0.0080 | ~0.0240 | ~0.0400 | ~0.0560 | ~0.0800 | 0.0801~ |
| | 全体 | 553 | 553 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 268 | 268 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 168 | 168 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 62 | 62 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| アトラジン | | | ~0.0001 | ~0.0002 | ~0.0003 | ~0.0005 | ~0.0007 | ~0.0010 | ~0.0030 | ~0.0050 | ~0.0070 | ~0.010 | 0.0101~ |
| | 全体 | 594 | 594 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 266 | 266 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 200 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 71 | 71 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|----------------|------|-----|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| アニコホス | | | ~0.00003 | ~0.00006 | ~0.00009 | ~0.00015 | ~0.00021 | ~0.00030 | ~0.00090 | ~0.00150 | ~0.00210 | ~0.00300 | 0.00301~ |
| | 全体 | 519 | 519 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 238 | 238 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 179 | 179 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 47 | 47 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| アミトラズ | | | ~0.0006 | ~0.0012 | ~0.0018 | ~0.0024 | ~0.0030 | ~0.0036 | ~0.0042 | ~0.0048 | ~0.0054 | ~0.0060 | 0.0061~ |
| | 全体 | 451 | 450 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 225 | 225 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 46 | 46 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 140 | 139 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 40 | 40 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| アラクロール | | | ~0.0001 | ~0.0002 | ~0.0003 | ~0.0005 | ~0.0007 | ~0.0010 | ~0.0030 | ~0.0050 | ~0.0070 | ~0.010 | 0.0101~ |
| | 全体 | 629 | 628 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 280 | 280 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 59 | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 215 | 215 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 75 | 74 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| イソキサチオン | | | ~0.00005 | ~0.00010 | ~0.00015 | ~0.00025 | ~0.00035 | ~0.00050 | ~0.00150 | ~0.00250 | ~0.00350 | ~0.00500 | 0.00501~ |
| | 全体 | 601 | 601 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 273 | 273 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 198 | 198 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 73 | 73 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| イソフェンホス | | | ~0.00001 | ~0.00002 | ~0.00003 | ~0.00005 | ~0.00007 | ~0.00010 | ~0.00030 | ~0.00050 | ~0.00070 | ~0.00100 | 0.00101~ |
| | 全体 | 521 | 521 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 243 | 243 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 53 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 178 | 178 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 47 | 47 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| イソプロカルブ (MIPC) | | | ~0.0001 | ~0.0002 | ~0.0003 | ~0.0005 | ~0.0007 | ~0.0010 | ~0.0030 | ~0.0050 | ~0.0070 | ~0.010 | 0.0101~ |
| | 全体 | 545 | 545 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 242 | 242 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 183 | 183 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 65 | 65 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| イソプロチオラン (IPT) | | | ~0.0004 | ~0.0008 | ~0.0012 | ~0.0020 | ~0.0028 | ~0.0040 | ~0.0120 | ~0.0200 | ~0.0280 | ~0.0400 | 0.0401~ |
| | 全体 | 604 | 604 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 280 | 280 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 59 | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 197 | 197 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 68 | 68 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| イブフェンカルバゾン | | | ~0.00002 | ~0.00004 | ~0.00006 | ~0.00010 | ~0.00014 | ~0.00020 | ~0.00060 | ~0.00100 | ~0.00140 | ~0.00200 | 0.00201~ |
| | 全体 | 415 | 404 | 6 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 216 | 206 | 6 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 46 | 46 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 123 | 122 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 30 | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| イブロベンホス (IBP) | | | ~0.00008 | ~0.00016 | ~0.00024 | ~0.00040 | ~0.00056 | ~0.00080 | ~0.00240 | ~0.00400 | ~0.00560 | ~0.00800 | 0.00801~ |
| | 全体 | 551 | 551 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 257 | 257 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 190 | 190 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 49 | 49 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| イミノクタジン | | | ~0.00006 | ~0.00012 | ~0.00018 | ~0.00030 | ~0.00042 | ~0.00060 | ~0.00180 | ~0.00300 | ~0.00420 | ~0.00600 | 0.00601~ |
| | 全体 | 446 | 446 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 216 | 216 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 45 | 45 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 142 | 142 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 43 | 43 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|------------------|------|-----|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| インダノファン | | | ~0.0009 | ~0.0018 | ~0.0027 | ~0.0036 | ~0.0045 | ~0.0054 | ~0.0063 | ~0.0072 | ~0.0081 | ~0.0090 | 0.0091~ |
| | 全体 | 515 | 515 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 252 | 252 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 56 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 152 | 152 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| イスプロカルブ | | | ~0.0003 | ~0.0006 | ~0.0009 | ~0.0015 | ~0.0021 | ~0.0030 | ~0.0090 | ~0.0150 | ~0.0210 | ~0.0300 | 0.0301~ |
| | 全体 | 585 | 585 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 265 | 265 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 193 | 193 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 69 | 69 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| イトフェプロックス | | | ~0.0008 | ~0.0016 | ~0.0024 | ~0.0040 | ~0.0056 | ~0.0080 | ~0.0240 | ~0.0400 | ~0.0560 | ~0.0800 | 0.0801~ |
| | 全体 | 610 | 610 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 274 | 274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 60 | 60 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 205 | 205 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 71 | 71 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| インドスルファン(ベンゾエピン) | | | ~0.0001 | ~0.0002 | ~0.0003 | ~0.0005 | ~0.0007 | ~0.0010 | ~0.0030 | ~0.0050 | ~0.0070 | ~0.010 | 0.0101~ |
| | 全体 | 407 | 407 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 193 | 193 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 48 | 48 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 125 | 125 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 41 | 41 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| オキサジクロメホン | | | ~0.002 | ~0.004 | ~0.006 | ~0.008 | ~0.010 | ~0.012 | ~0.014 | ~0.016 | ~0.018 | ~0.020 | 0.021~ |
| | 全体 | 536 | 536 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 259 | 259 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 59 | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 159 | 159 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 59 | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| オキシン銅(有機銅) | | | ~0.0003 | ~0.0006 | ~0.0009 | ~0.0015 | ~0.0021 | ~0.0030 | ~0.0090 | ~0.0150 | ~0.0210 | ~0.0300 | 0.0301~ |
| | 全体 | 525 | 525 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 259 | 259 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 53 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 150 | 150 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 63 | 63 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| オリサストロビン | | | ~0.01 | ~0.02 | ~0.03 | ~0.04 | ~0.05 | ~0.06 | ~0.07 | ~0.08 | ~0.09 | ~0.10 | 0.11~ |
| | 全体 | 465 | 465 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 230 | 230 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 52 | 52 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 145 | 145 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 38 | 38 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| カズサホス | | | ~0.00006 | ~0.00012 | ~0.00018 | ~0.00030 | ~0.00042 | ~0.00060 | ~0.00180 | ~0.00300 | ~0.00420 | ~0.00600 | 0.00601~ |
| | 全体 | 510 | 510 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 258 | 258 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 53 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 154 | 154 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 45 | 45 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| カフェンストロール | | | ~0.00008 | ~0.00016 | ~0.00024 | ~0.00040 | ~0.00056 | ~0.00080 | ~0.00240 | ~0.00400 | ~0.00560 | ~0.00800 | 0.00801~ |
| | 全体 | 604 | 603 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 273 | 272 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 199 | 199 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 74 | 74 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| カルタップ | | | ~0.0008 | ~0.0016 | ~0.0024 | ~0.0040 | ~0.0056 | ~0.0080 | ~0.0240 | ~0.0400 | ~0.0560 | ~0.0800 | 0.0801~ |
| | 全体 | 481 | 481 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 224 | 224 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 42 | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 180 | 180 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 35 | 35 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|-----------------|------|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| カルバリル (NAC) | | | ~0.0002 | ~0.0004 | ~0.0006 | ~0.0010 | ~0.0014 | ~0.0020 | ~0.0060 | ~0.0100 | ~0.0140 | ~0.0200 | 0.0201~ |
| | 全体 | 521 | 521 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 240 | 240 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 56 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 159 | 159 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 66 | 66 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| カルボラン | | | ~0.000003 | ~0.000006 | ~0.000009 | ~0.000015 | ~0.000021 | ~0.000030 | ~0.000090 | ~0.000150 | ~0.000210 | ~0.000300 | 0.000301~ |
| | 全体 | 506 | 501 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 238 | 233 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 150 | 150 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 64 | 64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| キノクラミン (ACN) | | | ~0.0005 | ~0.0010 | ~0.0015 | ~0.0020 | ~0.0025 | ~0.0030 | ~0.0035 | ~0.0040 | ~0.0045 | ~0.0050 | 0.0051~ |
| | 全体 | 535 | 535 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 266 | 266 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 152 | 152 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 62 | 62 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| キャプタン | | | ~0.003 | ~0.006 | ~0.009 | ~0.015 | ~0.021 | ~0.030 | ~0.090 | ~0.150 | ~0.210 | ~0.300 | 0.301~ |
| | 全体 | 578 | 578 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 267 | 267 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 192 | 192 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 65 | 65 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| クミルロン | | | ~0.003 | ~0.006 | ~0.009 | ~0.012 | ~0.015 | ~0.018 | ~0.021 | ~0.024 | ~0.027 | ~0.030 | 0.031~ |
| | 全体 | 515 | 515 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 246 | 246 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 156 | 156 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 56 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| グリホサート | | | ~0.02 | ~0.04 | ~0.06 | ~0.10 | ~0.14 | ~0.20 | ~0.60 | ~1.00 | ~1.40 | ~2.00 | 2.01~ |
| | 全体 | 552 | 552 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 249 | 249 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 197 | 197 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 51 | 51 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| グルホシネート | | | ~0.002 | ~0.004 | ~0.006 | ~0.008 | ~0.010 | ~0.012 | ~0.014 | ~0.016 | ~0.018 | ~0.020 | 0.021~ |
| | 全体 | 478 | 478 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 228 | 228 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 43 | 43 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 170 | 170 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 37 | 37 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| クロメプロップ | | | ~0.002 | ~0.004 | ~0.006 | ~0.008 | ~0.010 | ~0.012 | ~0.014 | ~0.016 | ~0.018 | ~0.020 | 0.021~ |
| | 全体 | 525 | 525 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 259 | 259 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 156 | 156 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 53 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| クロルニトロフェン (GNP) | | | ~0.000001 | ~0.000002 | ~0.000003 | ~0.000005 | ~0.000007 | ~0.000010 | ~0.000030 | ~0.000050 | ~0.000070 | ~0.000100 | 0.000101~ |
| | 全体 | 439 | 439 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 221 | 221 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 45 | 45 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 131 | 131 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 42 | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| クロルピリホス | | | ~0.0003 | ~0.0006 | ~0.0009 | ~0.0015 | ~0.0021 | ~0.0030 | ~0.0090 | ~0.0150 | ~0.0210 | ~0.0300 | 0.0301~ |
| | 全体 | 601 | 601 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 274 | 274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 199 | 199 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 74 | 74 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | 計 | 区分 | | | | | | | | | | |
|------------------|-----|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| クロロタロニル (TPN) | | ~0.0005 | ~0.0010 | ~0.0015 | ~0.0025 | ~0.0035 | ~0.0050 | ~0.0150 | ~0.0250 | ~0.0350 | ~0.0500 | 0.0501~ |
| 全体 | 632 | 632 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 283 | 283 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 213 | 213 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 78 | 78 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| シアナジン | | ~0.00001 | ~0.00002 | ~0.00003 | ~0.00005 | ~0.00007 | ~0.00010 | ~0.00030 | ~0.00050 | ~0.00070 | ~0.00100 | 0.00101~ |
| 全体 | 530 | 530 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 256 | 256 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 56 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 154 | 154 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 64 | 64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| シアノホス(CYAP) | | ~0.0003 | ~0.0006 | ~0.0009 | ~0.0012 | ~0.0015 | ~0.0018 | ~0.0021 | ~0.0024 | ~0.0027 | ~0.0030 | 0.0031~ |
| 全体 | 545 | 545 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 272 | 272 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 157 | 157 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 59 | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ジウロン (DCMU) | | ~0.0002 | ~0.0004 | ~0.0006 | ~0.0010 | ~0.0014 | ~0.0020 | ~0.0060 | ~0.0100 | ~0.0140 | ~0.0200 | 0.0201~ |
| 全体 | 560 | 560 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 271 | 271 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 56 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 165 | 165 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 68 | 68 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ジクロベニル (DBN) | | ~0.0003 | ~0.0006 | ~0.0009 | ~0.0015 | ~0.0021 | ~0.0030 | ~0.0090 | ~0.0150 | ~0.0210 | ~0.0300 | 0.0301~ |
| 全体 | 588 | 588 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 275 | 275 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 53 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 189 | 189 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 71 | 71 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ジクロロボス (DDVP) | | ~0.00008 | ~0.00016 | ~0.00024 | ~0.00040 | ~0.00056 | ~0.00080 | ~0.00240 | ~0.00400 | ~0.00560 | ~0.00800 | 0.00801~ |
| 全体 | 559 | 559 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 248 | 248 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 56 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 190 | 190 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 65 | 65 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ジクワット | | ~0.0001 | ~0.0002 | ~0.0003 | ~0.0005 | ~0.0007 | ~0.0010 | ~0.0030 | ~0.0050 | ~0.0070 | ~0.0100 | 0.0101~ |
| 全体 | 460 | 460 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 220 | 220 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 46 | 46 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 141 | 141 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 53 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ジスルホトン(エチルチオメトン) | | ~0.00004 | ~0.00008 | ~0.00012 | ~0.00020 | ~0.00028 | ~0.00040 | ~0.00120 | ~0.00200 | ~0.00280 | ~0.00400 | 0.00401~ |
| 全体 | 557 | 557 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 243 | 243 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 56 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 188 | 188 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 70 | 70 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ジチオカルバメート系農薬 | | ~0.0005 | ~0.0010 | ~0.0015 | ~0.0020 | ~0.0025 | ~0.0030 | ~0.0035 | ~0.0040 | ~0.0045 | ~0.0050 | 0.0051~ |
| 全体 | 369 | 368 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 184 | 183 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 34 | 34 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 121 | 121 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 30 | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ジチオピル | | ~0.00008 | ~0.00016 | ~0.00024 | ~0.00040 | ~0.00056 | ~0.00080 | ~0.00240 | ~0.00400 | ~0.00560 | ~0.00800 | 0.00801~ |
| 全体 | 550 | 550 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 243 | 243 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 56 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 186 | 186 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 65 | 65 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|-------------------------------|------|-----|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| シハロホップブチル | | | ~0.0006 | ~0.0012 | ~0.0018 | ~0.0024 | ~0.0030 | ~0.0036 | ~0.0042 | ~0.0048 | ~0.0054 | ~0.0060 | 0.0061~ |
| | 全体 | 528 | 528 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 261 | 261 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 158 | 158 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| シマジソ (CAT) | | | ~0.00003 | ~0.00006 | ~0.00009 | ~0.00015 | ~0.00021 | ~0.00030 | ~0.00090 | ~0.00150 | ~0.00210 | ~0.00300 | 0.00301~ |
| | 全体 | 591 | 591 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 268 | 268 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 56 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 195 | 195 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 72 | 72 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ジメタメトリン | | | ~0.0002 | ~0.0004 | ~0.0006 | ~0.0010 | ~0.0014 | ~0.0020 | ~0.0060 | ~0.0100 | ~0.0140 | ~0.0200 | 0.0201~ |
| | 全体 | 599 | 599 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 272 | 272 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 59 | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 202 | 202 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 66 | 66 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ジメトエート | | | ~0.0005 | ~0.0010 | ~0.0015 | ~0.0025 | ~0.0035 | ~0.0050 | ~0.0150 | ~0.0250 | ~0.0350 | ~0.0500 | 0.0501~ |
| | 全体 | 547 | 547 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 243 | 243 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 186 | 186 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 63 | 63 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| シメトリン | | | ~0.0003 | ~0.0006 | ~0.0009 | ~0.0015 | ~0.0021 | ~0.0030 | ~0.0090 | ~0.0150 | ~0.0210 | ~0.0300 | 0.0301~ |
| | 全体 | 606 | 606 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 273 | 273 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 205 | 205 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 71 | 71 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダイアジノン | | | ~0.00003 | ~0.00006 | ~0.00009 | ~0.00015 | ~0.00021 | ~0.00030 | ~0.00090 | ~0.00150 | ~0.00210 | ~0.00300 | 0.00301~ |
| | 全体 | 631 | 631 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 292 | 292 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 56 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 211 | 211 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 72 | 72 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダイムロン | | | ~0.008 | ~0.016 | ~0.024 | ~0.040 | ~0.056 | ~0.080 | ~0.240 | ~0.400 | ~0.560 | ~0.800 | 0.801~ |
| | 全体 | 564 | 564 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 273 | 273 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 168 | 168 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 65 | 65 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダゾメット、メタム(カーバム)及びメチルイソチオシアネート | | | ~0.0001 | ~0.0002 | ~0.0003 | ~0.0005 | ~0.0007 | ~0.0010 | ~0.0030 | ~0.0050 | ~0.0070 | ~0.010 | 0.0101~ |
| | 全体 | 443 | 443 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 204 | 204 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 39 | 39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 161 | 161 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 39 | 39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| チアジニル | | | ~0.01 | ~0.02 | ~0.03 | ~0.04 | ~0.05 | ~0.06 | ~0.07 | ~0.08 | ~0.09 | ~0.10 | 0.11~ |
| | 全体 | 554 | 554 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 253 | 253 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 189 | 189 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| チウラム | | | ~0.0002 | ~0.0004 | ~0.0006 | ~0.0010 | ~0.0014 | ~0.0020 | ~0.0060 | ~0.0100 | ~0.0140 | ~0.0200 | 0.0201~ |
| | 全体 | 579 | 579 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 259 | 259 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 195 | 195 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 70 | 70 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|----------------|------|-----|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| チオジカルブ | | | ~0.0008 | ~0.0016 | ~0.0024 | ~0.0040 | ~0.0056 | ~0.0080 | ~0.0240 | ~0.0400 | ~0.0560 | ~0.0800 | 0.0801~ |
| | 全体 | 497 | 497 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 235 | 235 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 52 | 52 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 152 | 152 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| チオファネートメチル | | | ~0.003 | ~0.006 | ~0.009 | ~0.015 | ~0.021 | ~0.030 | ~0.090 | ~0.150 | ~0.210 | ~0.300 | 0.301~ |
| | 全体 | 552 | 552 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 249 | 249 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 53 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 189 | 189 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 61 | 61 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| チオベンカルブ | | | ~0.0002 | ~0.0004 | ~0.0006 | ~0.0010 | ~0.0014 | ~0.0020 | ~0.0060 | ~0.0100 | ~0.0140 | ~0.0200 | 0.0201~ |
| | 全体 | 587 | 587 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 260 | 260 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 200 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 70 | 70 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| テフリルトリオン | | | ~0.00002 | ~0.00004 | ~0.00006 | ~0.00010 | ~0.00014 | ~0.00020 | ~0.00060 | ~0.00100 | ~0.00140 | ~0.00200 | 0.00201~ |
| | 全体 | 509 | 508 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 266 | 265 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 53 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 146 | 146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 44 | 44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| テルブカルブ (MBPMC) | | | ~0.0002 | ~0.0004 | ~0.0006 | ~0.0010 | ~0.0014 | ~0.0020 | ~0.0060 | ~0.0100 | ~0.0140 | ~0.0200 | 0.0201~ |
| | 全体 | 537 | 537 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 237 | 237 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 185 | 185 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 61 | 61 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| トリクロピル | | | ~0.00006 | ~0.00012 | ~0.00018 | ~0.00030 | ~0.00042 | ~0.00060 | ~0.00180 | ~0.00300 | ~0.00420 | ~0.00600 | 0.00601~ |
| | 全体 | 539 | 539 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 253 | 253 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 163 | 163 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 69 | 69 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| トリクロロホン (DEP) | | | ~0.00005 | ~0.00010 | ~0.00015 | ~0.00025 | ~0.00035 | ~0.00050 | ~0.00150 | ~0.00250 | ~0.00350 | ~0.00500 | 0.00501~ |
| | 全体 | 511 | 511 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 246 | 246 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 47 | 47 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 152 | 152 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 66 | 66 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| トリシクラゾール | | | ~0.001 | ~0.002 | ~0.003 | ~0.005 | ~0.007 | ~0.010 | ~0.030 | ~0.050 | ~0.070 | ~0.100 | 0.101~ |
| | 全体 | 536 | 536 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 259 | 259 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 164 | 164 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| トリフルラリン | | | ~0.0006 | ~0.0012 | ~0.0018 | ~0.0030 | ~0.0042 | ~0.0060 | ~0.0180 | ~0.0300 | ~0.0420 | ~0.0600 | 0.0601~ |
| | 全体 | 580 | 580 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 268 | 268 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 56 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 186 | 186 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 70 | 70 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ナプロパミド | | | ~0.0003 | ~0.0006 | ~0.0009 | ~0.0015 | ~0.0021 | ~0.0030 | ~0.0090 | ~0.0150 | ~0.0210 | ~0.0300 | 0.0301~ |
| | 全体 | 546 | 546 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 243 | 243 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 186 | 186 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 63 | 63 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|-----------------|------|-----|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | | ~0.0005 | ~0.0010 | ~0.0015 | ~0.0020 | ~0.0025 | ~0.0030 | ~0.0035 | ~0.0040 | ~0.0045 | ~0.0050 | 0.0051~ |
| パラコート | 全体 | 433 | 433 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 215 | 215 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 43 | 43 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 131 | 131 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 44 | 44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ピペロホス | 全体 | 524 | 524 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 245 | 245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 52 | 52 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 180 | 180 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 47 | 47 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ピラクロニル | 全体 | 547 | 547 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 268 | 268 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 48 | 48 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 186 | 186 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 45 | 45 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ピラゾキシフェン | 全体 | 485 | 485 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 244 | 244 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 52 | 52 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 148 | 148 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 41 | 41 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ピラゾリネート(ピラゾレート) | 全体 | 581 | 581 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 268 | 268 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 190 | 190 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 65 | 65 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ピリダフェンチオン | 全体 | 528 | 527 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 246 | 246 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 53 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 179 | 179 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 49 | 49 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ピリプチカルブ | 全体 | 574 | 574 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 264 | 264 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 185 | 185 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 68 | 68 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ピロキロン | 全体 | 618 | 617 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| | 表流水 | 280 | 279 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| | ダム湖沼 | 60 | 60 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 212 | 212 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 66 | 66 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| フィプロニル | 全体 | 562 | 562 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 275 | 275 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 163 | 163 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 70 | 70 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| フェントロチオン (MEP) | 全体 | 612 | 612 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 293 | 293 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 59 | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 186 | 186 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 74 | 74 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | 計 | 区分 | | | | | | | | | | |
|---------------|-----|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | ~0.0003 | ~0.0006 | ~0.0009 | ~0.0015 | ~0.0021 | ~0.0030 | ~0.0090 | ~0.0150 | ~0.0210 | ~0.0300 | 0.0301~ |
| フェノカルブ (BPMC) | | ~0.0003 | ~0.0006 | ~0.0009 | ~0.0015 | ~0.0021 | ~0.0030 | ~0.0090 | ~0.0150 | ~0.0210 | ~0.0300 | 0.0301~ |
| 全体 | 594 | 594 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 269 | 269 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 196 | 196 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 72 | 72 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| フェリムゾン | | ~0.005 | ~0.010 | ~0.015 | ~0.020 | ~0.025 | ~0.030 | ~0.035 | ~0.040 | ~0.045 | ~0.050 | 0.051~ |
| 全体 | 480 | 480 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 239 | 239 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 47 | 47 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 155 | 155 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 39 | 39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| フェンチオン (MPP) | | ~0.00001 | ~0.00002 | ~0.00003 | ~0.00005 | ~0.00007 | ~0.00010 | ~0.00030 | ~0.00050 | ~0.00070 | ~0.00100 | 0.00101~ |
| 全体 | 536 | 536 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 258 | 258 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 157 | 157 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 66 | 66 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| フェントエート (PAP) | | ~0.00004 | ~0.00008 | ~0.00012 | ~0.00020 | ~0.00028 | ~0.00040 | ~0.00120 | ~0.00200 | ~0.00280 | ~0.00400 | 0.00401~ |
| 全体 | 607 | 607 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 276 | 276 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 59 | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 200 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 72 | 72 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| フェントラザミド | | ~0.001 | ~0.002 | ~0.003 | ~0.004 | ~0.005 | ~0.006 | ~0.007 | ~0.008 | ~0.009 | ~0.010 | 0.011~ |
| 全体 | 556 | 556 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 276 | 276 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 60 | 60 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 159 | 159 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 61 | 61 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| フサライド | | ~0.001 | ~0.002 | ~0.003 | ~0.005 | ~0.007 | ~0.010 | ~0.030 | ~0.050 | ~0.070 | ~0.100 | 0.101~ |
| 全体 | 603 | 603 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 272 | 272 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 56 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 212 | 212 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 63 | 63 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ブタクロール | | ~0.003 | ~0.006 | ~0.009 | ~0.012 | ~0.015 | ~0.018 | ~0.021 | ~0.024 | ~0.027 | ~0.030 | 0.031~ |
| 全体 | 550 | 550 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 269 | 269 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 166 | 166 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ブタミホス | | ~0.0002 | ~0.0004 | ~0.0006 | ~0.0010 | ~0.0014 | ~0.0020 | ~0.0060 | ~0.0100 | ~0.0140 | ~0.0200 | 0.0201~ |
| 全体 | 577 | 577 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 260 | 260 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 190 | 190 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 73 | 73 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ブプロフェジン | | ~0.0002 | ~0.0004 | ~0.0006 | ~0.0010 | ~0.0014 | ~0.0020 | ~0.0060 | ~0.0100 | ~0.0140 | ~0.0200 | 0.0201~ |
| 全体 | 607 | 607 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 275 | 275 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 207 | 207 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 67 | 67 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| フルアジナム | | ~0.003 | ~0.006 | ~0.009 | ~0.012 | ~0.015 | ~0.018 | ~0.021 | ~0.024 | ~0.027 | ~0.030 | 0.031~ |
| 全体 | 504 | 504 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 252 | 252 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 152 | 152 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 43 | 43 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|----------|------|-----|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| プレチラクロール | | | ~0.0005 | ~0.0010 | ~0.0015 | ~0.0025 | ~0.0035 | ~0.0050 | ~0.0150 | ~0.0250 | ~0.0350 | ~0.0500 | 0.0501~ |
| | 全体 | 615 | 615 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 286 | 286 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 59 | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 195 | 195 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 75 | 75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| プロシモン | | | ~0.0009 | ~0.0018 | ~0.0027 | ~0.0045 | ~0.0063 | ~0.0090 | ~0.0270 | ~0.0450 | ~0.0630 | ~0.0900 | 0.0901~ |
| | 全体 | 544 | 544 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 249 | 249 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 52 | 52 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 183 | 183 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 60 | 60 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| プロチオホス | | | ~0.00007 | ~0.00014 | ~0.00021 | ~0.00035 | ~0.00049 | ~0.00070 | ~0.00210 | ~0.00350 | ~0.00490 | ~0.00700 | 0.00701~ |
| | 全体 | 420 | 420 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 218 | 218 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 37 | 37 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 128 | 128 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 37 | 37 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| プロピコナゾール | | | ~0.0005 | ~0.0010 | ~0.0015 | ~0.0025 | ~0.0035 | ~0.0050 | ~0.0150 | ~0.0250 | ~0.0350 | ~0.0500 | 0.0501~ |
| | 全体 | 563 | 563 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 252 | 252 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 56 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 190 | 190 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 65 | 65 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| プロピザミド | | | ~0.0005 | ~0.0010 | ~0.0015 | ~0.0025 | ~0.0035 | ~0.0050 | ~0.0150 | ~0.0250 | ~0.0350 | ~0.0500 | 0.0501~ |
| | 全体 | 555 | 555 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 253 | 253 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 185 | 185 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 63 | 63 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| プロバナゾール | | | ~0.0003 | ~0.0006 | ~0.0009 | ~0.0015 | ~0.0021 | ~0.0030 | ~0.0090 | ~0.0150 | ~0.0210 | ~0.0300 | 0.0301~ |
| | 全体 | 569 | 569 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 271 | 271 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 183 | 183 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 61 | 61 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| プロモブチド | | | ~0.0004 | ~0.0008 | ~0.0012 | ~0.0020 | ~0.0028 | ~0.0040 | ~0.0120 | ~0.0200 | ~0.0280 | ~0.0400 | 0.0401~ |
| | 全体 | 623 | 617 | 0 | 4 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 287 | 283 | 0 | 2 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 206 | 205 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 73 | 72 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| パノミル | | | ~0.0002 | ~0.0004 | ~0.0006 | ~0.0010 | ~0.0014 | ~0.0020 | ~0.0060 | ~0.0100 | ~0.0140 | ~0.0200 | 0.0201~ |
| | 全体 | 540 | 540 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 258 | 258 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 158 | 158 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 69 | 69 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ペンシクロン | | | ~0.001 | ~0.002 | ~0.003 | ~0.005 | ~0.007 | ~0.010 | ~0.030 | ~0.050 | ~0.070 | ~0.100 | 0.101~ |
| | 全体 | 577 | 577 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 259 | 259 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 195 | 195 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 65 | 65 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ベンゾピシクロン | | | ~0.009 | ~0.018 | ~0.027 | ~0.036 | ~0.045 | ~0.054 | ~0.063 | ~0.072 | ~0.081 | ~0.090 | 0.091~ |
| | 全体 | 531 | 531 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 257 | 257 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 50 | 50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 166 | 166 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|----------------|------|-----|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | | ~0.00005 | ~0.00010 | ~0.00015 | ~0.00025 | ~0.00035 | ~0.00050 | ~0.00150 | ~0.00250 | ~0.00350 | ~0.00500 | 0.00501~ |
| ベンゾフェナップ | 全体 | 510 | 510 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 247 | 247 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 148 | 148 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ベンタゾン | 全体 | 625 | 625 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 280 | 280 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 214 | 214 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 74 | 74 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ペンディメタリン | 全体 | 599 | 598 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 274 | 274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 59 | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 196 | 196 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 70 | 69 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ベンフラカルブ | 全体 | 501 | 501 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 232 | 232 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 53 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 170 | 170 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 46 | 46 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ベンフルラリン(バスロジン) | 全体 | 513 | 513 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 228 | 228 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 52 | 52 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 175 | 175 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ベンフレセート | 全体 | 532 | 532 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 255 | 255 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 57 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 166 | 166 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ホスチアゼート | 全体 | 518 | 518 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 255 | 255 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 50 | 50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 155 | 155 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| マラチオン(マラソン) | 全体 | 563 | 563 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 262 | 262 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 53 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 187 | 187 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 61 | 61 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| メコプロップ(MCPP) | 全体 | 569 | 569 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 269 | 269 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 174 | 174 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 72 | 72 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| メソミル | 全体 | 556 | 556 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 267 | 267 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 168 | 168 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 67 | 67 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | | 計 | 区分 | | | | | | | | | | |
|-----------------------|------|-------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| メタラキシル | | | ~0.002 | ~0.004 | ~0.006 | ~0.010 | ~0.0140 | ~0.020 | ~0.060 | ~0.100 | ~0.140 | ~0.200 | 0.201~ |
| | 全体 | 597 | 597 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 264 | 264 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 205 | 205 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 70 | 70 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| メチダチオン (DMTP) | | | ~0.00004 | ~0.00008 | ~0.00012 | ~0.00020 | ~0.00028 | ~0.00040 | ~0.00120 | ~0.00200 | ~0.00280 | ~0.00400 | 0.00401~ |
| | 全体 | 590 | 590 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 268 | 268 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 53 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 196 | 196 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 73 | 73 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| メトミノストロピン | | | ~0.0004 | ~0.0008 | ~0.0012 | ~0.0020 | ~0.0028 | ~0.0040 | ~0.0120 | ~0.0200 | ~0.0280 | ~0.0400 | 0.0401~ |
| | 全体 | 533 | 533 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 263 | 263 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 160 | 160 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| メトリブジン | | | ~0.003 | ~0.006 | ~0.009 | ~0.012 | ~0.015 | ~0.018 | ~0.021 | ~0.024 | ~0.027 | ~0.030 | 0.031~ |
| | 全体 | 517 | 517 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 252 | 252 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 56 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 154 | 154 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 55 | 55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| メフェナセト | | | ~0.00009 | ~0.00018 | ~0.00027 | ~0.00045 | ~0.00063 | ~0.00090 | ~0.00270 | ~0.00450 | ~0.00630 | ~0.00900 | 0.00901~ |
| | 全体 | 614 | 614 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 274 | 274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 59 | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 207 | 207 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 74 | 74 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| メプロニル | | | ~0.001 | ~0.002 | ~0.003 | ~0.005 | ~0.007 | ~0.010 | ~0.030 | ~0.050 | ~0.070 | ~0.100 | 0.101~ |
| | 全体 | 562 | 562 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 251 | 251 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 58 | 58 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 189 | 189 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 64 | 64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| モリネート | | | ~0.00005 | ~0.00010 | ~0.00015 | ~0.00025 | ~0.00035 | ~0.00050 | ~0.00150 | ~0.00250 | ~0.00350 | ~0.00500 | 0.00501~ |
| | 全体 | 604 | 604 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 279 | 279 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 54 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 205 | 205 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 66 | 66 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 水温(°C) | | | ~10.0 | ~12.0 | ~14.0 | ~16.0 | ~18.0 | ~20.0 | ~22.0 | ~24.0 | ~26.0 | ~28.0 | 28.1~ |
| | 全体 | 1,561 | 60 | 111 | 198 | 236 | 510 | 339 | 68 | 25 | 6 | 5 | 3 |
| | 表流水 | 502 | 25 | 55 | 93 | 103 | 140 | 66 | 11 | 7 | 1 | 0 | 1 |
| | ダム湖沼 | 145 | 9 | 15 | 17 | 19 | 55 | 27 | 1 | 2 | 0 | 0 | 0 |
| | 地下水 | 628 | 5 | 23 | 56 | 76 | 220 | 184 | 49 | 10 | 2 | 3 | 0 |
| | その他 | 286 | 21 | 18 | 32 | 38 | 95 | 62 | 7 | 6 | 3 | 2 | 2 |
| 紫外線(UV)吸光度(50mmセル使用時) | | | ~0.040 | ~0.080 | ~0.120 | ~0.160 | ~0.200 | ~0.240 | ~0.280 | ~0.320 | ~0.360 | ~0.400 | 0.401~ |
| | 全体 | 111 | 59 | 48 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 表流水 | 64 | 33 | 30 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 21 | 7 | 12 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 13 | 10 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | その他 | 13 | 9 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 侵食性遊離炭酸 | | | ~2.5 | ~5.0 | ~7.5 | ~10.0 | ~12.5 | ~15.0 | ~17.5 | ~20.0 | ~22.5 | ~25.0 | 25.1~ |
| | 全体 | 147 | 47 | 39 | 21 | 13 | 9 | 4 | 2 | 7 | 2 | 1 | 2 |
| | 表流水 | 37 | 14 | 15 | 3 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ダム湖沼 | 13 | 7 | 5 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 地下水 | 82 | 21 | 15 | 14 | 8 | 6 | 4 | 2 | 7 | 2 | 1 | 2 |
| | その他 | 15 | 5 | 4 | 3 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

| 水質項目 | 計 | 区分 | | | | | | | | | | | |
|----------|-----|-------|-------|--------|--------|---------|---------|----------|----------|-----------|-----------|-----------|---|
| | | ～10.0 | ～50.0 | ～100.0 | ～500.0 | ～1000.0 | ～5000.0 | ～10000.0 | ～50000.0 | ～100000.0 | ～500000.0 | 500000.1～ | |
| 生物(n/ml) | | | | | | | | | | | | | |
| 全体 | 38 | 32 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 表流水 | 24 | 20 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ダム湖沼 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 地下水 | 10 | 9 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| その他 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| アルカリ度 | | | | | | | | | | | | | |
| 全体 | 739 | 14 | 124 | 130 | 185 | 108 | 85 | 36 | 23 | 13 | 9 | 12 | |
| 表流水 | 282 | 12 | 71 | 70 | 75 | 30 | 16 | 5 | 3 | 0 | 0 | 0 | |
| ダム湖沼 | 66 | 2 | 12 | 16 | 17 | 4 | 10 | 2 | 1 | 1 | 0 | 1 | |
| 地下水 | 266 | 0 | 10 | 19 | 61 | 56 | 51 | 25 | 17 | 11 | 8 | 8 | |
| その他 | 125 | 0 | 31 | 25 | 32 | 18 | 8 | 4 | 2 | 1 | 1 | 3 | |
| 硫酸イオン | | | | | | | | | | | | | |
| 全体 | 421 | 80 | 130 | 105 | 47 | 41 | 5 | 6 | 2 | 2 | 1 | 2 | |
| 表流水 | 139 | 26 | 31 | 46 | 16 | 17 | 0 | 2 | 0 | 0 | 1 | 0 | |
| ダム湖沼 | 31 | 7 | 14 | 8 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | |
| 地下水 | 166 | 42 | 56 | 34 | 16 | 11 | 3 | 4 | 0 | 0 | 0 | 0 | |
| その他 | 85 | 5 | 29 | 17 | 15 | 12 | 1 | 0 | 2 | 2 | 0 | 2 | |
| 溶性ケイ酸 | | | | | | | | | | | | | |
| 全体 | 106 | 3 | 5 | 32 | 18 | 13 | 12 | 10 | 8 | 5 | 0 | 0 | |
| 表流水 | 31 | 0 | 4 | 20 | 2 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | |
| ダム湖沼 | 3 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 地下水 | 64 | 0 | 0 | 10 | 13 | 9 | 10 | 8 | 5 | 0 | 0 | 0 | |
| その他 | 8 | 1 | 1 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | |

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。