

水質項目		計	区分										
一般細菌			0	～10	～20	～30	～40	～50	～60	～70	～80	～100	101～
	全体	1,601	1,343	240	6	5	5	0	0	0	0	0	2
	表流水	504	403	94	3	2	1	0	0	0	0	0	1
	ダム湖沼	146	116	29	1	0	0	0	0	0	0	0	0
	地下水	649	553	89	1	3	3	0	0	0	0	0	0
	その他	302	271	28	1	0	1	0	0	0	0	0	1
大腸菌(定性)			陰性	陽性									
	全体	0	0	0									
	表流水	0	0	0									
	ダム湖沼	0	0	0									
	地下水	0	0	0									
	その他	0	0	0									
カドミウム及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	1,441	1,441	0	0	0	0	0	0	0	0	0	0
	表流水	447	447	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	129	129	0	0	0	0	0	0	0	0	0	0
	地下水	587	587	0	0	0	0	0	0	0	0	0	0
	その他	278	278	0	0	0	0	0	0	0	0	0	0
水銀及びその化合物			～0.00005	～0.00010	～0.00015	～0.00020	～0.00025	～0.00030	～0.00035	～0.00040	～0.00045	～0.00050	0.00051～
	全体	1,426	1,425	0	0	0	0	0	0	0	0	1	0
	表流水	449	448	0	0	0	0	0	0	0	0	1	0
	ダム湖沼	128	128	0	0	0	0	0	0	0	0	0	0
	地下水	581	581	0	0	0	0	0	0	0	0	0	0
	その他	268	268	0	0	0	0	0	0	0	0	0	0
セレン及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	1,440	1,440	0	0	0	0	0	0	0	0	0	0
	表流水	447	447	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	129	129	0	0	0	0	0	0	0	0	0	0
	地下水	586	586	0	0	0	0	0	0	0	0	0	0
	その他	278	278	0	0	0	0	0	0	0	0	0	0
鉛及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	1,460	1,439	12	4	3	0	1	0	0	1	0	0
	表流水	461	457	3	0	0	0	1	0	0	0	0	0
	ダム湖沼	133	132	1	0	0	0	0	0	0	0	0	0
	地下水	592	580	6	3	2	0	0	0	0	1	0	0
	その他	274	270	2	1	1	0	0	0	0	0	0	0
ヒ素及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	1,441	1,310	71	26	18	7	5	2	0	1	0	1
	表流水	448	430	12	3	1	1	0	0	0	0	0	1
	ダム湖沼	129	128	0	0	0	0	1	0	0	0	0	0
	地下水	586	495	45	22	15	6	2	1	0	0	0	0
	その他	278	257	14	1	2	0	2	1	0	1	0	0
六価クロム化合物			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	1,452	1,448	3	1	0	0	0	0	0	0	0	0
	表流水	454	453	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	132	132	0	0	0	0	0	0	0	0	0	0
	地下水	588	585	2	1	0	0	0	0	0	0	0	0
	その他	278	278	0	0	0	0	0	0	0	0	0	0
亜硝酸態窒素			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
	全体	1,485	1,481	0	0	3	1	0	0	0	0	0	0
	表流水	459	457	0	0	2	0	0	0	0	0	0	0
	ダム湖沼	137	136	0	0	0	1	0	0	0	0	0	0
	地下水	592	591	0	0	1	0	0	0	0	0	0	0
	その他	297	297	0	0	0	0	0	0	0	0	0	0
シアン化物イオン及び塩化シアン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	1,456	1,456	0	0	0	0	0	0	0	0	0	0
	表流水	461	461	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	131	131	0	0	0	0	0	0	0	0	0	0
	地下水	591	591	0	0	0	0	0	0	0	0	0	0
	その他	273	273	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
硝酸態窒素及び亜硝酸態窒素			～0.50	～1.00	～2.00	～3.00	～4.00	～5.00	～6.00	～7.00	～8.00	～10.00	10.01～
全体		1,518	590	372	339	131	33	26	15	8	3	1	0
表流水		471	212	155	72	28	3	0	1	0	0	0	0
ダム湖沼		138	82	38	15	1	2	0	0	0	0	0	0
地下水		607	188	119	172	56	26	24	12	7	3	0	0
その他		302	108	60	80	46	2	2	2	1	0	1	0
フッ素及びその化合物			～0.08	～0.16	～0.24	～0.32	～0.40	～0.48	～0.56	～0.64	～0.72	～0.80	0.81～
全体		1,502	896	486	62	37	11	4	2	1	2	1	0
表流水		465	287	153	8	12	1	1	1	1	0	1	0
ダム湖沼		137	80	43	8	4	1	1	0	0	0	0	0
地下水		600	375	155	38	20	8	2	0	0	2	0	0
その他		300	154	135	8	1	1	0	1	0	0	0	0
ホウ素及びその化合物			～0.1	～0.2	～0.3	～0.4	～0.5	～0.6	～0.7	～0.8	～0.9	～1.0	1.1～
全体		1,438	1,397	22	10	4	2	1	1	0	0	0	1
表流水		445	438	3	2	1	0	0	1	0	0	0	0
ダム湖沼		128	123	3	1	1	0	0	0	0	0	0	0
地下水		587	563	14	5	2	2	1	0	0	0	0	0
その他		278	273	2	2	0	0	0	0	0	0	0	1
四塩化炭素			～0.0002	～0.0004	～0.0006	～0.0008	～0.0010	～0.0012	～0.0014	～0.0016	～0.0018	～0.0020	0.0021～
全体		1,444	1,440	2	1	1	0	0	0	0	0	0	0
表流水		446	446	0	0	0	0	0	0	0	0	0	0
ダム湖沼		129	129	0	0	0	0	0	0	0	0	0	0
地下水		588	586	1	1	0	0	0	0	0	0	0	0
その他		281	279	1	0	1	0	0	0	0	0	0	0
1,4－ジオキサン			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
全体		1,430	1,430	0	0	0	0	0	0	0	0	0	0
表流水		442	442	0	0	0	0	0	0	0	0	0	0
ダム湖沼		128	128	0	0	0	0	0	0	0	0	0	0
地下水		586	586	0	0	0	0	0	0	0	0	0	0
その他		274	274	0	0	0	0	0	0	0	0	0	0
シス－1,2－ジクロロエチレン及びトランス－1,2－ジクロロエチレン			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
全体		1,443	1,442	0	0	1	0	0	0	0	0	0	0
表流水		446	446	0	0	0	0	0	0	0	0	0	0
ダム湖沼		129	129	0	0	0	0	0	0	0	0	0	0
地下水		587	586	0	0	1	0	0	0	0	0	0	0
その他		281	281	0	0	0	0	0	0	0	0	0	0
ジクロロメタン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
全体		1,445	1,445	0	0	0	0	0	0	0	0	0	0
表流水		447	447	0	0	0	0	0	0	0	0	0	0
ダム湖沼		129	129	0	0	0	0	0	0	0	0	0	0
地下水		588	588	0	0	0	0	0	0	0	0	0	0
その他		281	281	0	0	0	0	0	0	0	0	0	0
テトラクロロエチレン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
全体		1,445	1,442	2	1	0	0	0	0	0	0	0	0
表流水		447	447	0	0	0	0	0	0	0	0	0	0
ダム湖沼		129	129	0	0	0	0	0	0	0	0	0	0
地下水		588	585	2	1	0	0	0	0	0	0	0	0
その他		281	281	0	0	0	0	0	0	0	0	0	0
トリクロロエチレン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
全体		1,444	1,442	1	0	1	0	0	0	0	0	0	0
表流水		446	446	0	0	0	0	0	0	0	0	0	0
ダム湖沼		129	129	0	0	0	0	0	0	0	0	0	0
地下水		588	587	0	0	1	0	0	0	0	0	0	0
その他		281	280	1	0	0	0	0	0	0	0	0	0
ベンゼン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
全体		1,444	1,444	0	0	0	0	0	0	0	0	0	0
表流水		446	446	0	0	0	0	0	0	0	0	0	0
ダム湖沼		129	129	0	0	0	0	0	0	0	0	0	0
地下水		588	588	0	0	0	0	0	0	0	0	0	0
その他		281	281	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
塩素酸			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
	全体	1,500	588	517	201	101	49	28	11	0	1	1	3
	表流水	473	133	179	85	40	24	10	2	0	0	0	0
	ダム湖沼	137	32	49	28	15	5	7	1	0	0	0	0
	地下水	599	283	183	61	38	15	8	6	0	1	1	3
	その他	291	140	106	27	8	5	3	2	0	0	0	0
クロロ酢酸			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	1,454	1,450	3	0	0	0	1	0	0	0	0	0
	表流水	468	467	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	131	131	0	0	0	0	0	0	0	0	0	0
	地下水	593	591	2	0	0	0	0	0	0	0	0	0
	その他	262	261	0	0	0	0	1	0	0	0	0	0
クロロホルム			～0.006	～0.012	～0.018	～0.024	～0.030	～0.036	～0.042	～0.048	～0.056	～0.060	0.061～
	全体	1,496	827	304	210	101	27	12	10	5	0	0	0
	表流水	475	172	144	90	38	13	9	8	1	0	0	0
	ダム湖沼	133	41	38	30	16	6	0	1	1	0	0	0
	地下水	601	517	48	21	11	1	1	1	1	0	0	0
	その他	287	97	74	69	36	7	2	0	2	0	0	0
ジクロロ酢酸			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	1,454	894	255	157	76	39	21	6	2	2	2	0
	表流水	468	194	119	82	37	16	12	5	1	1	1	0
	ダム湖沼	131	57	26	19	11	10	4	1	1	1	1	0
	地下水	593	528	45	14	2	3	1	0	0	0	0	0
	その他	262	115	65	42	26	10	4	0	0	0	0	0
ジブロモクロロメタン			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	1,496	1,474	14	3	2	1	0	1	0	0	1	0
	表流水	475	466	7	1	0	0	0	0	0	0	1	0
	ダム湖沼	133	132	1	0	0	0	0	0	0	0	0	0
	地下水	601	595	2	1	2	1	0	0	0	0	0	0
	その他	287	281	4	1	0	0	0	1	0	0	0	0
臭素酸			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	1,453	1,378	27	22	14	6	5	0	1	0	0	0
	表流水	465	439	5	7	6	5	2	0	1	0	0	0
	ダム湖沼	131	127	4	0	0	0	0	0	0	0	0	0
	地下水	591	579	6	2	4	0	0	0	0	0	0	0
	その他	266	233	12	13	4	1	3	0	0	0	0	0
総トリハロメタン			～0.010	～0.020	～0.030	～0.040	～0.050	～0.060	～0.070	～0.080	～0.090	～0.100	0.101～
	全体	1,496	716	351	250	120	42	9	5	1	1	1	0
	表流水	475	135	181	93	43	20	2	1	0	0	0	0
	ダム湖沼	133	36	40	33	17	6	0	1	0	0	0	0
	地下水	601	472	79	32	14	0	0	2	0	1	1	0
	その他	287	73	51	92	46	16	7	1	1	0	0	0
トリクロロ酢酸			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	1,454	884	219	152	99	52	20	9	11	4	2	2
	表流水	468	188	120	72	37	23	10	6	7	3	1	1
	ダム湖沼	131	52	24	23	11	10	5	1	3	0	1	1
	地下水	593	523	36	15	12	4	1	1	0	1	0	0
	その他	262	121	39	42	39	15	4	1	1	0	0	0
ブロモジクロロメタン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	1,496	788	337	204	108	41	12	3	1	1	1	0
	表流水	475	182	155	88	32	14	4	0	0	0	0	0
	ダム湖沼	133	37	51	26	13	3	0	0	0	0	0	0
	地下水	601	487	71	29	9	2	0	1	0	1	1	0
	その他	287	82	60	61	54	22	5	2	1	0	0	0
ブロモホルム			～0.009	～0.018	～0.027	～0.036	～0.045	～0.054	～0.063	～0.072	～0.081	～0.090	0.091～
	全体	1,496	1,478	11	6	1	0	0	0	0	0	0	0
	表流水	475	468	4	3	0	0	0	0	0	0	0	0
	ダム湖沼	133	132	1	0	0	0	0	0	0	0	0	0
	地下水	601	593	4	3	1	0	0	0	0	0	0	0
	その他	287	285	2	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
ホルムアルデヒド			～0.008	～0.016	～0.024	～0.032	～0.040	～0.048	～0.056	～0.064	～0.072	～0.080	0.081～
	全体	1,441	1,424	17	0	0	0	0	0	0	0	0	0
	表流水	466	458	8	0	0	0	0	0	0	0	0	0
	ダム湖沼	131	131	0	0	0	0	0	0	0	0	0	0
	地下水	590	585	5	0	0	0	0	0	0	0	0	0
	その他	254	250	4	0	0	0	0	0	0	0	0	0
亜鉛及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.20	～0.40	～0.60	～0.80	～1.00	1.01～
	全体	1,452	1,436	8	2	1	5	0	0	0	0	0	0
	表流水	458	456	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	129	128	0	1	0	0	0	0	0	0	0	0
	地下水	587	575	5	1	1	5	0	0	0	0	0	0
	その他	278	277	1	0	0	0	0	0	0	0	0	0
アルミニウム及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.12	～0.14	～0.16	～0.18	～0.20	0.21～
	全体	1,522	950	328	115	73	30	12	8	4	0	1	1
	表流水	487	192	157	68	43	15	6	4	1	0	1	0
	ダム湖沼	140	58	38	16	14	9	3	0	2	0	0	0
	地下水	609	523	53	13	7	6	2	4	0	0	0	1
	その他	286	177	80	18	9	0	1	0	1	0	0	0
鉄及びその化合物			～0.03	～0.06	～0.09	～0.12	～0.15	～0.18	～0.21	～0.24	～0.27	～0.30	0.31～
	全体	1,510	1,472	19	15	2	2	0	0	0	0	0	0
	表流水	478	466	6	6	0	0	0	0	0	0	0	0
	ダム湖沼	136	133	2	0	0	1	0	0	0	0	0	0
	地下水	613	596	8	8	0	1	0	0	0	0	0	0
	その他	283	277	3	1	2	0	0	0	0	0	0	0
銅及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.20	～0.40	～0.60	～0.80	～1.00	1.01～
	全体	1,446	1,433	5	2	0	4	2	0	0	0	0	0
	表流水	453	453	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	131	130	1	0	0	0	0	0	0	0	0	0
	地下水	586	574	4	2	0	4	2	0	0	0	0	0
	その他	276	276	0	0	0	0	0	0	0	0	0	0
ナトリウム及びその化合物			～5.0	～10.0	～20.0	～40.0	～60.0	～80.0	～100.0	～120.0	～150.0	～200.0	200.1～
	全体	1,461	141	591	552	158	13	5	0	0	1	0	0
	表流水	455	67	214	140	31	2	1	0	0	0	0	0
	ダム湖沼	132	11	78	24	17	1	1	0	0	0	0	0
	地下水	592	41	207	252	80	8	3	0	0	1	0	0
	その他	282	22	92	136	30	2	0	0	0	0	0	0
マンガン及びその化合物			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	全体	1,515	1,454	35	9	5	4	4	1	1	1	1	0
	表流水	477	467	8	0	0	1	0	0	0	1	0	0
	ダム湖沼	137	131	2	2	1	0	0	1	0	0	0	0
	地下水	621	583	21	4	4	3	4	0	1	0	1	0
	その他	280	273	4	3	0	0	0	0	0	0	0	0
塩化物イオン			～5.0	～10.0	～20.0	～40.0	～60.0	～80.0	～100.0	～120.0	～150.0	～200.0	200.1～
	全体	1,595	228	464	597	258	36	6	1	2	2	1	0
	表流水	494	76	145	192	73	6	0	0	2	0	0	0
	ダム湖沼	146	7	34	77	16	10	0	0	0	1	1	0
	地下水	646	109	216	225	75	13	6	1	0	1	0	0
	その他	309	36	69	103	94	7	0	0	0	0	0	0
カルシウム、マグネシウム等(硬度)			～10	～20	～30	～50	～80	～100	～150	～200	～250	～300	301～
	全体	1,495	39	109	198	486	437	149	60	11	2	3	1
	表流水	467	34	53	81	164	103	22	10	0	0	0	0
	ダム湖沼	136	2	10	35	52	21	9	7	0	0	0	0
	地下水	608	0	25	48	184	228	78	33	10	1	1	0
	その他	284	3	21	34	86	85	40	10	1	1	2	1
蒸発残留物			～30	～50	～100	～150	～200	～250	～300	～350	～400	～500	501～
	全体	1,478	16	75	549	439	269	91	23	5	6	5	0
	表流水	461	14	47	220	126	35	14	3	2	0	0	0
	ダム湖沼	135	0	5	85	26	6	8	4	0	1	0	0
	地下水	600	0	14	145	220	145	53	15	2	3	3	0
	その他	282	2	9	99	67	83	16	1	1	2	2	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
陰イオン界面活性剤			～0.02	～0.04	～0.06	～0.08	～0.10	～0.12	～0.14	～0.16	～0.18	～0.20	0.21～
	全体	1,370	1,370	0	0	0	0	0	0	0	0	0	0
	表流水	438	438	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	127	127	0	0	0	0	0	0	0	0	0	0
	地下水	547	547	0	0	0	0	0	0	0	0	0	0
	その他	258	258	0	0	0	0	0	0	0	0	0	0
ジェオスミン			～0.000001	～0.000002	～0.000004	～0.000006	～0.000008	～0.000010	～0.000012	～0.000014	～0.000016	～0.000020	0.000021～
	全体	1,323	1,047	145	87	31	8	3	0	1	0	0	1
	表流水	454	283	87	59	20	3	1	0	1	0	0	0
	ダム湖沼	131	82	22	12	9	4	1	0	0	0	0	1
	地下水	508	489	10	6	2	0	1	0	0	0	0	0
	その他	230	193	26	10	0	1	0	0	0	0	0	0
2-メチルイソボルネオール			～0.000001	～0.000002	～0.000004	～0.000006	～0.000008	～0.000010	～0.000012	～0.000014	～0.000016	～0.000020	0.000021～
	全体	1,324	1,177	99	37	6	2	1	0	0	0	1	1
	表流水	455	369	56	24	3	1	1	0	0	0	0	1
	ダム湖沼	131	102	16	9	2	1	0	0	0	0	1	0
	地下水	508	504	3	0	1	0	0	0	0	0	0	0
	その他	230	202	24	4	0	0	0	0	0	0	0	0
非イオン界面活性剤			～0.005	～0.006	～0.007	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	1,372	1,368	1	1	0	0	2	0	0	0	0	0
	表流水	439	436	1	0	0	0	2	0	0	0	0	0
	ダム湖沼	129	129	0	0	0	0	0	0	0	0	0	0
	地下水	546	545	0	1	0	0	0	0	0	0	0	0
	その他	258	258	0	0	0	0	0	0	0	0	0	0
フェノール類			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	1,374	1,374	0	0	0	0	0	0	0	0	0	0
	表流水	442	442	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	128	128	0	0	0	0	0	0	0	0	0	0
	地下水	546	546	0	0	0	0	0	0	0	0	0	0
	その他	258	258	0	0	0	0	0	0	0	0	0	0
有機物(TOCの量)			～0.5	0.6	0.7	0.8	0.9	1	～2.0	～3.0	～4.0	～5.0	5.1～
	全体	1,613	689	145	135	146	138	109	239	12	0	0	0
	表流水	504	88	64	56	63	52	55	121	5	0	0	0
	ダム湖沼	147	22	8	11	24	19	13	44	6	0	0	0
	地下水	653	490	41	36	21	18	12	34	1	0	0	0
	その他	309	89	32	32	38	49	29	40	0	0	0	0
pH値			～5.8	～6.0	～6.3	～6.6	～6.9	～7.2	～7.5	～7.8	～8.2	～8.6	8.7～
	全体	1,674	1	0	2	31	119	275	635	443	153	15	0
	表流水	526	0	0	0	1	20	63	229	172	39	2	0
	ダム湖沼	152	0	0	0	0	5	24	68	48	7	0	0
	地下水	681	1	0	1	26	83	153	191	135	79	12	0
	その他	315	0	0	1	4	11	35	147	88	28	1	0
味の異常回数			0	1	2	3	4	5	6	7	8	9	10～
	全体	98	98	0	0	0	0	0	0	0	0	0	0
	表流水	8	8	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	2	2	0	0	0	0	0	0	0	0	0	0
	地下水	53	53	0	0	0	0	0	0	0	0	0	0
	その他	35	35	0	0	0	0	0	0	0	0	0	0
臭気の異常回数			0	1	2	3	4	5	6	7	8	9	10～
	全体	98	98	0	0	0	0	0	0	0	0	0	0
	表流水	8	8	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	1	1	0	0	0	0	0	0	0	0	0	0
	地下水	53	53	0	0	0	0	0	0	0	0	0	0
	その他	36	36	0	0	0	0	0	0	0	0	0	0
色度			～0.5	～1.0	～1.5	～2.0	～2.5	～3.0	～3.5	～4.0	～4.5	～5.0	5.1～
	全体	1,651	1,260	277	58	27	9	6	4	6	2	2	0
	表流水	512	356	110	22	8	5	5	0	2	2	2	0
	ダム湖沼	149	99	35	10	3	2	0	0	0	0	0	0
	地下水	671	552	75	20	14	1	1	4	4	0	0	0
	その他	319	253	57	6	2	1	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
濁度			～0.1	～0.2	～0.4	～0.6	～0.8	～1.0	～1.2	～1.4	～1.6	～2.0	2.1～
全体		1,701	1,594	49	27	15	3	6	3	0	0	4	0
表流水		540	509	15	6	5	0	3	0	0	0	2	0
ダム湖沼		150	146	2	2	0	0	0	0	0	0	0	0
地下水		691	637	24	12	8	2	3	3	0	0	2	0
その他		320	302	8	7	2	1	0	0	0	0	0	0
アンチモン及びその化合物			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
全体		952	952	0	0	0	0	0	0	0	0	0	0
表流水		349	349	0	0	0	0	0	0	0	0	0	0
ダム湖沼		84	84	0	0	0	0	0	0	0	0	0	0
地下水		363	363	0	0	0	0	0	0	0	0	0	0
その他		156	156	0	0	0	0	0	0	0	0	0	0
ウラン及びその化合物			～0.0002	～0.0004	～0.0006	～0.0008	～0.0010	～0.0012	～0.0014	～0.0016	～0.0018	～0.0020	0.0021～
全体		951	918	17	3	6	3	0	0	0	0	1	3
表流水		349	348	0	0	1	0	0	0	0	0	0	0
ダム湖沼		84	83	0	0	0	0	0	0	0	0	0	1
地下水		365	339	15	2	4	2	0	0	0	0	1	2
その他		153	148	2	1	1	1	0	0	0	0	0	0
ニッケル及びその化合物			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
全体		994	984	8	1	0	0	0	0	0	0	1	0
表流水		365	362	3	0	0	0	0	0	0	0	0	0
ダム湖沼		88	88	0	0	0	0	0	0	0	0	0	0
地下水		378	372	4	1	0	0	0	0	0	0	1	0
その他		163	162	1	0	0	0	0	0	0	0	0	0
1,2-ジクロロエタン			～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
全体		958	954	2	2	0	0	0	0	0	0	0	0
表流水		350	348	2	0	0	0	0	0	0	0	0	0
ダム湖沼		84	84	0	0	0	0	0	0	0	0	0	0
地下水		366	366	0	0	0	0	0	0	0	0	0	0
その他		158	156	0	2	0	0	0	0	0	0	0	0
トルエン			～0.040	～0.080	～0.120	～0.160	～0.200	～0.240	～0.280	～0.320	～0.360	～0.400	0.401～
全体		957	957	0	0	0	0	0	0	0	0	0	0
表流水		349	349	0	0	0	0	0	0	0	0	0	0
ダム湖沼		84	84	0	0	0	0	0	0	0	0	0	0
地下水		366	366	0	0	0	0	0	0	0	0	0	0
その他		158	158	0	0	0	0	0	0	0	0	0	0
フタル酸ジ(2-エチルヘキシル)			～0.008	～0.016	～0.024	～0.032	～0.040	～0.048	～0.056	～0.064	～0.072	～0.080	0.081～
全体		848	848	0	0	0	0	0	0	0	0	0	0
表流水		335	335	0	0	0	0	0	0	0	0	0	0
ダム湖沼		80	80	0	0	0	0	0	0	0	0	0	0
地下水		322	322	0	0	0	0	0	0	0	0	0	0
その他		111	111	0	0	0	0	0	0	0	0	0	0
亜塩素酸			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
全体		426	426	0	0	0	0	0	0	0	0	0	0
表流水		148	148	0	0	0	0	0	0	0	0	0	0
ダム湖沼		40	40	0	0	0	0	0	0	0	0	0	0
地下水		195	195	0	0	0	0	0	0	0	0	0	0
その他		43	43	0	0	0	0	0	0	0	0	0	0
二酸化塩素			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
全体		162	162	0	0	0	0	0	0	0	0	0	0
表流水		43	43	0	0	0	0	0	0	0	0	0	0
ダム湖沼		11	11	0	0	0	0	0	0	0	0	0	0
地下水		102	102	0	0	0	0	0	0	0	0	0	0
その他		6	6	0	0	0	0	0	0	0	0	0	0
ジクロロアセトニトリル			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
全体		956	956	0	0	0	0	0	0	0	0	0	0
表流水		369	369	0	0	0	0	0	0	0	0	0	0
ダム湖沼		90	90	0	0	0	0	0	0	0	0	0	0
地下水		375	375	0	0	0	0	0	0	0	0	0	0
その他		122	122	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
抱水クロラール			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	957	864	72	19	2	0	0	0	0	0	0	0
	表流水	370	325	33	11	1	0	0	0	0	0	0	0
	ダム湖沼	90	81	4	4	1	0	0	0	0	0	0	0
	地下水	375	370	4	1	0	0	0	0	0	0	0	0
	その他	122	88	31	3	0	0	0	0	0	0	0	0
農薬類			～0.01	～0.02	～0.03	～0.05	～0.10	～0.20	～0.30	～0.50	～0.70	～1.00	1.01～
	全体	622	589	14	3	7	7	2	0	0	0	0	0
	表流水	296	266	12	3	7	6	2	0	0	0	0	0
	ダム湖沼	61	58	2	0	0	1	0	0	0	0	0	0
	地下水	186	186	0	0	0	0	0	0	0	0	0	0
	その他	79	79	0	0	0	0	0	0	0	0	0	0
残留塩素			<0.1	0.1	0.2	0.3	0.4	0.5	0.6	～0.8	～1.0	～1.2	1.3～
	全体	1,541	1	5	28	107	205	186	219	391	273	82	44
	表流水	514	0	0	2	7	20	43	71	151	152	45	23
	ダム湖沼	130	0	0	0	2	5	10	19	35	31	17	11
	地下水	627	1	5	23	85	144	95	90	120	47	11	6
	その他	270	0	0	3	13	36	38	39	85	43	9	4
遊離炭酸			～2.0	～4.0	～6.0	～8.0	～10.0	～12.0	～14.0	～16.0	～18.0	～20.0	20.1～
	全体	952	177	294	178	87	61	41	23	20	12	19	40
	表流水	361	92	154	64	29	14	4	3	0	0	0	1
	ダム湖沼	93	18	27	23	8	7	6	2	1	1	0	0
	地下水	356	48	64	51	33	34	27	18	18	8	19	36
	その他	142	19	49	40	17	6	4	0	1	3	0	3
1,1,1-トリクロロエタン			～0.030	～0.060	～0.090	～0.120	～0.150	～0.180	～0.210	～0.240	～0.270	～0.300	0.301～
	全体	960	960	0	0	0	0	0	0	0	0	0	0
	表流水	352	352	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	366	366	0	0	0	0	0	0	0	0	0	0
	その他	158	158	0	0	0	0	0	0	0	0	0	0
メチル-tert-ブチルエーテル(MTBE)			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	949	949	0	0	0	0	0	0	0	0	0	0
	表流水	352	352	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	82	82	0	0	0	0	0	0	0	0	0	0
	地下水	364	364	0	0	0	0	0	0	0	0	0	0
	その他	151	151	0	0	0	0	0	0	0	0	0	0
有機物等(過マンガン酸カリウム消費量)			～0.3	～0.6	～0.9	～1.2	～1.5	～1.8	～2.1	～2.4	～2.7	～3.0	3.1～
	全体	557	87	72	79	84	76	61	30	20	17	14	17
	表流水	220	11	20	24	29	40	37	19	9	9	9	13
	ダム湖沼	47	1	3	8	5	9	4	3	2	6	4	2
	地下水	209	67	40	37	34	14	9	4	0	2	0	2
	その他	81	8	9	10	16	13	11	4	9	0	1	0
臭気強度(TON)			0	1	2	3	4	5	6	～8	～10	～15	16～
	全体	719	565	121	21	10	0	1	0	0	0	0	1
	表流水	288	213	56	11	7	0	1	0	0	0	0	0
	ダム湖沼	77	62	10	2	2	0	0	0	0	0	0	1
	地下水	257	220	29	8	0	0	0	0	0	0	0	0
	その他	97	70	26	0	1	0	0	0	0	0	0	0
腐食性(ランゲリア指数)			～-4.0	～-3.5	～-3.0	～-2.5	～-2.0	～-1.5	～-1.0	～-0.5	～0.0	～0.5	0.6～
	全体	967	0	9	19	53	161	250	319	118	28	5	5
	表流水	371	0	8	15	25	62	98	115	44	4	0	0
	ダム湖沼	92	0	1	1	14	20	18	27	10	1	0	0
	地下水	353	0	0	3	7	55	83	127	52	18	4	4
	その他	151	0	0	0	7	24	51	50	12	5	1	1
従属栄養細菌			0	～200	～400	～600	～800	～1000	～1200	～1400	～1600	～2000	2001～
	全体	970	493	464	7	4	1	0	0	0	0	0	1
	表流水	367	222	145	0	0	0	0	0	0	0	0	0
	ダム湖沼	89	65	24	0	0	0	0	0	0	0	0	0
	地下水	372	135	228	5	4	0	0	0	0	0	0	0
	その他	142	71	67	2	0	1	0	0	0	0	0	1

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
1,1ージクロロエチレン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	959	956	0	0	0	3	0	0	0	0	0	0
	表流水	351	349	0	0	0	2	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0	0
	地下水	368	367	0	0	0	1	0	0	0	0	0	0
	その他	159	159	0	0	0	0	0	0	0	0	0	0
ベルフルオロオクタンスルホン酸(PFOS)及びベルフルオロオクタン酸(PFOA)			～0.000005	～0.000010	～0.000015	～0.000020	～0.000025	～0.000030	～0.000035	～0.000040	～0.000045	～0.000050	0.000051～
	全体	744	599	86	26	11	7	7	4	2	0	2	0
	表流水	307	271	30	5	0	0	0	1	0	0	0	0
	ダム湖沼	58	46	6	6	0	0	0	0	0	0	0	0
	地下水	274	190	44	11	9	7	7	2	2	0	2	0
	その他	105	92	6	4	2	0	0	1	0	0	0	0
1,3ージクロロプロペン(DーD)			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	551	551	0	0	0	0	0	0	0	0	0	0
	表流水	247	247	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	181	181	0	0	0	0	0	0	0	0	0	0
	その他	69	69	0	0	0	0	0	0	0	0	0	0
2,2ーDPA(ダラボン)			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	411	407	4	0	0	0	0	0	0	0	0	0
	表流水	206	204	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	50	49	1	0	0	0	0	0	0	0	0	0
	地下水	119	118	1	0	0	0	0	0	0	0	0	0
	その他	36	36	0	0	0	0	0	0	0	0	0	0
2,4ーD(2,4ーPA)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	539	538	0	0	0	0	0	1	0	0	0	0
	表流水	258	257	0	0	0	0	0	1	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	159	159	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
EPN			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	527	526	1	0	0	0	0	0	0	0	0	0
	表流水	237	236	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	170	170	0	0	0	0	0	0	0	0	0	0
	その他	66	66	0	0	0	0	0	0	0	0	0	0
MCPA			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.00400	～0.0045	～0.0050	0.0051～
	全体	540	540	0	0	0	0	0	0	0	0	0	0
	表流水	274	274	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	150	150	0	0	0	0	0	0	0	0	0	0
	その他	61	61	0	0	0	0	0	0	0	0	0	0
アシュラム			～0.009	～0.018	～0.027	～0.045	～0.063	～0.090	～0.270	～0.450	～0.630	～0.90	0.901～
	全体	521	521	0	0	0	0	0	0	0	0	0	0
	表流水	252	252	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	153	153	0	0	0	0	0	0	0	0	0	0
	その他	61	61	0	0	0	0	0	0	0	0	0	0
アセフェート			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	547	547	0	0	0	0	0	0	0	0	0	0
	表流水	270	270	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	158	158	0	0	0	0	0	0	0	0	0	0
	その他	63	63	0	0	0	0	0	0	0	0	0	0
アトラジン			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	573	573	0	0	0	0	0	0	0	0	0	0
	表流水	261	261	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	186	186	0	0	0	0	0	0	0	0	0	0
	その他	68	68	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
アニロホス			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	488	488	0	0	0	0	0	0	0	0	0	0
	表流水	229	229	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	159	159	0	0	0	0	0	0	0	0	0	0
	その他	44	44	0	0	0	0	0	0	0	0	0	0
アミトラズ			～0.0006	～0.0012	～0.0018	～0.0024	～0.0030	～0.0036	～0.0042	～0.0048	～0.0054	～0.0060	0.0061～
	全体	439	439	0	0	0	0	0	0	0	0	0	0
	表流水	220	220	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	47	47	0	0	0	0	0	0	0	0	0	0
	地下水	136	136	0	0	0	0	0	0	0	0	0	0
	その他	36	36	0	0	0	0	0	0	0	0	0	0
アラクロール			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	611	609	0	2	0	0	0	0	0	0	0	0
	表流水	282	282	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	200	199	0	1	0	0	0	0	0	0	0	0
	その他	71	70	0	1	0	0	0	0	0	0	0	0
イソキサチオン			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	588	588	0	0	0	0	0	0	0	0	0	0
	表流水	275	275	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	188	188	0	0	0	0	0	0	0	0	0	0
	その他	69	69	0	0	0	0	0	0	0	0	0	0
イソフェンホス			～0.00001	～0.00002	～0.00003	～0.00005	～0.00007	～0.00010	～0.00030	～0.00050	～0.00070	～0.00100	0.00101～
	全体	495	489	0	1	5	0	0	0	0	0	0	0
	表流水	234	230	0	0	4	0	0	0	0	0	0	0
	ダム湖沼	54	53	0	0	1	0	0	0	0	0	0	0
	地下水	163	162	0	1	0	0	0	0	0	0	0	0
	その他	44	44	0	0	0	0	0	0	0	0	0	0
イソプロカルブ (MIPC)			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	515	515	0	0	0	0	0	0	0	0	0	0
	表流水	232	232	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	168	168	0	0	0	0	0	0	0	0	0	0
	その他	60	60	0	0	0	0	0	0	0	0	0	0
イソプロチオラン (IPT)			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	595	594	0	0	0	0	1	0	0	0	0	0
	表流水	280	280	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	60	60	0	0	0	0	0	0	0	0	0	0
	地下水	189	188	0	0	0	0	1	0	0	0	0	0
	その他	66	66	0	0	0	0	0	0	0	0	0	0
イブフェンカルバゾン			～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	全体	441	419	15	3	2	2	0	0	0	0	0	0
	表流水	230	209	14	3	2	2	0	0	0	0	0	0
	ダム湖沼	47	46	1	0	0	0	0	0	0	0	0	0
	地下水	128	128	0	0	0	0	0	0	0	0	0	0
	その他	36	36	0	0	0	0	0	0	0	0	0	0
イプロベンホス (IBP)			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	542	541	0	0	0	0	0	1	0	0	0	0
	表流水	257	257	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	179	178	0	0	0	0	0	1	0	0	0	0
	その他	48	48	0	0	0	0	0	0	0	0	0	0
イミノクタジン			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	455	455	0	0	0	0	0	0	0	0	0	0
	表流水	222	222	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	46	46	0	0	0	0	0	0	0	0	0	0
	地下水	142	142	0	0	0	0	0	0	0	0	0	0
	その他	45	45	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
インダノファン			～0.0009	～0.0018	～0.0027	～0.0036	～0.0045	～0.0054	～0.0063	～0.0072	～0.0081	～0.0090	0.0091～
	全体	496	496	0	0	0	0	0	0	0	0	0	0
	表流水	250	250	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	139	139	0	0	0	0	0	0	0	0	0	0
	その他	52	52	0	0	0	0	0	0	0	0	0	0
エスプロカルブ			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	563	563	0	0	0	0	0	0	0	0	0	0
	表流水	263	263	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	177	177	0	0	0	0	0	0	0	0	0	0
	その他	66	66	0	0	0	0	0	0	0	0	0	0
イトフェンプロックス			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	606	606	0	0	0	0	0	0	0	0	0	0
	表流水	278	278	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	62	62	0	0	0	0	0	0	0	0	0	0
	地下水	195	195	0	0	0	0	0	0	0	0	0	0
	その他	71	71	0	0	0	0	0	0	0	0	0	0
エンドスルファン(ベンゾエピン)			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	414	414	0	0	0	0	0	0	0	0	0	0
	表流水	201	201	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	51	51	0	0	0	0	0	0	0	0	0	0
	地下水	120	120	0	0	0	0	0	0	0	0	0	0
	その他	42	42	0	0	0	0	0	0	0	0	0	0
オキサジクロメホン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	515	515	0	0	0	0	0	0	0	0	0	0
	表流水	254	254	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	146	146	0	0	0	0	0	0	0	0	0	0
	その他	57	57	0	0	0	0	0	0	0	0	0	0
オキシ銅(有機銅)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	533	533	0	0	0	0	0	0	0	0	0	0
	表流水	264	264	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	149	149	0	0	0	0	0	0	0	0	0	0
	その他	66	66	0	0	0	0	0	0	0	0	0	0
オリサストロビン			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	449	449	0	0	0	0	0	0	0	0	0	0
	表流水	233	233	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	52	52	0	0	0	0	0	0	0	0	0	0
	地下水	130	130	0	0	0	0	0	0	0	0	0	0
	その他	34	34	0	0	0	0	0	0	0	0	0	0
カズサホス			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	493	493	0	0	0	0	0	0	0	0	0	0
	表流水	255	255	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	141	141	0	0	0	0	0	0	0	0	0	0
	その他	42	42	0	0	0	0	0	0	0	0	0	0
カフェンストロール			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	576	575	1	0	0	0	0	0	0	0	0	0
	表流水	267	266	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	182	182	0	0	0	0	0	0	0	0	0	0
	その他	70	70	0	0	0	0	0	0	0	0	0	0
カルタップ			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	496	496	0	0	0	0	0	0	0	0	0	0
	表流水	233	233	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	44	44	0	0	0	0	0	0	0	0	0	0
	地下水	182	182	0	0	0	0	0	0	0	0	0	0
	その他	37	37	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
カルバリル (NAC)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	519	519	0	0	0	0	0	0	0	0	0	0
	表流水	248	248	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	152	152	0	0	0	0	0	0	0	0	0	0
	その他	62	62	0	0	0	0	0	0	0	0	0	0
カルボフラン			～0.000003	～0.000006	～0.000009	～0.000015	～0.000021	～0.000030	～0.000090	～0.000150	～0.000210	～0.000300	0.000301～
	全体	505	483	4	7	4	3	2	2	0	0	0	0
	表流水	249	236	3	3	1	2	2	2	0	0	0	0
	ダム湖沼	55	52	1	1	1	0	0	0	0	0	0	0
	地下水	140	134	0	3	2	1	0	0	0	0	0	0
	その他	61	61	0	0	0	0	0	0	0	0	0	0
キノクラミン (ACN)			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	533	533	0	0	0	0	0	0	0	0	0	0
	表流水	266	266	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	148	148	0	0	0	0	0	0	0	0	0	0
	その他	62	62	0	0	0	0	0	0	0	0	0	0
キャプタン			～0.003	～0.006	～0.009	～0.015	～0.021	～0.030	～0.090	～0.150	～0.210	～0.300	0.301～
	全体	568	568	0	0	0	0	0	0	0	0	0	0
	表流水	260	260	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	183	183	0	0	0	0	0	0	0	0	0	0
	その他	68	68	0	0	0	0	0	0	0	0	0	0
クミルロン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	508	508	0	0	0	0	0	0	0	0	0	0
	表流水	255	255	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	144	144	0	0	0	0	0	0	0	0	0	0
	その他	53	53	0	0	0	0	0	0	0	0	0	0
グリホサート			～0.02	～0.04	～0.06	～0.10	～0.14	～0.20	～0.60	～1.00	～1.40	～2.00	2.01～
	全体	547	547	0	0	0	0	0	0	0	0	0	0
	表流水	249	249	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	188	188	0	0	0	0	0	0	0	0	0	0
	その他	54	54	0	0	0	0	0	0	0	0	0	0
グルホシネート			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	472	472	0	0	0	0	0	0	0	0	0	0
	表流水	227	227	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	44	44	0	0	0	0	0	0	0	0	0	0
	地下水	161	161	0	0	0	0	0	0	0	0	0	0
	その他	40	40	0	0	0	0	0	0	0	0	0	0
クロメプロップ			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	501	501	0	0	0	0	0	0	0	0	0	0
	表流水	252	252	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	142	142	0	0	0	0	0	0	0	0	0	0
	その他	50	50	0	0	0	0	0	0	0	0	0	0
クロルニトロフェン (GNP)			～0.000001	～0.000002	～0.000003	～0.000005	～0.000007	～0.000010	～0.000030	～0.000050	～0.000070	～0.000100	0.000101～
	全体	427	426	0	0	0	0	0	0	0	0	1	0
	表流水	215	215	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	49	49	0	0	0	0	0	0	0	0	0	0
	地下水	120	119	0	0	0	0	0	0	0	0	1	0
	その他	43	43	0	0	0	0	0	0	0	0	0	0
クロルピリホス			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	583	583	0	0	0	0	0	0	0	0	0	0
	表流水	271	271	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	186	186	0	0	0	0	0	0	0	0	0	0
	その他	71	71	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
クロロタロニル (TPN)			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	611	611	0	0	0	0	0	0	0	0	0	0
	表流水	278	278	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	200	200	0	0	0	0	0	0	0	0	0	0
	その他	76	76	0	0	0	0	0	0	0	0	0	0
シアナジン			～0.00001	～0.00002	～0.00003	～0.00005	～0.00007	～0.00010	～0.00030	～0.00050	～0.00070	～0.00100	0.00101～
	全体	507	506	1	0	0	0	0	0	0	0	0	0
	表流水	250	250	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	56	1	0	0	0	0	0	0	0	0	0
	地下水	141	141	0	0	0	0	0	0	0	0	0	0
	その他	59	59	0	0	0	0	0	0	0	0	0	0
シアノホス(CYAP)			～0.0003	～0.0006	～0.0009	～0.0012	～0.0015	～0.0018	～0.0021	～0.0024	～0.0027	～0.0030	0.0031～
	全体	525	525	0	0	0	0	0	0	0	0	0	0
	表流水	268	268	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	142	142	0	0	0	0	0	0	0	0	0	0
	その他	58	58	0	0	0	0	0	0	0	0	0	0
ジウロン (DCMU)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	547	547	0	0	0	0	0	0	0	0	0	0
	表流水	265	265	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	159	159	0	0	0	0	0	0	0	0	0	0
	その他	66	66	0	0	0	0	0	0	0	0	0	0
ジクロベニル (DBN)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	589	589	0	0	0	0	0	0	0	0	0	0
	表流水	275	275	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	186	186	0	0	0	0	0	0	0	0	0	0
	その他	72	72	0	0	0	0	0	0	0	0	0	0
ジクロロボス (DDVP)			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	525	525	0	0	0	0	0	0	0	0	0	0
	表流水	239	239	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	171	171	0	0	0	0	0	0	0	0	0	0
	その他	60	60	0	0	0	0	0	0	0	0	0	0
ジクワット			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.0100	0.0101～
	全体	468	468	0	0	0	0	0	0	0	0	0	0
	表流水	225	225	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	48	48	0	0	0	0	0	0	0	0	0	0
	地下水	140	140	0	0	0	0	0	0	0	0	0	0
	その他	55	55	0	0	0	0	0	0	0	0	0	0
ジスルホトン(エチルチオメトン)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	全体	525	525	0	0	0	0	0	0	0	0	0	0
	表流水	234	234	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	170	170	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
ジチオカルバメート系農薬			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	398	398	0	0	0	0	0	0	0	0	0	0
	表流水	204	204	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	39	39	0	0	0	0	0	0	0	0	0	0
	地下水	124	124	0	0	0	0	0	0	0	0	0	0
	その他	31	31	0	0	0	0	0	0	0	0	0	0
ジチオピル			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	530	529	1	0	0	0	0	0	0	0	0	0
	表流水	238	238	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	173	172	1	0	0	0	0	0	0	0	0	0
	その他	62	62	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
シハロホップブチル			～0.0006	～0.0012	～0.0018	～0.0024	～0.0030	～0.0036	～0.0042	～0.0048	～0.0054	～0.0060	0.0061～
	全体	528	528	0	0	0	0	0	0	0	0	0	0
	表流水	263	263	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	151	151	0	0	0	0	0	0	0	0	0	0
	その他	57	57	0	0	0	0	0	0	0	0	0	0
シマジン (CAT)			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	579	579	0	0	0	0	0	0	0	0	0	0
	表流水	267	267	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	186	186	0	0	0	0	0	0	0	0	0	0
	その他	69	69	0	0	0	0	0	0	0	0	0	0
ジメタメトリン			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	577	577	0	0	0	0	0	0	0	0	0	0
	表流水	267	267	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	188	188	0	0	0	0	0	0	0	0	0	0
	その他	64	64	0	0	0	0	0	0	0	0	0	0
ジメトエート			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	528	528	0	0	0	0	0	0	0	0	0	0
	表流水	238	238	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	174	174	0	0	0	0	0	0	0	0	0	0
	その他	60	60	0	0	0	0	0	0	0	0	0	0
シメトリン			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	586	586	0	0	0	0	0	0	0	0	0	0
	表流水	269	269	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	191	191	0	0	0	0	0	0	0	0	0	0
	その他	70	70	0	0	0	0	0	0	0	0	0	0
ダイアジノン			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	628	628	0	0	0	0	0	0	0	0	0	0
	表流水	291	291	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	202	202	0	0	0	0	0	0	0	0	0	0
	その他	77	77	0	0	0	0	0	0	0	0	0	0
ダイムロン			～0.008	～0.016	～0.024	～0.040	～0.056	～0.080	～0.240	～0.400	～0.560	～0.800	0.801～
	全体	543	543	0	0	0	0	0	0	0	0	0	0
	表流水	268	268	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	153	153	0	0	0	0	0	0	0	0	0	0
	その他	64	64	0	0	0	0	0	0	0	0	0	0
ダゾメット、メタム(カーバム)及びメチルイソチオシアネート			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	470	470	0	0	0	0	0	0	0	0	0	0
	表流水	215	215	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	43	43	0	0	0	0	0	0	0	0	0	0
	地下水	171	171	0	0	0	0	0	0	0	0	0	0
	その他	41	41	0	0	0	0	0	0	0	0	0	0
チアジニル			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	548	548	0	0	0	0	0	0	0	0	0	0
	表流水	255	255	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	59	59	0	0	0	0	0	0	0	0	0	0
	地下水	180	180	0	0	0	0	0	0	0	0	0	0
	その他	54	54	0	0	0	0	0	0	0	0	0	0
チウラム			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	575	573	0	2	0	0	0	0	0	0	0	0
	表流水	264	262	0	2	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	186	186	0	0	0	0	0	0	0	0	0	0
	その他	69	69	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
チオジカルブ			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	497	497	0	0	0	0	0	0	0	0	0	0
	表流水	245	245	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	53	53	0	0	0	0	0	0	0	0	0	0
	地下水	144	144	0	0	0	0	0	0	0	0	0	0
	その他	55	55	0	0	0	0	0	0	0	0	0	0
チオファネートメチル			～0.003	～0.006	～0.009	～0.015	～0.021	～0.030	～0.090	～0.150	～0.210	～0.300	0.301～
	全体	564	564	0	0	0	0	0	0	0	0	0	0
	表流水	256	256	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	190	190	0	0	0	0	0	0	0	0	0	0
	その他	64	64	0	0	0	0	0	0	0	0	0	0
チオベンカルブ			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	560	560	0	0	0	0	0	0	0	0	0	0
	表流水	255	255	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	180	180	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
テフリルトリオン			～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	全体	509	507	2	0	0	0	0	0	0	0	0	0
	表流水	270	268	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	141	141	0	0	0	0	0	0	0	0	0	0
	その他	44	44	0	0	0	0	0	0	0	0	0	0
テルブカルブ (MBPMC)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	512	512	0	0	0	0	0	0	0	0	0	0
	表流水	230	230	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	169	169	0	0	0	0	0	0	0	0	0	0
	その他	58	58	0	0	0	0	0	0	0	0	0	0
トリクロピル			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	520	520	0	0	0	0	0	0	0	0	0	0
	表流水	249	249	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	150	150	0	0	0	0	0	0	0	0	0	0
	その他	66	66	0	0	0	0	0	0	0	0	0	0
トリクロルホン (DEP)			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	510	510	0	0	0	0	0	0	0	0	0	0
	表流水	247	247	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	50	50	0	0	0	0	0	0	0	0	0	0
	地下水	146	146	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
トリシクラゾール			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	528	528	0	0	0	0	0	0	0	0	0	0
	表流水	260	260	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	154	154	0	0	0	0	0	0	0	0	0	0
	その他	56	56	0	0	0	0	0	0	0	0	0	0
トリフルラリン			～0.0006	～0.0012	～0.0018	～0.0030	～0.0042	～0.0060	～0.0180	～0.0300	～0.0420	～0.0600	0.0601～
	全体	584	584	0	0	0	0	0	0	0	0	0	0
	表流水	273	273	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	183	183	0	0	0	0	0	0	0	0	0	0
	その他	71	71	0	0	0	0	0	0	0	0	0	0
ナプロパミド			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	528	528	0	0	0	0	0	0	0	0	0	0
	表流水	240	240	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	173	173	0	0	0	0	0	0	0	0	0	0
	その他	60	60	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
パラコート			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	433	433	0	0	0	0	0	0	0	0	0	0
	表流水	216	216	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	46	46	0	0	0	0	0	0	0	0	0	0
	地下水	125	125	0	0	0	0	0	0	0	0	0	0
	その他	46	46	0	0	0	0	0	0	0	0	0	0
ピペロホス			～0.000009	～0.000018	～0.000027	～0.000045	～0.000063	～0.000090	～0.000270	～0.000450	～0.000630	～0.000900	0.000901～
	全体	500	499	0	0	0	1	0	0	0	0	0	0
	表流水	238	238	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	164	163	0	0	0	1	0	0	0	0	0	0
	その他	44	44	0	0	0	0	0	0	0	0	0	0
ピラクロニル			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	531	531	0	0	0	0	0	0	0	0	0	0
	表流水	265	265	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	46	46	0	0	0	0	0	0	0	0	0	0
	地下水	178	178	0	0	0	0	0	0	0	0	0	0
	その他	42	42	0	0	0	0	0	0	0	0	0	0
ピラゾキシフェン			～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
	全体	460	460	0	0	0	0	0	0	0	0	0	0
	表流水	236	236	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	51	51	0	0	0	0	0	0	0	0	0	0
	地下水	135	135	0	0	0	0	0	0	0	0	0	0
	その他	38	38	0	0	0	0	0	0	0	0	0	0
ピラゾリネート(ピラゾレート)			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	561	561	0	0	0	0	0	0	0	0	0	0
	表流水	266	266	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	177	177	0	0	0	0	0	0	0	0	0	0
	その他	61	61	0	0	0	0	0	0	0	0	0	0
ピリダフェンチオン			～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	全体	497	496	0	1	0	0	0	0	0	0	0	0
	表流水	233	233	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	163	162	0	1	0	0	0	0	0	0	0	0
	その他	46	46	0	0	0	0	0	0	0	0	0	0
ピリプチカルブ			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	557	557	0	0	0	0	0	0	0	0	0	0
	表流水	260	260	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	175	175	0	0	0	0	0	0	0	0	0	0
	その他	64	64	0	0	0	0	0	0	0	0	0	0
ピロキロン			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	611	611	0	0	0	0	0	0	0	0	0	0
	表流水	281	281	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	61	61	0	0	0	0	0	0	0	0	0	0
	地下水	201	201	0	0	0	0	0	0	0	0	0	0
	その他	68	68	0	0	0	0	0	0	0	0	0	0
フィプロニル			～0.00005	～0.00010	～0.00015	～0.00020	～0.00025	～0.00030	～0.00035	～0.00040	～0.00045	～0.00050	0.00051～
	全体	569	569	0	0	0	0	0	0	0	0	0	0
	表流水	279	279	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	161	161	0	0	0	0	0	0	0	0	0	0
	その他	72	72	0	0	0	0	0	0	0	0	0	0
フェントロチオン (MEP)			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	606	606	0	0	0	0	0	0	0	0	0	0
	表流水	297	297	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	174	174	0	0	0	0	0	0	0	0	0	0
	その他	77	77	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
フェノカルブ (BPMC)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	585	584	0	0	1	0	0	0	0	0	0	0
	表流水	271	270	0	0	1	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	183	183	0	0	0	0	0	0	0	0	0	0
	その他	73	73	0	0	0	0	0	0	0	0	0	0
フェリムゾン			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	全体	465	465	0	0	0	0	0	0	0	0	0	0
	表流水	239	239	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	47	47	0	0	0	0	0	0	0	0	0	0
	地下水	145	145	0	0	0	0	0	0	0	0	0	0
	その他	34	34	0	0	0	0	0	0	0	0	0	0
フェンチオン (MPP)			～0.00001	～0.00002	～0.00003	～0.00005	～0.00007	～0.00010	～0.00030	～0.00050	～0.00070	～0.00100	0.00101～
	全体	514	512	0	0	0	2	0	0	0	0	0	0
	表流水	248	247	0	0	0	1	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	142	141	0	0	0	1	0	0	0	0	0	0
	その他	68	68	0	0	0	0	0	0	0	0	0	0
フェントエート (PAP)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	全体	610	609	1	0	0	0	0	0	0	0	0	0
	表流水	282	282	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	59	59	0	0	0	0	0	0	0	0	0	0
	地下水	196	195	1	0	0	0	0	0	0	0	0	0
	その他	73	73	0	0	0	0	0	0	0	0	0	0
フェントラザミド			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	534	534	0	0	0	0	0	0	0	0	0	0
	表流水	273	273	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	145	145	0	0	0	0	0	0	0	0	0	0
	その他	58	58	0	0	0	0	0	0	0	0	0	0
フサライド			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	585	585	0	0	0	0	0	0	0	0	0	0
	表流水	269	269	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	193	193	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
ブタクロール			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	534	534	0	0	0	0	0	0	0	0	0	0
	表流水	267	267	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	154	154	0	0	0	0	0	0	0	0	0	0
	その他	56	56	0	0	0	0	0	0	0	0	0	0
ブタミホス			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	566	566	0	0	0	0	0	0	0	0	0	0
	表流水	260	260	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	182	182	0	0	0	0	0	0	0	0	0	0
	その他	69	69	0	0	0	0	0	0	0	0	0	0
ブプロフェジン			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	590	590	0	0	0	0	0	0	0	0	0	0
	表流水	272	272	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	59	59	0	0	0	0	0	0	0	0	0	0
	地下水	193	193	0	0	0	0	0	0	0	0	0	0
	その他	66	66	0	0	0	0	0	0	0	0	0	0
フルアジナム			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	492	492	0	0	0	0	0	0	0	0	0	0
	表流水	254	254	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	142	142	0	0	0	0	0	0	0	0	0	0
	その他	38	38	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
プレチラクロール			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	597	597	0	0	0	0	0	0	0	0	0	0
	表流水	284	284	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	183	183	0	0	0	0	0	0	0	0	0	0
	その他	72	72	0	0	0	0	0	0	0	0	0	0
プロシモン			～0.0009	～0.0018	～0.0027	～0.0045	～0.0063	～0.0090	～0.0270	～0.0450	～0.0630	～0.0900	0.0901～
	全体	543	543	0	0	0	0	0	0	0	0	0	0
	表流水	252	252	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	174	174	0	0	0	0	0	0	0	0	0	0
	その他	62	62	0	0	0	0	0	0	0	0	0	0
プロチオホス			～0.00007	～0.00014	～0.00021	～0.00035	～0.00049	～0.00070	～0.00210	～0.00350	～0.00490	～0.00700	0.00701～
	全体	419	419	0	0	0	0	0	0	0	0	0	0
	表流水	222	222	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	41	41	0	0	0	0	0	0	0	0	0	0
	地下水	118	118	0	0	0	0	0	0	0	0	0	0
	その他	38	38	0	0	0	0	0	0	0	0	0	0
プロピコナゾール			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	547	547	0	0	0	0	0	0	0	0	0	0
	表流水	252	252	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	178	178	0	0	0	0	0	0	0	0	0	0
	その他	62	62	0	0	0	0	0	0	0	0	0	0
プロピザミド			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	555	555	0	0	0	0	0	0	0	0	0	0
	表流水	255	255	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	178	178	0	0	0	0	0	0	0	0	0	0
	その他	65	65	0	0	0	0	0	0	0	0	0	0
プロベナゾール			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	588	588	0	0	0	0	0	0	0	0	0	0
	表流水	277	277	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	183	183	0	0	0	0	0	0	0	0	0	0
	その他	71	71	0	0	0	0	0	0	0	0	0	0
プロモブチド			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	618	606	0	8	3	0	1	0	0	0	0	0
	表流水	288	280	0	4	3	0	1	0	0	0	0	0
	ダム湖沼	58	57	0	1	0	0	0	0	0	0	0	0
	地下水	198	196	0	2	0	0	0	0	0	0	0	0
	その他	74	73	0	1	0	0	0	0	0	0	0	0
ベノミル			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	539	538	1	0	0	0	0	0	0	0	0	0
	表流水	265	264	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	152	152	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
ペンシクロン			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	570	570	0	0	0	0	0	0	0	0	0	0
	表流水	264	264	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	59	59	0	0	0	0	0	0	0	0	0	0
	地下水	183	183	0	0	0	0	0	0	0	0	0	0
	その他	64	64	0	0	0	0	0	0	0	0	0	0
ベンゾピシクロン			～0.009	～0.018	～0.027	～0.036	～0.045	～0.054	～0.063	～0.072	～0.081	～0.090	0.091～
	全体	510	510	0	0	0	0	0	0	0	0	0	0
	表流水	250	250	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	50	50	0	0	0	0	0	0	0	0	0	0
	地下水	154	154	0	0	0	0	0	0	0	0	0	0
	その他	56	56	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
ベンゾフェナップ			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	504	503	1	0	0	0	0	0	0	0	0	0
	表流水	256	256	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	55	1	0	0	0	0	0	0	0	0	0
	地下水	137	137	0	0	0	0	0	0	0	0	0	0
	その他	55	55	0	0	0	0	0	0	0	0	0	0
ベンタゾン			～0.002	～0.004	～0.006	～0.010	～0.0140	～0.020	～0.060	～0.100	～0.140	～0.200	0.201～
	全体	604	603	1	0	0	0	0	0	0	0	0	0
	表流水	277	276	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	200	200	0	0	0	0	0	0	0	0	0	0
	その他	70	70	0	0	0	0	0	0	0	0	0	0
ペンディメタリン			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	595	592	0	3	0	0	0	0	0	0	0	0
	表流水	280	280	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	191	189	0	2	0	0	0	0	0	0	0	0
	その他	66	65	0	1	0	0	0	0	0	0	0	0
ベンフラカルブ			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	494	494	0	0	0	0	0	0	0	0	0	0
	表流水	233	233	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	53	53	0	0	0	0	0	0	0	0	0	0
	地下水	162	162	0	0	0	0	0	0	0	0	0	0
	その他	46	46	0	0	0	0	0	0	0	0	0	0
ベンフルラリン (ベスロジン)			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	509	509	0	0	0	0	0	0	0	0	0	0
	表流水	229	229	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	165	165	0	0	0	0	0	0	0	0	0	0
	その他	60	60	0	0	0	0	0	0	0	0	0	0
ベンフレセート			～0.007	～0.014	～0.021	～0.028	～0.035	～0.042	～0.049	～0.056	～0.063	～0.070	0.071～
	全体	511	511	0	0	0	0	0	0	0	0	0	0
	表流水	251	251	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	153	153	0	0	0	0	0	0	0	0	0	0
	その他	51	51	0	0	0	0	0	0	0	0	0	0
ホスチアゼート			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	510	508	2	0	0	0	0	0	0	0	0	0
	表流水	255	253	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	52	52	0	0	0	0	0	0	0	0	0	0
	地下水	148	148	0	0	0	0	0	0	0	0	0	0
	その他	55	55	0	0	0	0	0	0	0	0	0	0
マラチオン(マラソン)			～0.007	～0.014	～0.021	～0.035	～0.049	～0.070	～0.21	～0.35	～0.49	～0.7	0.701～
	全体	586	586	0	0	0	0	0	0	0	0	0	0
	表流水	276	276	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	190	190	0	0	0	0	0	0	0	0	0	0
	その他	64	64	0	0	0	0	0	0	0	0	0	0
メコプロップ (MCP)			～0.00050	～0.00100	～0.00150	～0.00250	～0.00350	～0.00500	～0.01500	～0.02500	～0.03500	～0.05000	0.05001～
	全体	544	543	1	0	0	0	0	0	0	0	0	0
	表流水	264	263	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	158	158	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
メソミル			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	538	538	0	0	0	0	0	0	0	0	0	0
	表流水	264	264	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	156	156	0	0	0	0	0	0	0	0	0	0
	その他	63	63	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
メタラキシル			～0.002	～0.004	～0.006	～0.010	～0.0140	～0.020	～0.060	～0.100	～0.140	～0.200	0.201～
	全体	589	589	0	0	0	0	0	0	0	0	0	0
	表流水	267	267	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	59	59	0	0	0	0	0	0	0	0	0	0
	地下水	193	193	0	0	0	0	0	0	0	0	0	0
	その他	70	70	0	0	0	0	0	0	0	0	0	0
メチダチオン (DMTP)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	全体	580	580	0	0	0	0	0	0	0	0	0	0
	表流水	273	273	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	184	184	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
メトミノストロピン			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	527	526	1	0	0	0	0	0	0	0	0	0
	表流水	265	264	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	151	151	0	0	0	0	0	0	0	0	0	0
	その他	53	53	0	0	0	0	0	0	0	0	0	0
メトリブジン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	498	498	0	0	0	0	0	0	0	0	0	0
	表流水	249	249	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	141	141	0	0	0	0	0	0	0	0	0	0
	その他	52	52	0	0	0	0	0	0	0	0	0	0
メフェナセツト			～0.00009	～0.00018	～0.00027	～0.00045	～0.00063	～0.00090	～0.00270	～0.00450	～0.00630	～0.00900	0.00901～
	全体	593	590	0	3	0	0	0	0	0	0	0	0
	表流水	272	271	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	191	189	0	2	0	0	0	0	0	0	0	0
	その他	72	72	0	0	0	0	0	0	0	0	0	0
メプロニル			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	564	564	0	0	0	0	0	0	0	0	0	0
	表流水	257	257	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	59	59	0	0	0	0	0	0	0	0	0	0
	地下水	181	181	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
モリネート			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	583	581	2	0	0	0	0	0	0	0	0	0
	表流水	272	270	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	185	185	0	0	0	0	0	0	0	0	0	0
	その他	70	70	0	0	0	0	0	0	0	0	0	0
水温(℃)			～10.0	～12.0	～14.0	～16.0	～18.0	～20.0	～22.0	～24.0	～26.0	～28.0	28.1～
	全体	1,533	8	8	34	43	83	167	196	249	209	211	325
	表流水	496	1	1	6	2	12	25	46	78	83	95	147
	ダム湖沼	142	1	1	1	0	2	10	12	20	24	25	46
	地下水	608	0	2	15	32	55	108	117	127	73	47	32
	その他	287	6	4	12	9	14	24	21	24	29	44	100
紫外線(UV)吸光度(50mmセル使用時)			～0.040	～0.080	～0.120	～0.160	～0.200	～0.240	～0.280	～0.320	～0.360	～0.400	0.401～
	全体	108	31	47	26	3	1	0	0	0	0	0	0
	表流水	64	9	35	16	3	1	0	0	0	0	0	0
	ダム湖沼	19	7	4	8	0	0	0	0	0	0	0	0
	地下水	12	9	3	0	0	0	0	0	0	0	0	0
	その他	13	6	5	2	0	0	0	0	0	0	0	0
侵食性遊離炭酸			～2.5	～5.0	～7.5	～10.0	～12.5	～15.0	～17.5	～20.0	～22.5	～25.0	25.1～
	全体	136	36	38	14	14	8	6	5	6	3	3	3
	表流水	34	11	12	4	4	1	1	0	0	1	0	0
	ダム湖沼	9	3	5	1	0	0	0	0	0	0	0	0
	地下水	77	16	17	7	8	5	5	5	6	2	3	3
	その他	16	6	4	2	2	2	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
生物(n/ml)			～10.0	～50.0	～100.0	～500.0	～1000.0	～5000.0	～10000.0	～50000.0	～100000.0	～500000.0	500000.1～
	全体	41	31	4	3	1	1	1	0	0	0	0	0
	表流水	27	20	3	2	1	1	0	0	0	0	0	0
	ダム湖沼	3	3	0	0	0	0	0	0	0	0	0	0
	地下水	10	8	1	1	0	0	0	0	0	0	0	0
	その他	1	0	0	0	0	0	1	0	0	0	0	0
アルカリ度			～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	～100.0	100.1～
	全体	724	13	75	104	177	126	104	63	25	12	14	11
	表流水	281	10	43	49	74	53	35	10	5	1	0	1
	ダム湖沼	65	2	8	15	14	8	8	6	1	0	2	1
	地下水	257	0	4	20	53	49	49	40	18	10	9	5
	その他	121	1	20	20	36	16	12	7	1	1	3	4
硫酸イオン			～5.0	～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	90.1～
	全体	393	51	102	108	50	45	24	5	2	1	0	5
	表流水	124	10	24	41	22	13	11	0	1	0	0	2
	ダム湖沼	32	3	17	5	4	0	3	0	0	0	0	0
	地下水	156	34	43	41	17	12	5	4	0	0	0	0
	その他	81	4	18	21	7	20	5	1	1	1	0	3
溶性ケイ酸			～5.0	～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	90.1～
	全体	103	3	6	26	23	8	11	14	8	4	0	0
	表流水	31	0	2	18	6	1	1	1	2	0	0	0
	ダム湖沼	4	3	0	0	0	1	0	0	0	0	0	0
	地下水	61	0	0	8	16	4	10	13	6	4	0	0
	その他	7	0	4	0	1	2	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。