

水質項目		計	区分										
一般細菌			0	～10	～20	～30	～40	～50	～60	～70	～80	～100	101～
	全体	1,601	1,531	67	1	1	0	0	0	0	0	0	1
	表流水	504	479	23	1	1	0	0	0	0	0	0	0
	ダム湖沼	146	138	8	0	0	0	0	0	0	0	0	0
	地下水	649	618	31	0	0	0	0	0	0	0	0	0
	その他	302	296	5	0	0	0	0	0	0	0	0	1
大腸菌(定性)			陰性	陽性									
	全体	1,599	1,599	0									
	表流水	505	505	0									
	ダム湖沼	146	146	0									
	地下水	649	649	0									
	その他	299	299	0									
カドミウム及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	1,441	1,441	0	0	0	0	0	0	0	0	0	0
	表流水	447	447	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	129	129	0	0	0	0	0	0	0	0	0	0
	地下水	587	587	0	0	0	0	0	0	0	0	0	0
	その他	278	278	0	0	0	0	0	0	0	0	0	0
水銀及びその化合物			～0.00005	～0.00010	～0.00015	～0.00020	～0.00025	～0.00030	～0.00035	～0.00040	～0.00045	～0.00050	0.00051～
	全体	1,426	1,425	0	0	0	0	0	0	0	0	1	0
	表流水	449	448	0	0	0	0	0	0	0	0	1	0
	ダム湖沼	128	128	0	0	0	0	0	0	0	0	0	0
	地下水	581	581	0	0	0	0	0	0	0	0	0	0
	その他	268	268	0	0	0	0	0	0	0	0	0	0
セレン及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	1,440	1,440	0	0	0	0	0	0	0	0	0	0
	表流水	447	447	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	129	129	0	0	0	0	0	0	0	0	0	0
	地下水	586	586	0	0	0	0	0	0	0	0	0	0
	その他	278	278	0	0	0	0	0	0	0	0	0	0
鉛及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	1,460	1,452	3	4	0	1	0	0	0	0	0	0
	表流水	461	460	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	133	133	0	0	0	0	0	0	0	0	0	0
	地下水	592	585	2	4	0	1	0	0	0	0	0	0
	その他	274	274	0	0	0	0	0	0	0	0	0	0
ヒ素及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	1,441	1,332	54	29	12	7	5	1	0	1	0	0
	表流水	448	439	5	3	0	0	1	0	0	0	0	0
	ダム湖沼	129	128	0	0	0	1	0	0	0	0	0	0
	地下水	586	505	38	24	11	6	1	1	0	0	0	0
	その他	278	260	11	2	1	0	3	0	0	1	0	0
六価クロム化合物			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	1,452	1,450	2	0	0	0	0	0	0	0	0	0
	表流水	454	454	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	132	132	0	0	0	0	0	0	0	0	0	0
	地下水	588	586	2	0	0	0	0	0	0	0	0	0
	その他	278	278	0	0	0	0	0	0	0	0	0	0
亜硝酸態窒素			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
	全体	1,485	1,484	1	0	0	0	0	0	0	0	0	0
	表流水	459	459	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	137	137	0	0	0	0	0	0	0	0	0	0
	地下水	592	591	1	0	0	0	0	0	0	0	0	0
	その他	297	297	0	0	0	0	0	0	0	0	0	0
シアン化物イオン及び塩化シアン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	1,456	1,456	0	0	0	0	0	0	0	0	0	0
	表流水	461	461	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	131	131	0	0	0	0	0	0	0	0	0	0
	地下水	591	591	0	0	0	0	0	0	0	0	0	0
	その他	273	273	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
硝酸態窒素及び亜硝酸態窒素			～0.50	～1.00	～2.00	～3.00	～4.00	～5.00	～6.00	～7.00	～8.00	～10.00	10.01～
全体		1,518	740	355	299	54	30	25	7	5	2	1	0
表流水		471	278	134	54	4	1	0	0	0	0	0	0
ダム湖沼		138	107	26	3	2	0	0	0	0	0	0	0
地下水		607	227	124	150	45	25	23	6	5	2	0	0
その他		302	128	71	92	3	4	2	1	0	0	1	0
フッ素及びその化合物			～0.08	～0.16	～0.24	～0.32	～0.40	～0.48	～0.56	～0.64	～0.72	～0.80	0.81～
全体		1,502	1,051	363	49	29	4	2	3	1	0	0	0
表流水		465	359	85	12	6	1	1	1	0	0	0	0
ダム湖沼		137	101	28	6	2	0	0	0	0	0	0	0
地下水		600	402	146	26	20	3	1	1	1	0	0	0
その他		300	189	104	5	1	0	0	1	0	0	0	0
ホウ素及びその化合物			～0.1	～0.2	～0.3	～0.4	～0.5	～0.6	～0.7	～0.8	～0.9	～1.0	1.1～
全体		1,438	1,406	16	11	1	1	1	1	0	0	0	1
表流水		445	439	3	2	0	0	0	1	0	0	0	0
ダム湖沼		128	126	1	1	0	0	0	0	0	0	0	0
地下水		587	567	11	6	1	1	1	0	0	0	0	0
その他		278	274	1	2	0	0	0	0	0	0	0	1
四塩化炭素			～0.0002	～0.0004	～0.0006	～0.0008	～0.0010	～0.0012	～0.0014	～0.0016	～0.0018	～0.0020	0.0021～
全体		1,444	1,443	0	1	0	0	0	0	0	0	0	0
表流水		446	446	0	0	0	0	0	0	0	0	0	0
ダム湖沼		129	129	0	0	0	0	0	0	0	0	0	0
地下水		588	587	0	1	0	0	0	0	0	0	0	0
その他		281	281	0	0	0	0	0	0	0	0	0	0
1,4-ジオキサン			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
全体		1,430	1,430	0	0	0	0	0	0	0	0	0	0
表流水		442	442	0	0	0	0	0	0	0	0	0	0
ダム湖沼		128	128	0	0	0	0	0	0	0	0	0	0
地下水		586	586	0	0	0	0	0	0	0	0	0	0
その他		274	274	0	0	0	0	0	0	0	0	0	0
シス-1,2-ジクロロエチレン及びトランス-1,2-ジクロロエチレン			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
全体		1,443	1,442	1	0	0	0	0	0	0	0	0	0
表流水		446	446	0	0	0	0	0	0	0	0	0	0
ダム湖沼		129	129	0	0	0	0	0	0	0	0	0	0
地下水		587	586	1	0	0	0	0	0	0	0	0	0
その他		281	281	0	0	0	0	0	0	0	0	0	0
ジクロロメタン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
全体		1,445	1,445	0	0	0	0	0	0	0	0	0	0
表流水		447	447	0	0	0	0	0	0	0	0	0	0
ダム湖沼		129	129	0	0	0	0	0	0	0	0	0	0
地下水		588	588	0	0	0	0	0	0	0	0	0	0
その他		281	281	0	0	0	0	0	0	0	0	0	0
テトラクロロエチレン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
全体		1,445	1,444	1	0	0	0	0	0	0	0	0	0
表流水		447	447	0	0	0	0	0	0	0	0	0	0
ダム湖沼		129	129	0	0	0	0	0	0	0	0	0	0
地下水		588	587	1	0	0	0	0	0	0	0	0	0
その他		281	281	0	0	0	0	0	0	0	0	0	0
トリクロロエチレン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
全体		1,444	1,443	0	0	1	0	0	0	0	0	0	0
表流水		446	446	0	0	0	0	0	0	0	0	0	0
ダム湖沼		129	129	0	0	0	0	0	0	0	0	0	0
地下水		588	587	0	0	1	0	0	0	0	0	0	0
その他		281	281	0	0	0	0	0	0	0	0	0	0
ベンゼン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
全体		1,444	1,444	0	0	0	0	0	0	0	0	0	0
表流水		446	446	0	0	0	0	0	0	0	0	0	0
ダム湖沼		129	129	0	0	0	0	0	0	0	0	0	0
地下水		588	588	0	0	0	0	0	0	0	0	0	0
その他		281	281	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
塩素酸			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
	全体	1,500	1,100	286	73	27	3	7	4	0	0	0	0
	表流水	473	336	105	24	7	1	0	0	0	0	0	0
	ダム湖沼	137	85	34	16	2	0	0	0	0	0	0	0
	地下水	599	445	106	25	12	2	6	3	0	0	0	0
	その他	291	234	41	8	6	0	1	1	0	0	0	0
クロロ酢酸			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	1,454	1,452	1	1	0	0	0	0	0	0	0	0
	表流水	468	468	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	131	131	0	0	0	0	0	0	0	0	0	0
	地下水	593	592	1	0	0	0	0	0	0	0	0	0
	その他	262	261	0	1	0	0	0	0	0	0	0	0
クロロホルム			～0.006	～0.012	～0.018	～0.024	～0.030	～0.036	～0.042	～0.048	～0.056	～0.060	0.061～
	全体	1,496	1,064	321	82	18	8	3	0	0	0	0	0
	表流水	475	314	115	30	10	6	0	0	0	0	0	0
	ダム湖沼	133	68	44	16	5	0	0	0	0	0	0	0
	地下水	601	545	40	14	2	0	0	0	0	0	0	0
	その他	287	137	122	22	1	2	3	0	0	0	0	0
ジクロロ酢酸			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	1,454	1,134	202	84	23	7	4	0	0	0	0	0
	表流水	468	327	99	25	10	5	2	0	0	0	0	0
	ダム湖沼	131	86	18	18	6	1	2	0	0	0	0	0
	地下水	593	563	23	6	0	1	0	0	0	0	0	0
	その他	262	158	62	35	7	0	0	0	0	0	0	0
ジブロモクロロメタン			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	1,496	1,488	4	2	1	0	0	1	0	0	0	0
	表流水	475	473	1	1	0	0	0	0	0	0	0	0
	ダム湖沼	133	133	0	0	0	0	0	0	0	0	0	0
	地下水	601	597	3	0	1	0	0	0	0	0	0	0
	その他	287	285	0	1	0	0	0	1	0	0	0	0
臭素酸			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	1,453	1,415	28	8	2	0	0	0	0	0	0	0
	表流水	465	454	7	2	2	0	0	0	0	0	0	0
	ダム湖沼	131	130	1	0	0	0	0	0	0	0	0	0
	地下水	591	586	4	1	0	0	0	0	0	0	0	0
	その他	266	245	16	5	0	0	0	0	0	0	0	0
総トリハロメタン			～0.010	～0.020	～0.030	～0.040	～0.050	～0.060	～0.070	～0.080	～0.090	～0.100	0.101～
	全体	1,496	952	366	142	27	5	1	1	1	1	0	0
	表流水	475	276	153	40	6	0	0	0	0	0	0	0
	ダム湖沼	133	58	52	20	3	0	0	0	0	0	0	0
	地下水	601	529	47	18	6	0	0	0	0	1	0	0
	その他	287	89	114	64	12	5	1	1	1	0	0	0
トリクロロ酢酸			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	1,454	1,082	197	118	33	12	7	4	1	0	0	0
	表流水	468	312	93	35	14	6	4	3	1	0	0	0
	ダム湖沼	131	76	23	19	7	3	2	1	0	0	0	0
	地下水	593	545	31	13	3	1	0	0	0	0	0	0
	その他	262	149	50	51	9	2	1	0	0	0	0	0
ブロモジクロロメタン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	1,496	1,002	320	132	33	5	1	1	1	1	0	0
	表流水	475	294	143	35	2	1	0	0	0	0	0	0
	ダム湖沼	133	59	57	12	3	2	0	0	0	0	0	0
	地下水	601	534	44	18	4	0	0	0	0	1	0	0
	その他	287	115	76	67	24	2	1	1	1	0	0	0
ブロモホルム			～0.009	～0.018	～0.027	～0.036	～0.045	～0.054	～0.063	～0.072	～0.081	～0.090	0.091～
	全体	1,496	1,488	8	0	0	0	0	0	0	0	0	0
	表流水	475	474	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	133	133	0	0	0	0	0	0	0	0	0	0
	地下水	601	595	6	0	0	0	0	0	0	0	0	0
	その他	287	286	1	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
ホルムアルデヒド			～0.008	～0.016	～0.024	～0.032	～0.040	～0.048	～0.056	～0.064	～0.072	～0.080	0.081～
	全体	1,441	1,436	5	0	0	0	0	0	0	0	0	0
	表流水	466	465	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	131	131	0	0	0	0	0	0	0	0	0	0
	地下水	590	587	3	0	0	0	0	0	0	0	0	0
	その他	254	253	1	0	0	0	0	0	0	0	0	0
亜鉛及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.20	～0.40	～0.60	～0.80	～1.00	1.01～
	全体	1,452	1,440	6	1	1	4	0	0	0	0	0	0
	表流水	458	458	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	129	128	1	0	0	0	0	0	0	0	0	0
	地下水	587	577	4	1	1	4	0	0	0	0	0	0
	その他	278	277	1	0	0	0	0	0	0	0	0	0
アルミニウム及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.12	～0.14	～0.16	～0.18	～0.20	0.21～
	全体	1,522	1,193	236	64	24	2	2	1	0	0	0	0
	表流水	487	320	126	33	7	0	1	0	0	0	0	0
	ダム湖沼	140	88	27	17	8	0	0	0	0	0	0	0
	地下水	609	552	38	8	7	2	1	1	0	0	0	0
	その他	286	233	45	6	2	0	0	0	0	0	0	0
鉄及びその化合物			～0.03	～0.06	～0.09	～0.12	～0.15	～0.18	～0.21	～0.24	～0.27	～0.30	0.31～
	全体	1,510	1,494	10	5	1	0	0	0	0	0	0	0
	表流水	478	475	2	1	0	0	0	0	0	0	0	0
	ダム湖沼	136	134	2	0	0	0	0	0	0	0	0	0
	地下水	613	605	5	3	0	0	0	0	0	0	0	0
	その他	283	280	1	1	1	0	0	0	0	0	0	0
銅及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.20	～0.40	～0.60	～0.80	～1.00	1.01～
	全体	1,446	1,435	5	0	1	4	1	0	0	0	0	0
	表流水	453	453	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	131	131	0	0	0	0	0	0	0	0	0	0
	地下水	586	575	5	0	1	4	1	0	0	0	0	0
	その他	276	276	0	0	0	0	0	0	0	0	0	0
ナトリウム及びその化合物			～5.0	～10.0	～20.0	～40.0	～60.0	～80.0	～100.0	～120.0	～150.0	～200.0	200.1～
	全体	1,461	168	632	529	117	11	3	0	1	0	0	0
	表流水	455	85	225	125	18	2	0	0	0	0	0	0
	ダム湖沼	132	14	84	16	17	1	0	0	0	0	0	0
	地下水	592	43	225	250	64	6	3	0	1	0	0	0
	その他	282	26	98	138	18	2	0	0	0	0	0	0
マンガン及びその化合物			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	全体	1,515	1,482	24	6	3	0	0	0	0	0	0	0
	表流水	477	475	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	137	136	1	0	0	0	0	0	0	0	0	0
	地下水	621	595	18	5	3	0	0	0	0	0	0	0
	その他	280	276	3	1	0	0	0	0	0	0	0	0
塩化物イオン			～5.0	～10.0	～20.0	～40.0	～60.0	～80.0	～100.0	～120.0	～150.0	～200.0	200.1～
	全体	1,595	288	544	557	173	26	5	2	0	0	0	0
	表流水	494	110	173	169	37	5	0	0	0	0	0	0
	ダム湖沼	146	10	46	71	10	8	1	0	0	0	0	0
	地下水	646	128	239	214	50	9	4	2	0	0	0	0
	その他	309	40	86	103	76	4	0	0	0	0	0	0
カルシウム、マグネシウム等(硬度)			～10	～20	～30	～50	～80	～100	～150	～200	～250	～300	301～
	全体	1,495	50	159	216	494	421	103	39	8	2	2	1
	表流水	467	41	82	84	162	83	12	3	0	0	0	0
	ダム湖沼	136	3	15	40	52	18	5	3	0	0	0	0
	地下水	608	1	27	58	202	215	70	27	6	1	1	0
	その他	284	5	35	34	78	105	16	6	2	1	1	1
蒸発残留物			～30	～50	～100	～150	～200	～250	～300	～350	～400	～500	501～
	全体	1,478	25	110	614	409	246	48	13	8	2	3	0
	表流水	461	20	65	238	100	32	5	0	1	0	0	0
	ダム湖沼	135	1	11	89	19	8	5	2	0	0	0	0
	地下水	600	1	17	181	218	134	31	11	4	2	1	0
	その他	282	3	17	106	72	72	7	0	3	0	2	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
陰イオン界面活性剤			～0.02	～0.04	～0.06	～0.08	～0.10	～0.12	～0.14	～0.16	～0.18	～0.20	0.21～
	全体	1,370	1,370	0	0	0	0	0	0	0	0	0	0
	表流水	438	438	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	127	127	0	0	0	0	0	0	0	0	0	0
	地下水	547	547	0	0	0	0	0	0	0	0	0	0
	その他	258	258	0	0	0	0	0	0	0	0	0	0
ジェオスミン			～0.000001	～0.000002	～0.000004	～0.000006	～0.000008	～0.000010	～0.000012	～0.000014	～0.000016	～0.000020	0.000021～
	全体	1,323	1,211	78	28	4	0	1	0	0	0	0	1
	表流水	454	388	45	18	3	0	0	0	0	0	0	0
	ダム湖沼	131	113	12	4	1	0	0	0	0	0	0	1
	地下水	508	497	8	2	0	0	1	0	0	0	0	0
	その他	230	213	13	4	0	0	0	0	0	0	0	0
2-メチルイソボルネオール			～0.000001	～0.000002	～0.000004	～0.000006	～0.000008	～0.000010	～0.000012	～0.000014	～0.000016	～0.000020	0.000021～
	全体	1,324	1,289	28	5	0	1	0	0	0	1	0	0
	表流水	455	436	15	3	0	0	0	0	0	1	0	0
	ダム湖沼	131	125	4	1	0	1	0	0	0	0	0	0
	地下水	508	508	0	0	0	0	0	0	0	0	0	0
	その他	230	220	9	1	0	0	0	0	0	0	0	0
非イオン界面活性剤			～0.005	～0.006	～0.007	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	1,372	1,372	0	0	0	0	0	0	0	0	0	0
	表流水	439	439	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	129	129	0	0	0	0	0	0	0	0	0	0
	地下水	546	546	0	0	0	0	0	0	0	0	0	0
	その他	258	258	0	0	0	0	0	0	0	0	0	0
フェノール類			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	1,374	1,374	0	0	0	0	0	0	0	0	0	0
	表流水	442	442	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	128	128	0	0	0	0	0	0	0	0	0	0
	地下水	546	546	0	0	0	0	0	0	0	0	0	0
	その他	258	258	0	0	0	0	0	0	0	0	0	0
有機物(TOCの量)			～0.5	0.6	0.7	0.8	0.9	1	～2.0	～3.0	～4.0	～5.0	5.1～
	全体	1,613	996	166	147	126	67	41	68	2	0	0	0
	表流水	504	246	88	53	46	22	16	33	0	0	0	0
	ダム湖沼	147	43	16	31	12	13	9	21	2	0	0	0
	地下水	653	571	33	16	15	8	2	8	0	0	0	0
	その他	309	136	29	47	53	24	14	6	0	0	0	0
pH値			～5.8	～6.0	～6.3	～6.6	～6.9	～7.2	～7.5	～7.8	～8.2	～8.6	8.7～
	全体	1,674	1	1	8	56	203	501	591	233	75	5	0
	表流水	526	0	0	0	4	44	163	241	66	8	0	0
	ダム湖沼	152	0	0	0	3	14	59	57	19	0	0	0
	地下水	681	1	1	7	40	126	189	166	92	54	5	0
	その他	315	0	0	1	9	19	90	127	56	13	0	0
味の異常回数			0	1	2	3	4	5	6	7	8	9	10～
	全体	1,630	1,630	0	0	0	0	0	0	0	0	0	0
	表流水	513	513	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	147	147	0	0	0	0	0	0	0	0	0	0
	地下水	664	664	0	0	0	0	0	0	0	0	0	0
	その他	306	306	0	0	0	0	0	0	0	0	0	0
臭気の異常回数			0	1	2	3	4	5	6	7	8	9	10～
	全体	1,636	1,633	2	0	0	0	0	0	0	1	0	0
	表流水	514	512	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	147	146	0	0	0	0	0	0	0	1	0	0
	地下水	664	664	0	0	0	0	0	0	0	0	0	0
	その他	311	311	0	0	0	0	0	0	0	0	0	0
色度			～0.5	～1.0	～1.5	～2.0	～2.5	～3.0	～3.5	～4.0	～4.5	～5.0	5.1～
	全体	1,651	1,530	90	20	9	1	1	0	0	0	0	0
	表流水	512	466	33	6	7	0	0	0	0	0	0	0
	ダム湖沼	149	140	6	3	0	0	0	0	0	0	0	0
	地下水	671	619	38	10	2	1	1	0	0	0	0	0
	その他	319	305	13	1	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
濁度			～0.1	～0.2	～0.4	～0.6	～0.8	～1.0	～1.2	～1.4	～1.6	～2.0	2.1～
全体		1,701	1,680	16	2	1	1	0	1	0	0	0	0
表流水		540	534	5	1	0	0	0	0	0	0	0	0
ダム湖沼		150	150	0	0	0	0	0	0	0	0	0	0
地下水		691	677	10	1	1	1	0	1	0	0	0	0
その他		320	319	1	0	0	0	0	0	0	0	0	0
アンチモン及びその化合物			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
全体		952	952	0	0	0	0	0	0	0	0	0	0
表流水		349	349	0	0	0	0	0	0	0	0	0	0
ダム湖沼		84	84	0	0	0	0	0	0	0	0	0	0
地下水		363	363	0	0	0	0	0	0	0	0	0	0
その他		156	156	0	0	0	0	0	0	0	0	0	0
ウラン及びその化合物			～0.0002	～0.0004	～0.0006	～0.0008	～0.0010	～0.0012	～0.0014	～0.0016	～0.0018	～0.0020	0.0021～
全体		951	924	15	3	6	0	0	0	1	0	2	0
表流水		349	348	0	0	1	0	0	0	0	0	0	0
ダム湖沼		84	83	0	0	1	0	0	0	0	0	0	0
地下水		365	343	13	3	3	0	0	0	1	0	2	0
その他		153	150	2	0	1	0	0	0	0	0	0	0
ニッケル及びその化合物			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
全体		994	991	3	0	0	0	0	0	0	0	0	0
表流水		365	365	0	0	0	0	0	0	0	0	0	0
ダム湖沼		88	88	0	0	0	0	0	0	0	0	0	0
地下水		378	375	3	0	0	0	0	0	0	0	0	0
その他		163	163	0	0	0	0	0	0	0	0	0	0
1,2-ジクロロエタン			～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
全体		958	958	0	0	0	0	0	0	0	0	0	0
表流水		350	350	0	0	0	0	0	0	0	0	0	0
ダム湖沼		84	84	0	0	0	0	0	0	0	0	0	0
地下水		366	366	0	0	0	0	0	0	0	0	0	0
その他		158	158	0	0	0	0	0	0	0	0	0	0
トルエン			～0.040	～0.080	～0.120	～0.160	～0.200	～0.240	～0.280	～0.320	～0.360	～0.400	0.401～
全体		957	957	0	0	0	0	0	0	0	0	0	0
表流水		349	349	0	0	0	0	0	0	0	0	0	0
ダム湖沼		84	84	0	0	0	0	0	0	0	0	0	0
地下水		366	366	0	0	0	0	0	0	0	0	0	0
その他		158	158	0	0	0	0	0	0	0	0	0	0
フタル酸ジ(2-エチルヘキシル)			～0.008	～0.016	～0.024	～0.032	～0.040	～0.048	～0.056	～0.064	～0.072	～0.080	0.081～
全体		848	848	0	0	0	0	0	0	0	0	0	0
表流水		335	335	0	0	0	0	0	0	0	0	0	0
ダム湖沼		80	80	0	0	0	0	0	0	0	0	0	0
地下水		322	322	0	0	0	0	0	0	0	0	0	0
その他		111	111	0	0	0	0	0	0	0	0	0	0
亜塩素酸			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
全体		426	426	0	0	0	0	0	0	0	0	0	0
表流水		148	148	0	0	0	0	0	0	0	0	0	0
ダム湖沼		40	40	0	0	0	0	0	0	0	0	0	0
地下水		195	195	0	0	0	0	0	0	0	0	0	0
その他		43	43	0	0	0	0	0	0	0	0	0	0
二酸化塩素			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
全体		162	162	0	0	0	0	0	0	0	0	0	0
表流水		43	43	0	0	0	0	0	0	0	0	0	0
ダム湖沼		11	11	0	0	0	0	0	0	0	0	0	0
地下水		102	102	0	0	0	0	0	0	0	0	0	0
その他		6	6	0	0	0	0	0	0	0	0	0	0
ジクロロアセトニトリル			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
全体		956	956	0	0	0	0	0	0	0	0	0	0
表流水		369	369	0	0	0	0	0	0	0	0	0	0
ダム湖沼		90	90	0	0	0	0	0	0	0	0	0	0
地下水		375	375	0	0	0	0	0	0	0	0	0	0
その他		122	122	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
抱水クロラール			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	957	907	43	7	0	0	0	0	0	0	0	0
	表流水	370	350	15	5	0	0	0	0	0	0	0	0
	ダム湖沼	90	85	5	0	0	0	0	0	0	0	0	0
	地下水	375	373	2	0	0	0	0	0	0	0	0	0
	その他	122	99	21	2	0	0	0	0	0	0	0	0
農薬類			～0.01	～0.02	～0.03	～0.05	～0.10	～0.20	～0.30	～0.50	～0.70	～1.00	1.01～
	全体	622	610	5	2	5	0	0	0	0	0	0	0
	表流水	296	285	5	1	5	0	0	0	0	0	0	0
	ダム湖沼	61	60	0	1	0	0	0	0	0	0	0	0
	地下水	186	186	0	0	0	0	0	0	0	0	0	0
	その他	79	79	0	0	0	0	0	0	0	0	0	0
残留塩素			<0.1	0.1	0.2	0.3	0.4	0.5	0.6	～0.8	～1.0	～1.2	1.3～
	全体	1,541	1	5	44	218	239	276	281	329	123	20	5
	表流水	514	0	0	4	29	44	94	106	161	64	9	3
	ダム湖沼	130	0	0	1	5	8	18	26	43	22	6	1
	地下水	627	1	5	34	153	151	108	95	57	20	3	0
	その他	270	0	0	5	31	36	56	54	68	17	2	1
遊離炭酸			～2.0	～4.0	～6.0	～8.0	～10.0	～12.0	～14.0	～16.0	～18.0	～20.0	20.1～
	全体	952	214	318	175	74	53	30	12	21	14	14	27
	表流水	361	117	163	60	13	7	0	0	1	0	0	0
	ダム湖沼	93	21	31	22	10	7	1	1	0	0	0	0
	地下水	356	51	74	53	39	34	26	10	19	12	14	24
	その他	142	25	50	40	12	5	3	1	1	2	0	3
1,1,1-トリクロロエタン			～0.030	～0.060	～0.090	～0.120	～0.150	～0.180	～0.210	～0.240	～0.270	～0.300	0.301～
	全体	960	960	0	0	0	0	0	0	0	0	0	0
	表流水	352	352	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	366	366	0	0	0	0	0	0	0	0	0	0
	その他	158	158	0	0	0	0	0	0	0	0	0	0
メチル-tert-ブチルエーテル(MTBE)			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	949	949	0	0	0	0	0	0	0	0	0	0
	表流水	352	352	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	82	82	0	0	0	0	0	0	0	0	0	0
	地下水	364	364	0	0	0	0	0	0	0	0	0	0
	その他	151	151	0	0	0	0	0	0	0	0	0	0
有機物等(過マンガン酸カリウム消費量)			～0.3	～0.6	～0.9	～1.2	～1.5	～1.8	～2.1	～2.4	～2.7	～3.0	3.1～
	全体	557	94	81	105	110	67	38	24	19	11	4	4
	表流水	220	14	26	34	52	38	19	17	9	6	4	1
	ダム湖沼	47	1	5	8	7	11	4	4	1	4	0	2
	地下水	209	71	39	46	35	11	3	1	1	1	0	1
	その他	81	8	11	17	16	7	12	2	8	0	0	0
臭気強度(TON)			0	1	2	3	4	5	6	～8	～10	～15	16～
	全体	719	576	116	22	4	0	0	0	1	0	0	0
	表流水	288	221	54	11	2	0	0	0	0	0	0	0
	ダム湖沼	77	64	8	3	1	0	0	0	1	0	0	0
	地下水	257	220	29	8	0	0	0	0	0	0	0	0
	その他	97	71	25	0	1	0	0	0	0	0	0	0
腐食性(ランゲリア指数)			～-4.0	～-3.5	～-3.0	～-2.5	～-2.0	～-1.5	～-1.0	～-0.5	～0.0	～0.5	0.6～
	全体	967	0	10	23	75	193	280	279	75	24	3	5
	表流水	371	0	9	18	33	81	117	94	15	4	0	0
	ダム湖沼	92	0	1	2	20	20	24	22	3	0	0	0
	地下水	353	0	0	3	9	61	90	120	48	16	2	4
	その他	151	0	0	0	13	31	49	43	9	4	1	1
従属栄養細菌			0	～200	～400	～600	～800	～1000	～1200	～1400	～1600	～2000	2001～
	全体	970	573	390	3	3	0	0	0	0	0	0	1
	表流水	367	273	94	0	0	0	0	0	0	0	0	0
	ダム湖沼	89	71	18	0	0	0	0	0	0	0	0	0
	地下水	372	150	216	3	3	0	0	0	0	0	0	0
	その他	142	79	62	0	0	0	0	0	0	0	0	1

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
1,1ージクロロエチレン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	959	956	0	0	0	3	0	0	0	0	0	0
	表流水	351	349	0	0	0	2	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0	0
	地下水	368	367	0	0	0	1	0	0	0	0	0	0
	その他	159	159	0	0	0	0	0	0	0	0	0	0
ベルフルオロオクタンスルホン酸(PFOS)及びベルフルオロオクタン酸(PFOA)			～0.000005	～0.000010	～0.000015	～0.000020	～0.000025	～0.000030	～0.000035	～0.000040	～0.000045	～0.000050	0.000051～
	全体	744	631	68	16	15	7	2	3	1	0	1	0
	表流水	307	287	18	2	0	0	0	0	0	0	0	0
	ダム湖沼	58	50	6	2	0	0	0	0	0	0	0	0
	地下水	274	200	36	11	14	7	2	2	1	0	1	0
	その他	105	94	8	1	1	0	0	1	0	0	0	0
1,3ージクロロプロペン(DーD)			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	551	551	0	0	0	0	0	0	0	0	0	0
	表流水	247	247	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	181	181	0	0	0	0	0	0	0	0	0	0
	その他	69	69	0	0	0	0	0	0	0	0	0	0
2,2ーDPA(ダラボン)			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	411	411	0	0	0	0	0	0	0	0	0	0
	表流水	206	206	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	50	50	0	0	0	0	0	0	0	0	0	0
	地下水	119	119	0	0	0	0	0	0	0	0	0	0
	その他	36	36	0	0	0	0	0	0	0	0	0	0
2,4ーD(2,4ーPA)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	539	539	0	0	0	0	0	0	0	0	0	0
	表流水	258	258	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	159	159	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
EPN			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	527	527	0	0	0	0	0	0	0	0	0	0
	表流水	237	237	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	170	170	0	0	0	0	0	0	0	0	0	0
	その他	66	66	0	0	0	0	0	0	0	0	0	0
MCPA			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.00400	～0.0045	～0.0050	0.0051～
	全体	540	540	0	0	0	0	0	0	0	0	0	0
	表流水	274	274	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	150	150	0	0	0	0	0	0	0	0	0	0
	その他	61	61	0	0	0	0	0	0	0	0	0	0
アシュラム			～0.009	～0.018	～0.027	～0.045	～0.063	～0.090	～0.270	～0.450	～0.630	～0.90	0.901～
	全体	521	521	0	0	0	0	0	0	0	0	0	0
	表流水	252	252	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	153	153	0	0	0	0	0	0	0	0	0	0
	その他	61	61	0	0	0	0	0	0	0	0	0	0
アセフェート			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	547	547	0	0	0	0	0	0	0	0	0	0
	表流水	270	270	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	158	158	0	0	0	0	0	0	0	0	0	0
	その他	63	63	0	0	0	0	0	0	0	0	0	0
アトラジン			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	573	573	0	0	0	0	0	0	0	0	0	0
	表流水	261	261	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	186	186	0	0	0	0	0	0	0	0	0	0
	その他	68	68	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
アニロホス			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	488	488	0	0	0	0	0	0	0	0	0	0
	表流水	229	229	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	159	159	0	0	0	0	0	0	0	0	0	0
	その他	44	44	0	0	0	0	0	0	0	0	0	0
アミトラズ			～0.0006	～0.0012	～0.0018	～0.0024	～0.0030	～0.0036	～0.0042	～0.0048	～0.0054	～0.0060	0.0061～
	全体	439	439	0	0	0	0	0	0	0	0	0	0
	表流水	220	220	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	47	47	0	0	0	0	0	0	0	0	0	0
	地下水	136	136	0	0	0	0	0	0	0	0	0	0
	その他	36	36	0	0	0	0	0	0	0	0	0	0
アラクロール			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	611	609	0	2	0	0	0	0	0	0	0	0
	表流水	282	282	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	200	199	0	1	0	0	0	0	0	0	0	0
	その他	71	70	0	1	0	0	0	0	0	0	0	0
イソキサチオン			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	588	588	0	0	0	0	0	0	0	0	0	0
	表流水	275	275	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	188	188	0	0	0	0	0	0	0	0	0	0
	その他	69	69	0	0	0	0	0	0	0	0	0	0
イソフェンホス			～0.00001	～0.00002	～0.00003	～0.00005	～0.00007	～0.00010	～0.00030	～0.00050	～0.00070	～0.00100	0.00101～
	全体	495	494	0	1	0	0	0	0	0	0	0	0
	表流水	234	234	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	163	162	0	1	0	0	0	0	0	0	0	0
	その他	44	44	0	0	0	0	0	0	0	0	0	0
イソプロカルブ (MIPC)			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	515	515	0	0	0	0	0	0	0	0	0	0
	表流水	232	232	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	168	168	0	0	0	0	0	0	0	0	0	0
	その他	60	60	0	0	0	0	0	0	0	0	0	0
イソプロチオラン (IPT)			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	595	594	0	0	0	0	1	0	0	0	0	0
	表流水	280	280	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	60	60	0	0	0	0	0	0	0	0	0	0
	地下水	189	188	0	0	0	0	1	0	0	0	0	0
	その他	66	66	0	0	0	0	0	0	0	0	0	0
イブフェンカルバゾン			～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	全体	441	436	1	4	0	0	0	0	0	0	0	0
	表流水	230	225	1	4	0	0	0	0	0	0	0	0
	ダム湖沼	47	47	0	0	0	0	0	0	0	0	0	0
	地下水	128	128	0	0	0	0	0	0	0	0	0	0
	その他	36	36	0	0	0	0	0	0	0	0	0	0
イプロベンホス (IBP)			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	542	541	0	0	0	0	0	1	0	0	0	0
	表流水	257	257	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	179	178	0	0	0	0	0	1	0	0	0	0
	その他	48	48	0	0	0	0	0	0	0	0	0	0
イミノクタジン			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	455	455	0	0	0	0	0	0	0	0	0	0
	表流水	222	222	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	46	46	0	0	0	0	0	0	0	0	0	0
	地下水	142	142	0	0	0	0	0	0	0	0	0	0
	その他	45	45	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
インダノファン			～0.0009	～0.0018	～0.0027	～0.0036	～0.0045	～0.0054	～0.0063	～0.0072	～0.0081	～0.0090	0.0091～
	全体	496	496	0	0	0	0	0	0	0	0	0	0
	表流水	250	250	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	139	139	0	0	0	0	0	0	0	0	0	0
	その他	52	52	0	0	0	0	0	0	0	0	0	0
エスプロカルブ			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	563	563	0	0	0	0	0	0	0	0	0	0
	表流水	263	263	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	177	177	0	0	0	0	0	0	0	0	0	0
	その他	66	66	0	0	0	0	0	0	0	0	0	0
イトフェンプロックス			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	606	606	0	0	0	0	0	0	0	0	0	0
	表流水	278	278	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	62	62	0	0	0	0	0	0	0	0	0	0
	地下水	195	195	0	0	0	0	0	0	0	0	0	0
	その他	71	71	0	0	0	0	0	0	0	0	0	0
エンドスルファン(ベンゾエピン)			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	414	414	0	0	0	0	0	0	0	0	0	0
	表流水	201	201	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	51	51	0	0	0	0	0	0	0	0	0	0
	地下水	120	120	0	0	0	0	0	0	0	0	0	0
	その他	42	42	0	0	0	0	0	0	0	0	0	0
オキサジクロメホン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	515	515	0	0	0	0	0	0	0	0	0	0
	表流水	254	254	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	146	146	0	0	0	0	0	0	0	0	0	0
	その他	57	57	0	0	0	0	0	0	0	0	0	0
オキシ銅(有機銅)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	533	533	0	0	0	0	0	0	0	0	0	0
	表流水	264	264	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	149	149	0	0	0	0	0	0	0	0	0	0
	その他	66	66	0	0	0	0	0	0	0	0	0	0
オリサストロビン			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	449	449	0	0	0	0	0	0	0	0	0	0
	表流水	233	233	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	52	52	0	0	0	0	0	0	0	0	0	0
	地下水	130	130	0	0	0	0	0	0	0	0	0	0
	その他	34	34	0	0	0	0	0	0	0	0	0	0
カズサホス			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	493	493	0	0	0	0	0	0	0	0	0	0
	表流水	255	255	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	141	141	0	0	0	0	0	0	0	0	0	0
	その他	42	42	0	0	0	0	0	0	0	0	0	0
カフェンストール			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	576	576	0	0	0	0	0	0	0	0	0	0
	表流水	267	267	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	182	182	0	0	0	0	0	0	0	0	0	0
	その他	70	70	0	0	0	0	0	0	0	0	0	0
カルタップ			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	496	496	0	0	0	0	0	0	0	0	0	0
	表流水	233	233	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	44	44	0	0	0	0	0	0	0	0	0	0
	地下水	182	182	0	0	0	0	0	0	0	0	0	0
	その他	37	37	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
カルバリル (NAC)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	519	519	0	0	0	0	0	0	0	0	0	0
	表流水	248	248	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	152	152	0	0	0	0	0	0	0	0	0	0
	その他	62	62	0	0	0	0	0	0	0	0	0	0
カルボフラン			～0.000003	～0.000006	～0.000009	～0.000015	～0.000021	～0.000030	～0.000090	～0.000150	～0.000210	～0.000300	0.000301～
	全体	505	488	10	1	4	0	2	0	0	0	0	0
	表流水	249	240	3	1	3	0	2	0	0	0	0	0
	ダム湖沼	55	53	2	0	0	0	0	0	0	0	0	0
	地下水	140	134	5	0	1	0	0	0	0	0	0	0
	その他	61	61	0	0	0	0	0	0	0	0	0	0
キノクラミン (ACN)			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	533	533	0	0	0	0	0	0	0	0	0	0
	表流水	266	266	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	148	148	0	0	0	0	0	0	0	0	0	0
	その他	62	62	0	0	0	0	0	0	0	0	0	0
キャプタン			～0.003	～0.006	～0.009	～0.015	～0.021	～0.030	～0.090	～0.150	～0.210	～0.300	0.301～
	全体	568	568	0	0	0	0	0	0	0	0	0	0
	表流水	260	260	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	183	183	0	0	0	0	0	0	0	0	0	0
	その他	68	68	0	0	0	0	0	0	0	0	0	0
クミルロン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	508	508	0	0	0	0	0	0	0	0	0	0
	表流水	255	255	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	144	144	0	0	0	0	0	0	0	0	0	0
	その他	53	53	0	0	0	0	0	0	0	0	0	0
グリホサート			～0.02	～0.04	～0.06	～0.10	～0.14	～0.20	～0.60	～1.00	～1.40	～2.00	2.01～
	全体	547	547	0	0	0	0	0	0	0	0	0	0
	表流水	249	249	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	188	188	0	0	0	0	0	0	0	0	0	0
	その他	54	54	0	0	0	0	0	0	0	0	0	0
グルホシネート			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	472	472	0	0	0	0	0	0	0	0	0	0
	表流水	227	227	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	44	44	0	0	0	0	0	0	0	0	0	0
	地下水	161	161	0	0	0	0	0	0	0	0	0	0
	その他	40	40	0	0	0	0	0	0	0	0	0	0
クロメプロップ			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	501	501	0	0	0	0	0	0	0	0	0	0
	表流水	252	252	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	142	142	0	0	0	0	0	0	0	0	0	0
	その他	50	50	0	0	0	0	0	0	0	0	0	0
クロルニトロフェン (GNP)			～0.000001	～0.000002	～0.000003	～0.000005	～0.000007	～0.000010	～0.000030	～0.000050	～0.000070	～0.000100	0.000101～
	全体	427	426	0	0	0	0	0	0	0	0	1	0
	表流水	215	215	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	49	49	0	0	0	0	0	0	0	0	0	0
	地下水	120	119	0	0	0	0	0	0	0	0	1	0
	その他	43	43	0	0	0	0	0	0	0	0	0	0
クロルピリホス			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	583	583	0	0	0	0	0	0	0	0	0	0
	表流水	271	271	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	186	186	0	0	0	0	0	0	0	0	0	0
	その他	71	71	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
クロロタロニル (TPN)			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	611	611	0	0	0	0	0	0	0	0	0	0
	表流水	278	278	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	200	200	0	0	0	0	0	0	0	0	0	0
	その他	76	76	0	0	0	0	0	0	0	0	0	0
シアナジン			～0.00001	～0.00002	～0.00003	～0.00005	～0.00007	～0.00010	～0.00030	～0.00050	～0.00070	～0.00100	0.00101～
	全体	507	507	0	0	0	0	0	0	0	0	0	0
	表流水	250	250	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	141	141	0	0	0	0	0	0	0	0	0	0
	その他	59	59	0	0	0	0	0	0	0	0	0	0
シアノホス(CYAP)			～0.0003	～0.0006	～0.0009	～0.0012	～0.0015	～0.0018	～0.0021	～0.0024	～0.0027	～0.0030	0.0031～
	全体	525	525	0	0	0	0	0	0	0	0	0	0
	表流水	268	268	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	142	142	0	0	0	0	0	0	0	0	0	0
	その他	58	58	0	0	0	0	0	0	0	0	0	0
ジウロン (DCMU)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	547	547	0	0	0	0	0	0	0	0	0	0
	表流水	265	265	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	159	159	0	0	0	0	0	0	0	0	0	0
	その他	66	66	0	0	0	0	0	0	0	0	0	0
ジクロベニル (DBN)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	589	589	0	0	0	0	0	0	0	0	0	0
	表流水	275	275	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	186	186	0	0	0	0	0	0	0	0	0	0
	その他	72	72	0	0	0	0	0	0	0	0	0	0
ジクロロボス (DDVP)			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	525	525	0	0	0	0	0	0	0	0	0	0
	表流水	239	239	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	171	171	0	0	0	0	0	0	0	0	0	0
	その他	60	60	0	0	0	0	0	0	0	0	0	0
ジクワット			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.0100	0.0101～
	全体	468	468	0	0	0	0	0	0	0	0	0	0
	表流水	225	225	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	48	48	0	0	0	0	0	0	0	0	0	0
	地下水	140	140	0	0	0	0	0	0	0	0	0	0
	その他	55	55	0	0	0	0	0	0	0	0	0	0
ジスルホトン(エチルチオメトン)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	全体	525	525	0	0	0	0	0	0	0	0	0	0
	表流水	234	234	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	170	170	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
ジチオカルバメート系農薬			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	398	398	0	0	0	0	0	0	0	0	0	0
	表流水	204	204	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	39	39	0	0	0	0	0	0	0	0	0	0
	地下水	124	124	0	0	0	0	0	0	0	0	0	0
	その他	31	31	0	0	0	0	0	0	0	0	0	0
ジチオピル			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	530	529	1	0	0	0	0	0	0	0	0	0
	表流水	238	238	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	173	172	1	0	0	0	0	0	0	0	0	0
	その他	62	62	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
シハロホップブチル			～0.0006	～0.0012	～0.0018	～0.0024	～0.0030	～0.0036	～0.0042	～0.0048	～0.0054	～0.0060	0.0061～
	全体	528	528	0	0	0	0	0	0	0	0	0	0
	表流水	263	263	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	151	151	0	0	0	0	0	0	0	0	0	0
	その他	57	57	0	0	0	0	0	0	0	0	0	0
シマジン (CAT)			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	579	579	0	0	0	0	0	0	0	0	0	0
	表流水	267	267	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	186	186	0	0	0	0	0	0	0	0	0	0
	その他	69	69	0	0	0	0	0	0	0	0	0	0
ジメタメトリン			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	577	577	0	0	0	0	0	0	0	0	0	0
	表流水	267	267	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	188	188	0	0	0	0	0	0	0	0	0	0
	その他	64	64	0	0	0	0	0	0	0	0	0	0
ジメトエート			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	528	528	0	0	0	0	0	0	0	0	0	0
	表流水	238	238	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	174	174	0	0	0	0	0	0	0	0	0	0
	その他	60	60	0	0	0	0	0	0	0	0	0	0
シメトリン			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	586	586	0	0	0	0	0	0	0	0	0	0
	表流水	269	269	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	191	191	0	0	0	0	0	0	0	0	0	0
	その他	70	70	0	0	0	0	0	0	0	0	0	0
ダイアジノン			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	628	628	0	0	0	0	0	0	0	0	0	0
	表流水	291	291	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	202	202	0	0	0	0	0	0	0	0	0	0
	その他	77	77	0	0	0	0	0	0	0	0	0	0
ダイムロン			～0.008	～0.016	～0.024	～0.040	～0.056	～0.080	～0.240	～0.400	～0.560	～0.800	0.801～
	全体	543	543	0	0	0	0	0	0	0	0	0	0
	表流水	268	268	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	153	153	0	0	0	0	0	0	0	0	0	0
	その他	64	64	0	0	0	0	0	0	0	0	0	0
ダゾメット、メタム(カーバム)及びメチルイソチオシアネート			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	470	470	0	0	0	0	0	0	0	0	0	0
	表流水	215	215	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	43	43	0	0	0	0	0	0	0	0	0	0
	地下水	171	171	0	0	0	0	0	0	0	0	0	0
	その他	41	41	0	0	0	0	0	0	0	0	0	0
チアジニル			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	548	548	0	0	0	0	0	0	0	0	0	0
	表流水	255	255	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	59	59	0	0	0	0	0	0	0	0	0	0
	地下水	180	180	0	0	0	0	0	0	0	0	0	0
	その他	54	54	0	0	0	0	0	0	0	0	0	0
チウラム			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	575	573	2	0	0	0	0	0	0	0	0	0
	表流水	264	262	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	186	186	0	0	0	0	0	0	0	0	0	0
	その他	69	69	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
チオジカルブ			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	497	497	0	0	0	0	0	0	0	0	0	0
	表流水	245	245	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	53	53	0	0	0	0	0	0	0	0	0	0
	地下水	144	144	0	0	0	0	0	0	0	0	0	0
	その他	55	55	0	0	0	0	0	0	0	0	0	0
チオファネートメチル			～0.003	～0.006	～0.009	～0.015	～0.021	～0.030	～0.090	～0.150	～0.210	～0.300	0.301～
	全体	564	564	0	0	0	0	0	0	0	0	0	0
	表流水	256	256	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	190	190	0	0	0	0	0	0	0	0	0	0
	その他	64	64	0	0	0	0	0	0	0	0	0	0
チオベンカルブ			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	560	560	0	0	0	0	0	0	0	0	0	0
	表流水	255	255	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	180	180	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
テフリルトリオン			～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	全体	509	509	0	0	0	0	0	0	0	0	0	0
	表流水	270	270	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	141	141	0	0	0	0	0	0	0	0	0	0
	その他	44	44	0	0	0	0	0	0	0	0	0	0
テルブカルブ (MBPMC)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	512	512	0	0	0	0	0	0	0	0	0	0
	表流水	230	230	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	169	169	0	0	0	0	0	0	0	0	0	0
	その他	58	58	0	0	0	0	0	0	0	0	0	0
トリクロピル			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	520	520	0	0	0	0	0	0	0	0	0	0
	表流水	249	249	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	150	150	0	0	0	0	0	0	0	0	0	0
	その他	66	66	0	0	0	0	0	0	0	0	0	0
トリクロロホン (DEP)			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	510	510	0	0	0	0	0	0	0	0	0	0
	表流水	247	247	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	50	50	0	0	0	0	0	0	0	0	0	0
	地下水	146	146	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
トリシクラゾール			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	528	528	0	0	0	0	0	0	0	0	0	0
	表流水	260	260	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	154	154	0	0	0	0	0	0	0	0	0	0
	その他	56	56	0	0	0	0	0	0	0	0	0	0
トリフルラリン			～0.0006	～0.0012	～0.0018	～0.0030	～0.0042	～0.0060	～0.0180	～0.0300	～0.0420	～0.0600	0.0601～
	全体	584	584	0	0	0	0	0	0	0	0	0	0
	表流水	273	273	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	183	183	0	0	0	0	0	0	0	0	0	0
	その他	71	71	0	0	0	0	0	0	0	0	0	0
ナプロパミド			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	528	528	0	0	0	0	0	0	0	0	0	0
	表流水	240	240	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	173	173	0	0	0	0	0	0	0	0	0	0
	その他	60	60	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
パラコート			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	433	433	0	0	0	0	0	0	0	0	0	0
	表流水	216	216	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	46	46	0	0	0	0	0	0	0	0	0	0
	地下水	125	125	0	0	0	0	0	0	0	0	0	0
	その他	46	46	0	0	0	0	0	0	0	0	0	0
ピペロホス			～0.000009	～0.000018	～0.000027	～0.000045	～0.000063	～0.000090	～0.000270	～0.000450	～0.000630	～0.000900	0.000901～
	全体	500	499	0	0	0	1	0	0	0	0	0	0
	表流水	238	238	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	54	54	0	0	0	0	0	0	0	0	0	0
	地下水	164	163	0	0	0	1	0	0	0	0	0	0
	その他	44	44	0	0	0	0	0	0	0	0	0	0
ピラクロニル			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	531	531	0	0	0	0	0	0	0	0	0	0
	表流水	265	265	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	46	46	0	0	0	0	0	0	0	0	0	0
	地下水	178	178	0	0	0	0	0	0	0	0	0	0
	その他	42	42	0	0	0	0	0	0	0	0	0	0
ピラゾキシフェン			～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
	全体	460	460	0	0	0	0	0	0	0	0	0	0
	表流水	236	236	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	51	51	0	0	0	0	0	0	0	0	0	0
	地下水	135	135	0	0	0	0	0	0	0	0	0	0
	その他	38	38	0	0	0	0	0	0	0	0	0	0
ピラゾリネート(ピラゾレート)			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	561	561	0	0	0	0	0	0	0	0	0	0
	表流水	266	266	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	177	177	0	0	0	0	0	0	0	0	0	0
	その他	61	61	0	0	0	0	0	0	0	0	0	0
ピリダフェンチオン			～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	全体	497	496	0	1	0	0	0	0	0	0	0	0
	表流水	233	233	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	163	162	0	1	0	0	0	0	0	0	0	0
	その他	46	46	0	0	0	0	0	0	0	0	0	0
ピリプチカルブ			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	557	557	0	0	0	0	0	0	0	0	0	0
	表流水	260	260	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	175	175	0	0	0	0	0	0	0	0	0	0
	その他	64	64	0	0	0	0	0	0	0	0	0	0
ピロキロン			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	611	611	0	0	0	0	0	0	0	0	0	0
	表流水	281	281	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	61	61	0	0	0	0	0	0	0	0	0	0
	地下水	201	201	0	0	0	0	0	0	0	0	0	0
	その他	68	68	0	0	0	0	0	0	0	0	0	0
フィプロニル			～0.00005	～0.00010	～0.00015	～0.00020	～0.00025	～0.00030	～0.00035	～0.00040	～0.00045	～0.00050	0.00051～
	全体	569	569	0	0	0	0	0	0	0	0	0	0
	表流水	279	279	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	161	161	0	0	0	0	0	0	0	0	0	0
	その他	72	72	0	0	0	0	0	0	0	0	0	0
フェントロチオン (MEP)			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	606	606	0	0	0	0	0	0	0	0	0	0
	表流水	297	297	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	174	174	0	0	0	0	0	0	0	0	0	0
	その他	77	77	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
フェノカルブ (BPMC)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	585	585	0	0	0	0	0	0	0	0	0	0
	表流水	271	271	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	183	183	0	0	0	0	0	0	0	0	0	0
	その他	73	73	0	0	0	0	0	0	0	0	0	0
フェリムゾン			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	全体	465	465	0	0	0	0	0	0	0	0	0	0
	表流水	239	239	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	47	47	0	0	0	0	0	0	0	0	0	0
	地下水	145	145	0	0	0	0	0	0	0	0	0	0
	その他	34	34	0	0	0	0	0	0	0	0	0	0
フェンチオン (MPP)			～0.00001	～0.00002	～0.00003	～0.00005	～0.00007	～0.00010	～0.00030	～0.00050	～0.00070	～0.00100	0.00101～
	全体	514	513	0	0	0	1	0	0	0	0	0	0
	表流水	248	248	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	142	141	0	0	0	1	0	0	0	0	0	0
	その他	68	68	0	0	0	0	0	0	0	0	0	0
フェントエート (PAP)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	全体	610	609	1	0	0	0	0	0	0	0	0	0
	表流水	282	282	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	59	59	0	0	0	0	0	0	0	0	0	0
	地下水	196	195	1	0	0	0	0	0	0	0	0	0
	その他	73	73	0	0	0	0	0	0	0	0	0	0
フェントラザミド			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	534	534	0	0	0	0	0	0	0	0	0	0
	表流水	273	273	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	145	145	0	0	0	0	0	0	0	0	0	0
	その他	58	58	0	0	0	0	0	0	0	0	0	0
フサライド			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	585	585	0	0	0	0	0	0	0	0	0	0
	表流水	269	269	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	193	193	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
ブタクロール			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	534	534	0	0	0	0	0	0	0	0	0	0
	表流水	267	267	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	154	154	0	0	0	0	0	0	0	0	0	0
	その他	56	56	0	0	0	0	0	0	0	0	0	0
ブタミホス			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	566	566	0	0	0	0	0	0	0	0	0	0
	表流水	260	260	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	182	182	0	0	0	0	0	0	0	0	0	0
	その他	69	69	0	0	0	0	0	0	0	0	0	0
ブプロフェジン			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	590	590	0	0	0	0	0	0	0	0	0	0
	表流水	272	272	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	59	59	0	0	0	0	0	0	0	0	0	0
	地下水	193	193	0	0	0	0	0	0	0	0	0	0
	その他	66	66	0	0	0	0	0	0	0	0	0	0
フルアジナム			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	492	492	0	0	0	0	0	0	0	0	0	0
	表流水	254	254	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	142	142	0	0	0	0	0	0	0	0	0	0
	その他	38	38	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
プレチラクロール			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	597	597	0	0	0	0	0	0	0	0	0	0
	表流水	284	284	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	183	183	0	0	0	0	0	0	0	0	0	0
	その他	72	72	0	0	0	0	0	0	0	0	0	0
プロシモン			～0.0009	～0.0018	～0.0027	～0.0045	～0.0063	～0.0090	～0.0270	～0.0450	～0.0630	～0.0900	0.0901～
	全体	543	543	0	0	0	0	0	0	0	0	0	0
	表流水	252	252	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	174	174	0	0	0	0	0	0	0	0	0	0
	その他	62	62	0	0	0	0	0	0	0	0	0	0
プロチオホス			～0.00007	～0.00014	～0.00021	～0.00035	～0.00049	～0.00070	～0.00210	～0.00350	～0.00490	～0.00700	0.00701～
	全体	419	419	0	0	0	0	0	0	0	0	0	0
	表流水	222	222	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	41	41	0	0	0	0	0	0	0	0	0	0
	地下水	118	118	0	0	0	0	0	0	0	0	0	0
	その他	38	38	0	0	0	0	0	0	0	0	0	0
プロピコナゾール			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	547	547	0	0	0	0	0	0	0	0	0	0
	表流水	252	252	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	178	178	0	0	0	0	0	0	0	0	0	0
	その他	62	62	0	0	0	0	0	0	0	0	0	0
プロピザミド			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	555	555	0	0	0	0	0	0	0	0	0	0
	表流水	255	255	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	178	178	0	0	0	0	0	0	0	0	0	0
	その他	65	65	0	0	0	0	0	0	0	0	0	0
プロベナゾール			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	588	588	0	0	0	0	0	0	0	0	0	0
	表流水	277	277	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	183	183	0	0	0	0	0	0	0	0	0	0
	その他	71	71	0	0	0	0	0	0	0	0	0	0
プロモブチド			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	618	613	0	3	1	0	1	0	0	0	0	0
	表流水	288	286	0	0	1	0	1	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	198	196	0	2	0	0	0	0	0	0	0	0
	その他	74	73	0	1	0	0	0	0	0	0	0	0
ベノミル			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	539	539	0	0	0	0	0	0	0	0	0	0
	表流水	265	265	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	152	152	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
ペンシクロン			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	570	570	0	0	0	0	0	0	0	0	0	0
	表流水	264	264	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	59	59	0	0	0	0	0	0	0	0	0	0
	地下水	183	183	0	0	0	0	0	0	0	0	0	0
	その他	64	64	0	0	0	0	0	0	0	0	0	0
ベンゾピシクロン			～0.009	～0.018	～0.027	～0.036	～0.045	～0.054	～0.063	～0.072	～0.081	～0.090	0.091～
	全体	510	510	0	0	0	0	0	0	0	0	0	0
	表流水	250	250	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	50	50	0	0	0	0	0	0	0	0	0	0
	地下水	154	154	0	0	0	0	0	0	0	0	0	0
	その他	56	56	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
ベンゾフェナップ			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	504	504	0	0	0	0	0	0	0	0	0	0
	表流水	256	256	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	137	137	0	0	0	0	0	0	0	0	0	0
	その他	55	55	0	0	0	0	0	0	0	0	0	0
ベンタゾン			～0.002	～0.004	～0.006	～0.010	～0.0140	～0.020	～0.060	～0.100	～0.140	～0.200	0.201～
	全体	604	604	0	0	0	0	0	0	0	0	0	0
	表流水	277	277	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	57	57	0	0	0	0	0	0	0	0	0	0
	地下水	200	200	0	0	0	0	0	0	0	0	0	0
	その他	70	70	0	0	0	0	0	0	0	0	0	0
ペンディメタリン			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	595	592	0	3	0	0	0	0	0	0	0	0
	表流水	280	280	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	191	189	0	2	0	0	0	0	0	0	0	0
	その他	66	65	0	1	0	0	0	0	0	0	0	0
ベンフラカルブ			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	494	494	0	0	0	0	0	0	0	0	0	0
	表流水	233	233	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	53	53	0	0	0	0	0	0	0	0	0	0
	地下水	162	162	0	0	0	0	0	0	0	0	0	0
	その他	46	46	0	0	0	0	0	0	0	0	0	0
ベンフルラリン (ベスロジン)			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	509	509	0	0	0	0	0	0	0	0	0	0
	表流水	229	229	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	165	165	0	0	0	0	0	0	0	0	0	0
	その他	60	60	0	0	0	0	0	0	0	0	0	0
ベンフレセート			～0.007	～0.014	～0.021	～0.028	～0.035	～0.042	～0.049	～0.056	～0.063	～0.070	0.071～
	全体	511	511	0	0	0	0	0	0	0	0	0	0
	表流水	251	251	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	153	153	0	0	0	0	0	0	0	0	0	0
	その他	51	51	0	0	0	0	0	0	0	0	0	0
ホスチアゼート			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	510	510	0	0	0	0	0	0	0	0	0	0
	表流水	255	255	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	52	52	0	0	0	0	0	0	0	0	0	0
	地下水	148	148	0	0	0	0	0	0	0	0	0	0
	その他	55	55	0	0	0	0	0	0	0	0	0	0
マラチオン(マラソン)			～0.007	～0.014	～0.021	～0.035	～0.049	～0.070	～0.21	～0.35	～0.49	～0.7	0.701～
	全体	586	586	0	0	0	0	0	0	0	0	0	0
	表流水	276	276	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	190	190	0	0	0	0	0	0	0	0	0	0
	その他	64	64	0	0	0	0	0	0	0	0	0	0
メコプロップ (MCP)			～0.00050	～0.00100	～0.00150	～0.00250	～0.00350	～0.00500	～0.01500	～0.02500	～0.03500	～0.05000	0.05001～
	全体	544	544	0	0	0	0	0	0	0	0	0	0
	表流水	264	264	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	158	158	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
メソミル			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	538	538	0	0	0	0	0	0	0	0	0	0
	表流水	264	264	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	156	156	0	0	0	0	0	0	0	0	0	0
	その他	63	63	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
メタラキシル			～0.002	～0.004	～0.006	～0.010	～0.0140	～0.020	～0.060	～0.100	～0.140	～0.200	0.201～
	全体	589	589	0	0	0	0	0	0	0	0	0	0
	表流水	267	267	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	59	59	0	0	0	0	0	0	0	0	0	0
	地下水	193	193	0	0	0	0	0	0	0	0	0	0
	その他	70	70	0	0	0	0	0	0	0	0	0	0
メチダチオン (DMTP)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	全体	580	580	0	0	0	0	0	0	0	0	0	0
	表流水	273	273	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	184	184	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
メトミノストロピン			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	527	527	0	0	0	0	0	0	0	0	0	0
	表流水	265	265	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	151	151	0	0	0	0	0	0	0	0	0	0
	その他	53	53	0	0	0	0	0	0	0	0	0	0
メトリブジン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	498	498	0	0	0	0	0	0	0	0	0	0
	表流水	249	249	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	141	141	0	0	0	0	0	0	0	0	0	0
	その他	52	52	0	0	0	0	0	0	0	0	0	0
メフェナセット			～0.00009	～0.00018	～0.00027	～0.00045	～0.00063	～0.00090	～0.00270	～0.00450	～0.00630	～0.00900	0.00901～
	全体	593	591	0	2	0	0	0	0	0	0	0	0
	表流水	272	272	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	58	58	0	0	0	0	0	0	0	0	0	0
	地下水	191	189	0	2	0	0	0	0	0	0	0	0
	その他	72	72	0	0	0	0	0	0	0	0	0	0
メプロニル			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	564	564	0	0	0	0	0	0	0	0	0	0
	表流水	257	257	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	59	59	0	0	0	0	0	0	0	0	0	0
	地下水	181	181	0	0	0	0	0	0	0	0	0	0
	その他	67	67	0	0	0	0	0	0	0	0	0	0
モリネート			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	583	583	0	0	0	0	0	0	0	0	0	0
	表流水	272	272	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	56	56	0	0	0	0	0	0	0	0	0	0
	地下水	185	185	0	0	0	0	0	0	0	0	0	0
	その他	70	70	0	0	0	0	0	0	0	0	0	0
水温(℃)			～10.0	～12.0	～14.0	～16.0	～18.0	～20.0	～22.0	～24.0	～26.0	～28.0	28.1～
	全体	1,533	40	93	169	277	452	382	69	32	10	3	6
	表流水	496	18	40	83	123	135	77	10	7	2	1	0
	ダム湖沼	142	7	18	10	24	43	35	3	1	1	0	0
	地下水	608	2	18	45	95	191	189	48	17	2	1	0
	その他	287	13	17	31	35	83	81	8	7	5	1	6
紫外線(UV)吸光度(50mmセル使用時)			～0.040	～0.080	～0.120	～0.160	～0.200	～0.240	～0.280	～0.320	～0.360	～0.400	0.401～
	全体	108	62	45	1	0	0	0	0	0	0	0	0
	表流水	64	35	28	1	0	0	0	0	0	0	0	0
	ダム湖沼	19	10	9	0	0	0	0	0	0	0	0	0
	地下水	12	10	2	0	0	0	0	0	0	0	0	0
	その他	13	7	6	0	0	0	0	0	0	0	0	0
侵食性遊離炭酸			～2.5	～5.0	～7.5	～10.0	～12.5	～15.0	～17.5	～20.0	～22.5	～25.0	25.1～
	全体	136	44	45	10	14	4	7	4	3	4	0	1
	表流水	34	15	15	1	2	0	1	0	0	0	0	0
	ダム湖沼	9	4	4	1	0	0	0	0	0	0	0	0
	地下水	77	18	21	7	11	2	6	4	3	4	0	1
	その他	16	7	5	1	1	2	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
生物(n/ml)			～10.0	～50.0	～100.0	～500.0	～1000.0	～5000.0	～10000.0	～50000.0	～100000.0	～500000.0	500000.1～
	全体	41	32	5	1	3	0	0	0	0	0	0	0
	表流水	27	21	4	0	2	0	0	0	0	0	0	0
	ダム湖沼	3	3	0	0	0	0	0	0	0	0	0	0
	地下水	10	8	1	1	0	0	0	0	0	0	0	0
	その他	1	0	0	0	1	0	0	0	0	0	0	0
アルカリ度			～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	～100.0	100.1～
	全体	724	13	120	139	171	110	82	41	19	12	9	8
	表流水	281	10	70	74	72	32	14	9	0	0	0	0
	ダム湖沼	65	2	15	15	16	6	9	1	1	0	0	0
	地下水	257	0	8	26	53	56	49	26	18	11	5	5
	その他	121	1	27	24	30	16	10	5	0	1	4	3
硫酸イオン			～5.0	～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	90.1～
	全体	393	62	119	106	45	44	6	4	2	3	0	2
	表流水	124	16	29	47	13	16	0	1	0	2	0	0
	ダム湖沼	32	6	16	5	2	1	2	0	0	0	0	0
	地下水	156	35	50	37	17	12	3	2	0	0	0	0
	その他	81	5	24	17	13	15	1	1	2	1	0	2
溶性ケイ酸			～5.0	～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	90.1～
	全体	103	4	6	30	19	11	8	13	8	4	0	0
	表流水	31	0	3	20	3	2	0	1	2	0	0	0
	ダム湖沼	4	3	0	0	1	0	0	0	0	0	0	0
	地下水	61	0	0	10	14	7	8	12	6	4	0	0
	その他	7	1	3	0	1	2	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。