

水質項目		計	区分										
一般細菌			0	～10	～20	～30	～40	～50	～60	～70	～80	～100	101～
	全体	9,359	7,575	1,590	89	48	11	13	4	7	4	10	8
	表流水	2,132	1,653	427	29	11	3	2	1	1	0	2	3
	ダム湖沼	324	272	49	2	0	0	0	1	0	0	0	0
	地下水	4,734	3,847	783	43	28	7	6	2	6	3	5	4
	その他	2,169	1,803	331	15	9	1	5	0	0	1	3	1
大腸菌(定性)			陰性	陽性									
	全体	0	0	0									
	表流水	0	0	0									
	ダム湖沼	0	0	0									
	地下水	0	0	0									
	その他	0	0	0									
カドミウム及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,393	8,386	2	5	0	0	0	0	0	0	0	0
	表流水	1,932	1,932	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	290	290	0	0	0	0	0	0	0	0	0	0
	地下水	4,210	4,205	1	4	0	0	0	0	0	0	0	0
	その他	1,961	1,959	1	1	0	0	0	0	0	0	0	0
水銀及びその化合物			～0.00005	～0.00010	～0.00015	～0.00020	～0.00025	～0.00030	～0.00035	～0.00040	～0.00045	～0.00050	0.00051～
	全体	8,287	8,272	8	1	0	0	0	0	0	0	6	0
	表流水	1,889	1,885	1	0	0	0	0	0	0	0	3	0
	ダム湖沼	287	287	0	0	0	0	0	0	0	0	0	0
	地下水	4,180	4,171	7	1	0	0	0	0	0	0	1	0
	その他	1,931	1,929	0	0	0	0	0	0	0	0	2	0
セレン及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,372	8,359	10	2	0	0	0	0	0	0	1	0
	表流水	1,932	1,930	1	1	0	0	0	0	0	0	0	0
	ダム湖沼	290	290	0	0	0	0	0	0	0	0	0	0
	地下水	4,205	4,196	9	0	0	0	0	0	0	0	0	0
	その他	1,945	1,943	0	1	0	0	0	0	0	0	1	0
鉛及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,589	8,212	223	71	35	18	8	6	7	6	1	2
	表流水	1,985	1,945	30	6	3	0	0	1	0	0	0	0
	ダム湖沼	310	301	8	0	1	0	0	0	0	0	0	0
	地下水	4,297	4,045	148	49	23	12	6	4	3	5	0	2
	その他	1,997	1,921	37	16	8	6	2	1	4	1	1	0
ヒ素及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,489	7,620	409	182	126	58	26	25	23	12	8	0
	表流水	1,940	1,817	57	25	23	7	4	2	4	1	0	0
	ダム湖沼	290	283	3	2	1	0	0	1	0	0	0	0
	地下水	4,282	3,700	272	122	81	44	18	19	12	6	8	0
	その他	1,977	1,820	77	33	21	7	4	3	7	5	0	0
六価クロム化合物			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	8,562	8,506	36	13	2	2	1	0	0	0	2	0
	表流水	1,973	1,959	8	5	0	1	0	0	0	0	0	0
	ダム湖沼	305	304	1	0	0	0	0	0	0	0	0	0
	地下水	4,279	4,247	23	6	1	1	0	0	0	0	1	0
	その他	2,005	1,996	4	2	1	0	1	0	0	0	1	0
亜硝酸態窒素			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
	全体	8,615	8,560	39	6	4	6	0	0	0	0	0	0
	表流水	2,000	1,991	5	1	2	1	0	0	0	0	0	0
	ダム湖沼	302	301	0	0	0	1	0	0	0	0	0	0
	地下水	4,320	4,285	24	5	2	4	0	0	0	0	0	0
	その他	1,993	1,983	10	0	0	0	0	0	0	0	0	0
シアン化物イオン及び塩化シアン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	9,345	9,336	8	0	0	0	0	1	0	0	0	0
	表流水	2,131	2,131	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	324	324	0	0	0	0	0	0	0	0	0	0
	地下水	4,721	4,714	6	0	0	0	0	1	0	0	0	0
	その他	2,169	2,167	2	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
硝酸態窒素及び亜硝酸態窒素			～0.50	～1.00	～2.00	～3.00	～4.00	～5.00	～6.00	～7.00	～8.00	～10.00	10.01～
	全体	8,813	4,190	2,088	1,419	582	257	107	86	49	19	16	0
	表流水	1,991	1,246	496	186	54	7	1	1	0	0	0	0
	ダム湖沼	304	213	65	19	2	4	0	0	0	1	0	0
	地下水	4,485	1,643	1,084	966	371	185	94	74	38	15	15	0
	その他	2,033	1,088	443	248	155	61	12	11	11	3	1	0
フッ素及びその化合物			～0.08	～0.16	～0.24	～0.32	～0.40	～0.48	～0.56	～0.64	～0.72	～0.80	0.81～
	全体	8,608	6,202	1,811	318	133	56	37	17	15	9	10	0
	表流水	1,971	1,580	307	38	20	7	8	4	3	0	4	0
	ダム湖沼	298	218	60	11	4	2	3	0	0	0	0	0
	地下水	4,340	2,948	973	223	96	40	26	11	9	8	6	0
	その他	1,999	1,456	471	46	13	7	0	2	3	1	0	0
ホウ素及びその化合物			～0.1	～0.2	～0.3	～0.4	～0.5	～0.6	～0.7	～0.8	～0.9	～1.0	1.1～
	全体	8,422	8,220	92	44	28	17	10	5	3	1	2	0
	表流水	1,932	1,906	12	5	5	1	1	1	0	0	1	0
	ダム湖沼	289	283	3	0	2	1	0	0	0	0	0	0
	地下水	4,233	4,119	58	24	10	11	8	1	1	1	0	0
	その他	1,968	1,912	19	15	11	4	1	3	2	0	1	0
四塩化炭素			～0.0002	～0.0004	～0.0006	～0.0008	～0.0010	～0.0012	～0.0014	～0.0016	～0.0018	～0.0020	0.0021～
	全体	8,365	8,345	14	0	0	0	0	0	0	0	6	0
	表流水	1,929	1,924	2	0	0	0	0	0	0	0	3	0
	ダム湖沼	286	286	0	0	0	0	0	0	0	0	0	0
	地下水	4,206	4,194	10	0	0	0	0	0	0	0	2	0
	その他	1,944	1,941	2	0	0	0	0	0	0	0	1	0
1,4－ジオキサン			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	全体	8,347	8,343	2	0	0	0	1	0	0	0	1	0
	表流水	1,920	1,919	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	286	286	0	0	0	0	0	0	0	0	0	0
	地下水	4,201	4,200	0	0	0	0	1	0	0	0	0	0
	その他	1,940	1,938	1	0	0	0	0	0	0	0	1	0
シス－1,2－ジクロロエチレン及びトランス－1,2－ジクロロエチレン			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
	全体	8,362	8,354	5	1	1	0	0	0	0	0	1	0
	表流水	1,928	1,928	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	285	285	0	0	0	0	0	0	0	0	0	0
	地下水	4,204	4,197	5	1	1	0	0	0	0	0	0	0
	その他	1,945	1,944	0	0	0	0	0	0	0	0	1	0
ジクロロメタン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	8,364	8,355	7	2	0	0	0	0	0	0	0	0
	表流水	1,929	1,929	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	286	286	0	0	0	0	0	0	0	0	0	0
	地下水	4,205	4,197	6	2	0	0	0	0	0	0	0	0
	その他	1,944	1,943	1	0	0	0	0	0	0	0	0	0
テトラクロロエチレン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,363	8,347	10	3	2	1	0	0	0	0	0	0
	表流水	1,929	1,928	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	286	286	0	0	0	0	0	0	0	0	0	0
	地下水	4,204	4,190	9	3	1	1	0	0	0	0	0	0
	その他	1,944	1,943	0	0	1	0	0	0	0	0	0	0
トリクロロエチレン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,369	8,351	10	5	2	0	1	0	0	0	0	0
	表流水	1,928	1,926	1	0	1	0	0	0	0	0	0	0
	ダム湖沼	286	286	0	0	0	0	0	0	0	0	0	0
	地下水	4,209	4,193	9	5	1	0	1	0	0	0	0	0
	その他	1,946	1,946	0	0	0	0	0	0	0	0	0	0
ベンゼン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,363	8,354	6	0	0	2	0	0	0	0	1	0
	表流水	1,928	1,926	1	0	0	0	0	0	0	0	1	0
	ダム湖沼	286	286	0	0	0	0	0	0	0	0	0	0
	地下水	4,205	4,198	5	0	0	2	0	0	0	0	0	0
	その他	1,944	1,944	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
塩素酸			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
	全体	9,350	4,041	2,776	1,182	588	340	172	103	61	42	28	17
	表流水	2,131	536	664	408	212	145	70	44	26	16	3	7
	ダム湖沼	324	42	95	66	44	33	18	12	3	1	6	4
	地下水	4,726	2,371	1,360	453	246	120	69	40	25	21	16	5
	その他	2,169	1,092	657	255	86	42	15	7	7	4	3	1
クロロ酢酸			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	9,350	9,313	28	2	1	1	0	0	0	0	5	0
	表流水	2,131	2,111	17	0	1	1	0	0	0	0	1	0
	ダム湖沼	324	320	3	1	0	0	0	0	0	0	0	0
	地下水	4,726	4,716	6	1	0	0	0	0	0	0	3	0
	その他	2,169	2,166	2	0	0	0	0	0	0	0	1	0
クロロホルム			～0.006	～0.012	～0.018	～0.024	～0.030	～0.036	～0.042	～0.048	～0.056	～0.060	0.061～
	全体	9,350	5,980	1,242	998	551	291	174	70	20	18	4	2
	表流水	2,131	597	536	426	237	155	114	39	14	11	1	1
	ダム湖沼	324	46	77	67	55	29	22	19	3	3	2	1
	地下水	4,726	4,092	325	185	70	30	15	4	2	3	0	0
	その他	2,169	1,245	304	320	189	77	23	8	1	1	1	0
ジクロロ酢酸			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	9,350	7,033	1,197	557	278	136	70	42	26	3	7	1
	表流水	2,131	922	562	288	169	87	49	29	19	2	4	0
	ダム湖沼	324	127	84	45	24	15	11	9	5	1	3	0
	地下水	4,726	4,345	233	101	30	10	4	2	1	0	0	0
	その他	2,169	1,639	318	123	55	24	6	2	1	0	0	1
ジブロモクロロメタン			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	9,350	9,032	236	50	17	4	8	1	0	2	0	0
	表流水	2,131	2,043	67	13	2	0	5	0	0	1	0	0
	ダム湖沼	324	295	21	6	2	0	0	0	0	0	0	0
	地下水	4,726	4,607	69	28	13	4	3	1	0	1	0	0
	その他	2,169	2,087	79	3	0	0	0	0	0	0	0	0
臭素酸			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	9,350	9,099	130	59	35	17	7	2	1	0	0	0
	表流水	2,131	2,082	19	16	7	3	3	1	0	0	0	0
	ダム湖沼	324	312	7	2	3	0	0	0	0	0	0	0
	地下水	4,726	4,654	42	12	7	8	1	1	1	0	0	0
	その他	2,169	2,051	62	29	18	6	3	0	0	0	0	0
総トリハロメタン			～0.010	～0.020	～0.030	～0.040	～0.050	～0.060	～0.070	～0.080	～0.090	～0.100	0.101～
	全体	9,349	5,242	1,609	1,155	710	371	151	56	32	19	3	1
	表流水	2,131	438	624	472	335	147	63	23	18	8	2	1
	ダム湖沼	324	18	69	91	51	41	25	15	7	7	0	0
	地下水	4,725	3,667	599	269	112	46	20	7	2	2	1	0
	その他	2,169	1,119	317	323	212	137	43	11	5	2	0	0
トリクロロ酢酸			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	9,349	6,300	1,004	767	511	295	189	112	67	52	47	5
	表流水	2,131	669	445	327	217	173	109	77	44	37	28	5
	ダム湖沼	324	76	66	54	43	27	23	10	12	5	8	0
	地下水	4,725	4,183	249	138	80	28	18	10	6	6	7	0
	その他	2,169	1,372	244	248	171	67	39	15	5	4	4	0
ブロモジクロロメタン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	9,349	5,715	1,605	946	556	300	127	57	23	11	8	1
	表流水	2,131	698	599	395	229	110	48	26	11	7	7	1
	ダム湖沼	324	28	81	93	46	36	18	13	5	3	1	0
	地下水	4,725	3,798	547	214	104	42	14	6	0	0	0	0
	その他	2,169	1,191	378	244	177	112	47	12	7	1	0	0
ブロモホルム			～0.009	～0.018	～0.027	～0.036	～0.045	～0.054	～0.063	～0.072	～0.081	～0.090	0.091～
	全体	9,349	9,185	126	25	10	2	0	0	0	1	0	0
	表流水	2,131	2,085	35	5	5	1	0	0	0	0	0	0
	ダム湖沼	324	303	15	5	1	0	0	0	0	0	0	0
	地下水	4,725	4,657	50	13	4	0	0	0	0	1	0	0
	その他	2,169	2,140	26	2	0	1	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
ホルムアルデヒド			～0.008	～0.016	～0.024	～0.032	～0.040	～0.048	～0.056	～0.064	～0.072	～0.080	0.081～
	全体	9,349	9,263	74	6	2	2	2	0	0	0	0	0
	表流水	2,131	2,116	15	0	0	0	0	0	0	0	0	0
	ダム湖沼	324	321	3	0	0	0	0	0	0	0	0	0
	地下水	4,725	4,676	39	5	1	2	2	0	0	0	0	0
	その他	2,169	2,150	17	1	1	0	0	0	0	0	0	0
亜鉛及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.20	～0.40	～0.60	～0.80	～1.00	1.01～
	全体	8,517	8,035	143	104	26	180	17	10	1	1	0	0
	表流水	1,960	1,866	23	19	4	44	3	0	1	0	0	0
	ダム湖沼	301	288	6	3	1	2	1	0	0	0	0	0
	地下水	4,266	3,959	81	67	19	118	12	9	0	1	0	0
	その他	1,990	1,922	33	15	2	16	1	1	0	0	0	0
アルミニウム及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.12	～0.14	～0.16	～0.18	～0.20	0.21～
	全体	8,677	6,644	1,068	520	220	97	51	28	19	12	6	12
	表流水	2,018	1,278	330	196	93	52	26	16	10	6	3	8
	ダム湖沼	314	170	64	36	26	10	4	1	1	0	0	2
	地下水	4,323	3,811	302	112	41	22	14	7	5	5	2	2
	その他	2,022	1,385	372	176	60	13	7	4	3	1	1	0
鉄及びその化合物			～0.03	～0.06	～0.09	～0.12	～0.15	～0.18	～0.21	～0.24	～0.27	～0.30	0.31～
	全体	8,624	8,190	261	92	31	21	8	11	4	0	5	1
	表流水	2,003	1,882	67	29	8	5	5	4	2	0	1	0
	ダム湖沼	309	290	11	3	2	2	0	0	0	0	1	0
	地下水	4,306	4,114	126	38	9	9	3	2	1	0	3	1
	その他	2,006	1,904	57	22	12	5	0	5	1	0	0	0
銅及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.20	～0.40	～0.60	～0.80	～1.00	1.01～
	全体	8,522	7,944	225	81	34	200	25	5	4	4	0	0
	表流水	1,963	1,878	20	5	5	54	1	0	0	0	0	0
	ダム湖沼	305	290	7	1	4	3	0	0	0	0	0	0
	地下水	4,264	3,852	166	67	20	128	19	4	4	4	0	0
	その他	1,990	1,924	32	8	5	15	5	1	0	0	0	0
ナトリウム及びその化合物			～5.0	～10.0	～20.0	～40.0	～60.0	～80.0	～100.0	～120.0	～150.0	～200.0	200.1～
	全体	8,463	1,826	3,619	2,289	618	73	26	7	3	1	1	0
	表流水	1,946	648	804	407	77	9	1	0	0	0	0	0
	ダム湖沼	296	33	131	91	38	2	1	0	0	0	0	0
	地下水	4,247	621	1,894	1,292	358	51	21	5	3	1	1	0
	その他	1,974	524	790	499	145	11	3	2	0	0	0	0
マンガン及びその化合物			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	全体	8,528	8,392	85	18	13	4	2	1	1	2	9	1
	表流水	1,969	1,952	9	2	1	1	1	0	0	0	3	0
	ダム湖沼	304	290	11	1	1	0	0	0	0	1	0	0
	地下水	4,261	4,174	53	14	10	2	1	0	1	1	4	1
	その他	1,994	1,976	12	1	1	1	0	1	0	0	2	0
塩化物イオン			～5.0	～10.0	～20.0	～40.0	～60.0	～80.0	～100.0	～120.0	～150.0	～200.0	200.1～
	全体	9,358	2,467	3,012	2,524	1,040	218	46	23	9	14	5	0
	表流水	2,132	665	601	560	275	25	3	2	0	1	0	0
	ダム湖沼	324	24	69	145	56	21	5	1	1	1	1	0
	地下水	4,733	1,145	1,725	1,272	434	96	29	16	5	8	3	0
	その他	2,169	633	617	547	275	76	9	4	3	4	1	0
カルシウム、マグネシウム等(硬度)			～10	～20	～30	～50	～80	～100	～150	～200	～250	～300	301～
	全体	8,823	341	1,104	1,459	2,712	2,010	709	403	64	18	2	1
	表流水	1,979	208	447	410	521	273	74	43	2	1	0	0
	ダム湖沼	302	12	27	75	100	57	15	14	1	0	0	1
	地下水	4,474	56	315	579	1,451	1,313	440	257	51	10	2	0
	その他	2,068	65	315	395	640	367	180	89	10	7	0	0
蒸発残留物			～30	～50	～100	～150	～200	～250	～300	～350	～400	～500	501～
	全体	8,969	121	870	3,485	2,505	1,257	490	149	44	26	22	0
	表流水	1,994	74	425	938	410	100	29	12	5	0	1	0
	ダム湖沼	308	0	25	168	61	27	17	7	1	1	1	0
	地下水	4,563	14	210	1,467	1,545	854	316	88	33	20	16	0
	その他	2,104	33	210	912	489	276	128	42	5	5	4	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
陰イオン界面活性剤			～0.02	～0.04	～0.06	～0.08	～0.10	～0.12	～0.14	～0.16	～0.18	～0.20	0.21～
	全体	8,265	8,257	4	1	0	0	0	0	0	0	3	0
	表流水	1,878	1,877	0	0	0	0	0	0	0	0	1	0
	ダム湖沼	286	286	0	0	0	0	0	0	0	0	0	0
	地下水	4,173	4,167	4	0	0	0	0	0	0	0	2	0
	その他	1,928	1,927	0	1	0	0	0	0	0	0	0	0
ジェオスミン			～0.000001	～0.000002	～0.000004	～0.000006	～0.000008	～0.000010	～0.000012	～0.000014	～0.000016	～0.000020	0.000021～
	全体	8,548	7,852	414	192	60	23	4	0	2	0	0	1
	表流水	2,001	1,715	140	106	24	15	0	0	1	0	0	0
	ダム湖沼	308	197	52	27	24	5	1	0	1	0	0	1
	地下水	4,262	4,171	60	18	7	3	3	0	0	0	0	0
	その他	1,977	1,769	162	41	5	0	0	0	0	0	0	0
2-メチルイソボルネオール			～0.000001	～0.000002	～0.000004	～0.000006	～0.000008	～0.000010	～0.000012	～0.000014	～0.000016	～0.000020	0.000021～
	全体	8,547	8,211	199	108	13	5	6	0	1	1	1	2
	表流水	2,001	1,875	78	33	6	2	4	0	1	0	1	1
	ダム湖沼	308	255	24	19	4	3	1	0	0	1	0	1
	地下水	4,261	4,221	23	15	1	0	1	0	0	0	0	0
	その他	1,977	1,860	74	41	2	0	0	0	0	0	0	0
非イオン界面活性剤			～0.005	～0.006	～0.007	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	8,366	8,348	9	4	2	2	0	0	0	1	0	0
	表流水	1,898	1,887	6	3	0	2	0	0	0	0	0	0
	ダム湖沼	287	287	0	0	0	0	0	0	0	0	0	0
	地下水	4,240	4,233	3	1	2	0	0	0	0	1	0	0
	その他	1,941	1,941	0	0	0	0	0	0	0	0	0	0
フェノール類			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	8,266	8,248	2	2	0	0	0	0	0	0	14	0
	表流水	1,881	1,877	1	2	0	0	0	0	0	0	1	0
	ダム湖沼	285	283	0	0	0	0	0	0	0	0	2	0
	地下水	4,173	4,163	1	0	0	0	0	0	0	0	9	0
	その他	1,927	1,925	0	0	0	0	0	0	0	0	2	0
有機物(TOCの量)			～0.5	0.6	0.7	0.8	0.9	1	～2.0	～3.0	～4.0	～5.0	5.1～
	全体	9,357	5,918	713	608	625	461	296	694	41	0	0	1
	表流水	2,132	677	285	227	257	200	123	342	21	0	0	0
	ダム湖沼	324	44	32	31	49	34	27	99	8	0	0	0
	地下水	4,732	3,902	234	177	148	88	53	122	8	0	0	0
	その他	2,169	1,295	162	173	171	139	93	131	4	0	0	1
pH値			～5.8	～6.0	～6.3	～6.6	～6.9	～7.2	～7.5	～7.8	～8.2	～8.6	8.7～
	全体	9,358	1	4	28	230	680	1,633	2,681	2,500	1,380	217	4
	表流水	2,132	0	0	0	8	58	331	752	667	274	41	1
	ダム湖沼	324	0	0	0	1	14	42	137	106	24	0	0
	地下水	4,733	0	3	21	185	510	967	1,120	1,028	766	131	2
	その他	2,169	1	1	7	36	98	293	672	699	316	45	1
味の異常回数			0	1	2	3	4	5	6	7	8	9	10～
	全体	2	2	0	0	0	0	0	0	0	0	0	0
	表流水	0	0	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	0	0	0	0	0	0	0	0	0	0	0	0
	地下水	2	2	0	0	0	0	0	0	0	0	0	0
	その他	0	0	0	0	0	0	0	0	0	0	0	0
臭気の異常回数			0	1	2	3	4	5	6	7	8	9	10～
	全体	2	2	0	0	0	0	0	0	0	0	0	0
	表流水	0	0	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	0	0	0	0	0	0	0	0	0	0	0	0
	地下水	2	2	0	0	0	0	0	0	0	0	0	0
	その他	0	0	0	0	0	0	0	0	0	0	0	0
色度			～0.5	～1.0	～1.5	～2.0	～2.5	～3.0	～3.5	～4.0	～4.5	～5.0	5.1～
	全体	9,358	6,980	1,458	380	250	89	99	36	31	10	20	5
	表流水	2,132	1,180	535	157	129	41	35	20	17	4	12	2
	ダム湖沼	324	203	76	18	11	7	8	0	0	1	0	0
	地下水	4,733	3,828	596	139	75	26	37	11	11	3	5	2
	その他	2,169	1,769	251	66	35	15	19	5	3	2	3	1

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
濁度			～0.1	～0.2	～0.4	～0.6	～0.8	～1.0	～1.2	～1.4	～1.6	～2.0	2.1～
全体		9,358	8,139	612	302	137	58	36	24	7	15	19	9
表流水		2,132	1,801	173	78	38	21	6	5	1	3	2	4
ダム湖沼		324	288	15	13	1	3	2	1	0	0	0	1
地下水		4,733	4,160	303	146	61	17	18	8	3	5	11	1
その他		2,169	1,890	121	65	37	17	10	10	3	7	6	3
アンチモン及びその化合物			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
全体		2,511	2,508	2	1	0	0	0	0	0	0	0	0
表流水		599	598	1	0	0	0	0	0	0	0	0	0
ダム湖沼		135	135	0	0	0	0	0	0	0	0	0	0
地下水		1,161	1,159	1	1	0	0	0	0	0	0	0	0
その他		616	616	0	0	0	0	0	0	0	0	0	0
ウラン及びその化合物			～0.0002	～0.0004	～0.0006	～0.0008	～0.0010	～0.0012	～0.0014	～0.0016	～0.0018	～0.0020	0.0021～
全体		2,499	2,441	35	10	6	3	1	0	0	0	3	0
表流水		593	589	1	1	1	1	0	0	0	0	0	0
ダム湖沼		131	130	1	0	0	0	0	0	0	0	0	0
地下水		1,161	1,116	29	6	5	1	1	0	0	0	3	0
その他		614	606	4	3	0	1	0	0	0	0	0	0
ニッケル及びその化合物			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
全体		2,762	2,736	20	2	1	3	0	0	0	0	0	0
表流水		652	642	7	1	1	1	0	0	0	0	0	0
ダム湖沼		154	153	1	0	0	0	0	0	0	0	0	0
地下水		1,254	1,241	11	1	0	1	0	0	0	0	0	0
その他		702	700	1	0	0	1	0	0	0	0	0	0
1,2-ジクロロエタン			～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
全体		2,386	2,384	1	0	0	0	0	0	0	0	1	0
表流水		556	555	1	0	0	0	0	0	0	0	0	0
ダム湖沼		122	122	0	0	0	0	0	0	0	0	0	0
地下水		1,109	1,108	0	0	0	0	0	0	0	0	1	0
その他		599	599	0	0	0	0	0	0	0	0	0	0
トルエン			～0.040	～0.080	～0.120	～0.160	～0.200	～0.240	～0.280	～0.320	～0.360	～0.400	0.401～
全体		2,429	2,429	0	0	0	0	0	0	0	0	0	0
表流水		559	559	0	0	0	0	0	0	0	0	0	0
ダム湖沼		124	124	0	0	0	0	0	0	0	0	0	0
地下水		1,151	1,151	0	0	0	0	0	0	0	0	0	0
その他		595	595	0	0	0	0	0	0	0	0	0	0
フタル酸ジ(2-エチルヘキシル)			～0.008	～0.016	～0.024	～0.032	～0.040	～0.048	～0.056	～0.064	～0.072	～0.080	0.081～
全体		2,245	2,244	1	0	0	0	0	0	0	0	0	0
表流水		516	516	0	0	0	0	0	0	0	0	0	0
ダム湖沼		118	118	0	0	0	0	0	0	0	0	0	0
地下水		1,047	1,046	1	0	0	0	0	0	0	0	0	0
その他		564	564	0	0	0	0	0	0	0	0	0	0
亜塩素酸			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
全体		1,302	1,298	3	1	0	0	0	0	0	0	0	0
表流水		306	306	0	0	0	0	0	0	0	0	0	0
ダム湖沼		89	89	0	0	0	0	0	0	0	0	0	0
地下水		700	697	2	1	0	0	0	0	0	0	0	0
その他		207	206	1	0	0	0	0	0	0	0	0	0
二酸化塩素			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
全体		639	639	0	0	0	0	0	0	0	0	0	0
表流水		121	121	0	0	0	0	0	0	0	0	0	0
ダム湖沼		18	18	0	0	0	0	0	0	0	0	0	0
地下水		410	410	0	0	0	0	0	0	0	0	0	0
その他		90	90	0	0	0	0	0	0	0	0	0	0
ジクロロアセトニトリル			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
全体		3,098	3,093	5	0	0	0	0	0	0	0	0	0
表流水		736	734	2	0	0	0	0	0	0	0	0	0
ダム湖沼		171	171	0	0	0	0	0	0	0	0	0	0
地下水		1,458	1,457	1	0	0	0	0	0	0	0	0	0
その他		733	731	2	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
抱水クロラール			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	3,099	2,486	454	126	23	6	2	2	0	0	0	0
	表流水	736	487	168	60	15	6	0	0	0	0	0	0
	ダム湖沼	171	95	50	19	6	0	1	0	0	0	0	0
	地下水	1,459	1,394	57	5	1	0	1	1	0	0	0	0
	その他	733	510	179	42	1	0	0	1	0	0	0	0
農薬類			～0.01	～0.02	～0.03	～0.05	～0.10	～0.20	～0.30	～0.50	～0.70	～1.00	1.01～
	全体	890	882	1	0	1	1	2	0	0	0	3	0
	表流水	223	222	0	0	1	0	0	0	0	0	0	0
	ダム湖沼	39	37	0	0	0	0	1	0	0	0	1	0
	地下水	432	428	0	0	0	1	1	0	0	0	2	0
	その他	196	195	1	0	0	0	0	0	0	0	0	0
残留塩素			<0.1	0.1	0.2	0.3	0.4	0.5	0.6	～0.8	～1.0	～1.2	1.3～
	全体	9,151	11	125	738	1,814	2,261	1,753	1,097	932	339	36	45
	表流水	2,075	4	9	84	215	397	467	349	361	145	25	19
	ダム湖沼	317	0	3	6	24	46	70	55	73	34	2	4
	地下水	4,621	5	87	470	1,155	1,241	810	463	278	89	5	18
	その他	2,138	2	26	178	420	577	406	230	220	71	4	4
遊離炭酸			～2.0	～4.0	～6.0	～8.0	～10.0	～12.0	～14.0	～16.0	～18.0	～20.0	20.1～
	全体	2,861	730	895	447	232	150	98	66	47	42	31	123
	表流水	646	248	235	100	28	12	6	6	1	0	3	7
	ダム湖沼	150	33	66	24	12	12	1	2	0	0	0	0
	地下水	1,383	272	321	205	139	112	71	48	40	39	25	111
	その他	682	177	273	118	53	14	20	10	6	3	3	5
1,1,1-トリクロロエタン			～0.030	～0.060	～0.090	～0.120	～0.150	～0.180	～0.210	～0.240	～0.270	～0.300	0.301～
	全体	2,512	2,512	0	0	0	0	0	0	0	0	0	0
	表流水	604	604	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	131	131	0	0	0	0	0	0	0	0	0	0
	地下水	1,150	1,150	0	0	0	0	0	0	0	0	0	0
	その他	627	627	0	0	0	0	0	0	0	0	0	0
メチル-tert-ブチルエーテル(MTBE)			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	2,407	2,406	1	0	0	0	0	0	0	0	0	0
	表流水	558	558	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	116	116	0	0	0	0	0	0	0	0	0	0
	地下水	1,144	1,143	1	0	0	0	0	0	0	0	0	0
	その他	589	589	0	0	0	0	0	0	0	0	0	0
有機物等(過マンガン酸カリウム消費量)			～0.3	～0.6	～0.9	～1.2	～1.5	～1.8	～2.1	～2.4	～2.7	～3.0	3.1～
	全体	1,882	381	282	335	269	201	148	106	72	40	23	25
	表流水	427	36	42	61	54	60	47	44	34	20	10	19
	ダム湖沼	107	1	6	9	18	14	18	16	10	10	3	2
	地下水	874	248	181	189	112	75	29	16	10	3	7	4
	その他	474	96	53	76	85	52	54	30	18	7	3	0
臭気強度(TON)			0	1	2	3	4	5	6	～8	～10	～15	16～
	全体	2,463	2,085	294	58	18	4	1	3	0	0	0	0
	表流水	582	472	70	29	7	2	1	1	0	0	0	0
	ダム湖沼	138	112	18	4	2	0	0	2	0	0	0	0
	地下水	1,133	1,005	109	13	4	2	0	0	0	0	0	0
	その他	610	496	97	12	5	0	0	0	0	0	0	0
腐食性(ランゲリア指数)			～-4.0	～-3.5	～-3.0	～-2.5	～-2.0	～-1.5	～-1.0	～-0.5	～0.0	～0.5	0.6～
	全体	2,790	7	13	66	131	367	662	821	462	155	38	68
	表流水	640	3	8	34	48	99	148	200	73	20	2	5
	ダム湖沼	153	0	1	1	14	26	37	48	18	4	0	4
	地下水	1,318	2	2	21	39	150	305	375	246	107	25	46
	その他	679	2	2	10	30	92	172	198	125	24	11	13
従属栄養細菌			0	～200	～400	～600	～800	～1000	～1200	～1400	～1600	～2000	2001～
	全体	3,080	1,168	1,873	20	9	6	2	0	1	0	0	1
	表流水	746	335	404	4	0	2	1	0	0	0	0	0
	ダム湖沼	169	87	82	0	0	0	0	0	0	0	0	0
	地下水	1,439	418	997	13	5	3	1	0	1	0	0	1
	その他	726	328	390	3	4	1	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
1,1-ジクロロエチレン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	2,494	2,470	0	0	0	23	0	0	0	0	0	1
	表流水	590	586	0	0	0	4	0	0	0	0	0	0
	ダム湖沼	122	122	0	0	0	0	0	0	0	0	0	0
	地下水	1,169	1,151	0	0	0	17	0	0	0	0	0	1
	その他	613	611	0	0	0	2	0	0	0	0	0	0
ペルフルオロオクタンスルホン酸(PFOS)及びペルフルオロオクタン酸(PFOA)			～0.000005	～0.000010	～0.000015	～0.000020	～0.000025	～0.000030	～0.000035	～0.000040	～0.000045	～0.000050	0.000051～
	全体	1,963	1,761	114	43	12	11	9	5	2	1	2	3
	表流水	462	440	14	4	1	1	1	1	0	0	0	0
	ダム湖沼	95	81	10	1	1	1	0	0	0	0	0	1
	地下水	1,031	893	67	35	8	9	8	4	2	1	2	2
	その他	375	347	23	3	2	0	0	0	0	0	0	0
1,3-ジクロロプロペン(D-D)			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	710	709	1	0	0	0	0	0	0	0	0	0
	表流水	182	182	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	353	352	1	0	0	0	0	0	0	0	0	0
	その他	141	141	0	0	0	0	0	0	0	0	0	0
2,2-DPA(ダラボン)			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	434	423	11	0	0	0	0	0	0	0	0	0
	表流水	132	129	3	0	0	0	0	0	0	0	0	0
	ダム湖沼	26	25	1	0	0	0	0	0	0	0	0	0
	地下水	198	191	7	0	0	0	0	0	0	0	0	0
	その他	78	78	0	0	0	0	0	0	0	0	0	0
2,4-D(2,4-PA)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	623	623	0	0	0	0	0	0	0	0	0	0
	表流水	178	178	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	297	297	0	0	0	0	0	0	0	0	0	0
	その他	114	114	0	0	0	0	0	0	0	0	0	0
EPN			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	658	658	0	0	0	0	0	0	0	0	0	0
	表流水	171	171	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	316	316	0	0	0	0	0	0	0	0	0	0
	その他	139	139	0	0	0	0	0	0	0	0	0	0
MCPA			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.00400	～0.0045	～0.0050	0.0051～
	全体	542	542	0	0	0	0	0	0	0	0	0	0
	表流水	149	149	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	243	243	0	0	0	0	0	0	0	0	0	0
	その他	116	116	0	0	0	0	0	0	0	0	0	0
アシュラム			～0.009	～0.018	～0.027	～0.045	～0.063	～0.090	～0.270	～0.450	～0.630	～0.90	0.901～
	全体	559	559	0	0	0	0	0	0	0	0	0	0
	表流水	154	154	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	263	263	0	0	0	0	0	0	0	0	0	0
	その他	108	108	0	0	0	0	0	0	0	0	0	0
アセフェート			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	646	646	0	0	0	0	0	0	0	0	0	0
	表流水	174	174	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	28	28	0	0	0	0	0	0	0	0	0	0
	地下水	317	317	0	0	0	0	0	0	0	0	0	0
	その他	127	127	0	0	0	0	0	0	0	0	0	0
アトラジン			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	673	673	0	0	0	0	0	0	0	0	0	0
	表流水	169	169	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	327	327	0	0	0	0	0	0	0	0	0	0
	その他	145	145	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
アニロホス			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	572	568	4	0	0	0	0	0	0	0	0	0
	表流水	157	157	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	261	257	4	0	0	0	0	0	0	0	0	0
	その他	122	122	0	0	0	0	0	0	0	0	0	0
アミトラズ			～0.0006	～0.0012	～0.0018	～0.0024	～0.0030	～0.0036	～0.0042	～0.0048	～0.0054	～0.0060	0.0061～
	全体	484	484	0	0	0	0	0	0	0	0	0	0
	表流水	130	130	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	26	26	0	0	0	0	0	0	0	0	0	0
	地下水	238	238	0	0	0	0	0	0	0	0	0	0
	その他	90	90	0	0	0	0	0	0	0	0	0	0
アラクロール			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	677	665	0	12	0	0	0	0	0	0	0	0
	表流水	171	170	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	329	318	0	11	0	0	0	0	0	0	0	0
	その他	144	144	0	0	0	0	0	0	0	0	0	0
イソキサチオン			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	758	758	0	0	0	0	0	0	0	0	0	0
	表流水	199	199	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	27	27	0	0	0	0	0	0	0	0	0	0
	地下水	369	369	0	0	0	0	0	0	0	0	0	0
	その他	163	163	0	0	0	0	0	0	0	0	0	0
イソフェンホス			～0.00001	～0.00002	～0.00003	～0.00005	～0.00007	～0.00010	～0.00030	～0.00050	～0.00070	～0.00100	0.00101～
	全体	568	559	4	5	0	0	0	0	0	0	0	0
	表流水	157	156	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	26	26	0	0	0	0	0	0	0	0	0	0
	地下水	266	258	4	4	0	0	0	0	0	0	0	0
	その他	119	119	0	0	0	0	0	0	0	0	0	0
イソプロカルブ (MIPC)			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	589	589	0	0	0	0	0	0	0	0	0	0
	表流水	166	166	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	262	262	0	0	0	0	0	0	0	0	0	0
	その他	129	129	0	0	0	0	0	0	0	0	0	0
イソプロチオラン (IPT)			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	698	685	0	0	0	0	13	0	0	0	0	0
	表流水	179	178	0	0	0	0	1	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	344	333	0	0	0	0	11	0	0	0	0	0
	その他	141	140	0	0	0	0	1	0	0	0	0	0
イブフェンカルバゾン			～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	全体	573	570	1	1	0	0	0	1	0	0	0	0
	表流水	159	158	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	28	27	0	1	0	0	0	0	0	0	0	0
	地下水	272	271	0	0	0	0	0	1	0	0	0	0
	その他	114	114	0	0	0	0	0	0	0	0	0	0
イプロベンホス (IBP)			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	639	627	0	0	0	0	0	12	0	0	0	0
	表流水	168	167	0	0	0	0	0	1	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	306	295	0	0	0	0	0	11	0	0	0	0
	その他	133	133	0	0	0	0	0	0	0	0	0	0
イミノクタジン			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	536	536	0	0	0	0	0	0	0	0	0	0
	表流水	152	152	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	22	22	0	0	0	0	0	0	0	0	0	0
	地下水	252	252	0	0	0	0	0	0	0	0	0	0
	その他	110	110	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
インダノファン			～0.0009	～0.0018	～0.0027	～0.0036	～0.0045	～0.0054	～0.0063	～0.0072	～0.0081	～0.0090	0.0091～
	全体	564	564	0	0	0	0	0	0	0	0	0	0
	表流水	147	147	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	278	278	0	0	0	0	0	0	0	0	0	0
	その他	107	107	0	0	0	0	0	0	0	0	0	0
エスプロカルブ			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	663	663	0	0	0	0	0	0	0	0	0	0
	表流水	178	178	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	306	306	0	0	0	0	0	0	0	0	0	0
	その他	146	146	0	0	0	0	0	0	0	0	0	0
イトフェンプロックス			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	797	797	0	0	0	0	0	0	0	0	0	0
	表流水	208	208	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	394	394	0	0	0	0	0	0	0	0	0	0
	その他	161	161	0	0	0	0	0	0	0	0	0	0
エンドスルファン(ベンゾエピン)			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	490	490	0	0	0	0	0	0	0	0	0	0
	表流水	136	136	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	26	26	0	0	0	0	0	0	0	0	0	0
	地下水	228	228	0	0	0	0	0	0	0	0	0	0
	その他	100	100	0	0	0	0	0	0	0	0	0	0
オキサジクロメホン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	598	598	0	0	0	0	0	0	0	0	0	0
	表流水	152	152	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	35	35	0	0	0	0	0	0	0	0	0	0
	地下水	293	293	0	0	0	0	0	0	0	0	0	0
	その他	118	118	0	0	0	0	0	0	0	0	0	0
オキシ銅(有機銅)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	562	562	0	0	0	0	0	0	0	0	0	0
	表流水	147	147	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	28	28	0	0	0	0	0	0	0	0	0	0
	地下水	279	279	0	0	0	0	0	0	0	0	0	0
	その他	108	108	0	0	0	0	0	0	0	0	0	0
オリサストロビン			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	461	461	0	0	0	0	0	0	0	0	0	0
	表流水	131	131	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	26	26	0	0	0	0	0	0	0	0	0	0
	地下水	216	216	0	0	0	0	0	0	0	0	0	0
	その他	88	88	0	0	0	0	0	0	0	0	0	0
カズサホス			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	526	526	0	0	0	0	0	0	0	0	0	0
	表流水	138	138	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	248	248	0	0	0	0	0	0	0	0	0	0
	その他	108	108	0	0	0	0	0	0	0	0	0	0
カフェンストロール			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	714	714	0	0	0	0	0	0	0	0	0	0
	表流水	176	176	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	348	348	0	0	0	0	0	0	0	0	0	0
	その他	156	156	0	0	0	0	0	0	0	0	0	0
カルタツプ			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	520	519	1	0	0	0	0	0	0	0	0	0
	表流水	131	131	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	28	28	0	0	0	0	0	0	0	0	0	0
	地下水	268	267	1	0	0	0	0	0	0	0	0	0
	その他	93	93	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
カルバリル (NAC)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	575	575	0	0	0	0	0	0	0	0	0	0
	表流水	171	171	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	273	273	0	0	0	0	0	0	0	0	0	0
	その他	99	99	0	0	0	0	0	0	0	0	0	0
カルボフラン			～0.000003	～0.000006	～0.000009	～0.000015	～0.000021	～0.000030	～0.000090	～0.000150	～0.000210	～0.000300	0.000301～
	全体	522	517	3	0	0	0	0	2	0	0	0	0
	表流水	148	148	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	32	1	0	0	0	0	1	0	0	0	0
	地下水	231	228	2	0	0	0	0	1	0	0	0	0
	その他	109	109	0	0	0	0	0	0	0	0	0	0
キノクラミン (ACN)			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	538	538	0	0	0	0	0	0	0	0	0	0
	表流水	164	164	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	238	238	0	0	0	0	0	0	0	0	0	0
	その他	102	102	0	0	0	0	0	0	0	0	0	0
キャプタン			～0.003	～0.006	～0.009	～0.015	～0.021	～0.030	～0.090	～0.150	～0.210	～0.300	0.301～
	全体	647	646	0	0	0	0	1	0	0	0	0	0
	表流水	168	168	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	314	313	0	0	0	0	1	0	0	0	0	0
	その他	132	132	0	0	0	0	0	0	0	0	0	0
クミルロン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	570	570	0	0	0	0	0	0	0	0	0	0
	表流水	150	150	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	281	281	0	0	0	0	0	0	0	0	0	0
	その他	107	107	0	0	0	0	0	0	0	0	0	0
グリホサート			～0.02	～0.04	～0.06	～0.10	～0.14	～0.20	～0.60	～1.00	～1.40	～2.00	2.01～
	全体	634	634	0	0	0	0	0	0	0	0	0	0
	表流水	175	175	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	28	28	0	0	0	0	0	0	0	0	0	0
	地下水	304	304	0	0	0	0	0	0	0	0	0	0
	その他	127	127	0	0	0	0	0	0	0	0	0	0
グルホシネート			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	520	520	0	0	0	0	0	0	0	0	0	0
	表流水	150	150	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	26	26	0	0	0	0	0	0	0	0	0	0
	地下水	244	244	0	0	0	0	0	0	0	0	0	0
	その他	100	100	0	0	0	0	0	0	0	0	0	0
クロメプロップ			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	519	519	0	0	0	0	0	0	0	0	0	0
	表流水	148	148	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	235	235	0	0	0	0	0	0	0	0	0	0
	その他	104	104	0	0	0	0	0	0	0	0	0	0
クロルニトロフェン (GNP)			～0.000001	～0.000002	～0.000003	～0.000005	～0.000007	～0.000010	～0.000030	～0.000050	～0.000070	～0.000100	0.000101～
	全体	512	500	0	0	0	0	3	0	0	0	9	0
	表流水	143	142	0	0	0	0	0	0	0	0	1	0
	ダム湖沼	26	26	0	0	0	0	0	0	0	0	0	0
	地下水	238	228	0	0	0	0	3	0	0	0	7	0
	その他	105	104	0	0	0	0	0	0	0	0	1	0
クロルピリホス			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	716	716	0	0	0	0	0	0	0	0	0	0
	表流水	194	194	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	27	27	0	0	0	0	0	0	0	0	0	0
	地下水	348	348	0	0	0	0	0	0	0	0	0	0
	その他	147	147	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
クロロタロニル (TPN)			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	721	717	0	0	0	4	0	0	0	0	0	0
	表流水	178	178	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	31	31	0	0	0	0	0	0	0	0	0	0
	地下水	355	352	0	0	0	3	0	0	0	0	0	0
	その他	157	156	0	0	0	1	0	0	0	0	0	0
シアナジン			～0.00001	～0.00002	～0.00003	～0.00005	～0.00007	～0.00010	～0.00030	～0.00050	～0.00070	～0.00100	0.00101～
	全体	583	582	1	0	0	0	0	0	0	0	0	0
	表流水	150	150	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	277	277	0	0	0	0	0	0	0	0	0	0
	その他	124	123	1	0	0	0	0	0	0	0	0	0
シアノホス(CYAP)			～0.0003	～0.0006	～0.0009	～0.0012	～0.0015	～0.0018	～0.0021	～0.0024	～0.0027	～0.0030	0.0031～
	全体	537	537	0	0	0	0	0	0	0	0	0	0
	表流水	144	144	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	244	244	0	0	0	0	0	0	0	0	0	0
	その他	117	117	0	0	0	0	0	0	0	0	0	0
ジウロン (DCMU)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	584	584	0	0	0	0	0	0	0	0	0	0
	表流水	154	154	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	284	284	0	0	0	0	0	0	0	0	0	0
	その他	112	112	0	0	0	0	0	0	0	0	0	0
ジクロベニル (DBN)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	690	690	0	0	0	0	0	0	0	0	0	0
	表流水	179	179	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	26	26	0	0	0	0	0	0	0	0	0	0
	地下水	337	337	0	0	0	0	0	0	0	0	0	0
	その他	148	148	0	0	0	0	0	0	0	0	0	0
ジクロロボス (DDVP)			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	620	616	0	0	4	0	0	0	0	0	0	0
	表流水	162	162	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	26	26	0	0	0	0	0	0	0	0	0	0
	地下水	305	301	0	0	4	0	0	0	0	0	0	0
	その他	127	127	0	0	0	0	0	0	0	0	0	0
ジクワット			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.0100	0.0101～
	全体	586	585	0	0	0	0	0	0	0	0	1	0
	表流水	160	160	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	22	22	0	0	0	0	0	0	0	0	0	0
	地下水	289	288	0	0	0	0	0	0	0	0	1	0
	その他	115	115	0	0	0	0	0	0	0	0	0	0
ジスルホトン(エチルチオメトン)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	全体	622	618	0	0	0	0	4	0	0	0	0	0
	表流水	161	161	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	26	26	0	0	0	0	0	0	0	0	0	0
	地下水	298	294	0	0	0	0	4	0	0	0	0	0
	その他	137	137	0	0	0	0	0	0	0	0	0	0
ジチオカルバメート系農薬			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	456	456	0	0	0	0	0	0	0	0	0	0
	表流水	130	130	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	18	18	0	0	0	0	0	0	0	0	0	0
	地下水	217	217	0	0	0	0	0	0	0	0	0	0
	その他	91	91	0	0	0	0	0	0	0	0	0	0
ジチオピル			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	581	569	12	0	0	0	0	0	0	0	0	0
	表流水	159	158	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	26	26	0	0	0	0	0	0	0	0	0	0
	地下水	276	265	11	0	0	0	0	0	0	0	0	0
	その他	120	120	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
シハロホップブチル			～0.0006	～0.0012	～0.0018	～0.0024	～0.0030	～0.0036	～0.0042	～0.0048	～0.0054	～0.0060	0.0061～
	全体	563	563	0	0	0	0	0	0	0	0	0	0
	表流水	147	147	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	276	276	0	0	0	0	0	0	0	0	0	0
	その他	106	106	0	0	0	0	0	0	0	0	0	0
シマジソ (CAT)			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	755	755	0	0	0	0	0	0	0	0	0	0
	表流水	200	200	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	365	365	0	0	0	0	0	0	0	0	0	0
	その他	157	157	0	0	0	0	0	0	0	0	0	0
ジメタメトリン			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	729	729	0	0	0	0	0	0	0	0	0	0
	表流水	208	208	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	37	37	0	0	0	0	0	0	0	0	0	0
	地下水	339	339	0	0	0	0	0	0	0	0	0	0
	その他	145	145	0	0	0	0	0	0	0	0	0	0
ジメトエート			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	597	597	0	0	0	0	0	0	0	0	0	0
	表流水	163	163	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	277	277	0	0	0	0	0	0	0	0	0	0
	その他	125	125	0	0	0	0	0	0	0	0	0	0
シメトリン			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	785	785	0	0	0	0	0	0	0	0	0	0
	表流水	213	213	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	38	38	0	0	0	0	0	0	0	0	0	0
	地下水	368	368	0	0	0	0	0	0	0	0	0	0
	その他	166	166	0	0	0	0	0	0	0	0	0	0
ダイアジノン			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	817	817	0	0	0	0	0	0	0	0	0	0
	表流水	207	207	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	402	402	0	0	0	0	0	0	0	0	0	0
	その他	174	174	0	0	0	0	0	0	0	0	0	0
ダイムロン			～0.008	～0.016	～0.024	～0.040	～0.056	～0.080	～0.240	～0.400	～0.560	～0.800	0.801～
	全体	642	641	1	0	0	0	0	0	0	0	0	0
	表流水	192	192	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	38	38	0	0	0	0	0	0	0	0	0	0
	地下水	299	298	1	0	0	0	0	0	0	0	0	0
	その他	113	113	0	0	0	0	0	0	0	0	0	0
ダゾメット、メタム(カーバム)及びメチルイソチオシアネート			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	486	486	0	0	0	0	0	0	0	0	0	0
	表流水	124	124	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	22	22	0	0	0	0	0	0	0	0	0	0
	地下水	243	243	0	0	0	0	0	0	0	0	0	0
	その他	97	97	0	0	0	0	0	0	0	0	0	0
チアジニル			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	540	540	0	0	0	0	0	0	0	0	0	0
	表流水	148	148	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	253	253	0	0	0	0	0	0	0	0	0	0
	その他	107	107	0	0	0	0	0	0	0	0	0	0
チウラム			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	684	684	0	0	0	0	0	0	0	0	0	0
	表流水	178	178	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	339	339	0	0	0	0	0	0	0	0	0	0
	その他	133	133	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
チオジカルブ			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	535	535	0	0	0	0	0	0	0	0	0	0
	表流水	148	148	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	31	31	0	0	0	0	0	0	0	0	0	0
	地下水	261	261	0	0	0	0	0	0	0	0	0	0
	その他	95	95	0	0	0	0	0	0	0	0	0	0
チオファネートメチル			～0.003	～0.006	～0.009	～0.015	～0.021	～0.030	～0.090	～0.150	～0.210	～0.300	0.301～
	全体	620	620	0	0	0	0	0	0	0	0	0	0
	表流水	171	171	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	28	28	0	0	0	0	0	0	0	0	0	0
	地下水	309	309	0	0	0	0	0	0	0	0	0	0
	その他	112	112	0	0	0	0	0	0	0	0	0	0
チオベンカルブ			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	670	670	0	0	0	0	0	0	0	0	0	0
	表流水	167	167	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	328	328	0	0	0	0	0	0	0	0	0	0
	その他	143	143	0	0	0	0	0	0	0	0	0	0
テフリルトリオン			～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	全体	563	562	0	0	0	0	0	0	1	0	0	0
	表流水	163	163	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	30	30	0	0	0	0	0	0	0	0	0	0
	地下水	264	263	0	0	0	0	0	0	1	0	0	0
	その他	106	106	0	0	0	0	0	0	0	0	0	0
テルブカルブ (MBPMC)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	569	569	0	0	0	0	0	0	0	0	0	0
	表流水	156	156	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	258	258	0	0	0	0	0	0	0	0	0	0
	その他	123	123	0	0	0	0	0	0	0	0	0	0
トリクロピル			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	570	566	0	0	4	0	0	0	0	0	0	0
	表流水	149	149	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	277	273	0	0	4	0	0	0	0	0	0	0
	その他	112	112	0	0	0	0	0	0	0	0	0	0
トリクロルホン (DEP)			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	583	583	0	0	0	0	0	0	0	0	0	0
	表流水	145	145	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	26	26	0	0	0	0	0	0	0	0	0	0
	地下水	293	293	0	0	0	0	0	0	0	0	0	0
	その他	119	119	0	0	0	0	0	0	0	0	0	0
トリシクラゾール			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	608	608	0	0	0	0	0	0	0	0	0	0
	表流水	180	180	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	35	35	0	0	0	0	0	0	0	0	0	0
	地下水	291	291	0	0	0	0	0	0	0	0	0	0
	その他	102	102	0	0	0	0	0	0	0	0	0	0
トリフルラリン			～0.0006	～0.0012	～0.0018	～0.0030	～0.0042	～0.0060	～0.0180	～0.0300	～0.0420	～0.0600	0.0601～
	全体	703	702	0	0	1	0	0	0	0	0	0	0
	表流水	176	176	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	342	341	0	0	1	0	0	0	0	0	0	0
	その他	152	152	0	0	0	0	0	0	0	0	0	0
ナプロパミド			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	577	577	0	0	0	0	0	0	0	0	0	0
	表流水	156	156	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	264	264	0	0	0	0	0	0	0	0	0	0
	その他	125	125	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
パラコート			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	565	565	0	0	0	0	0	0	0	0	0	0
	表流水	153	153	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	22	22	0	0	0	0	0	0	0	0	0	0
	地下水	274	274	0	0	0	0	0	0	0	0	0	0
	その他	116	116	0	0	0	0	0	0	0	0	0	0
ピペロホス			～0.000009	～0.000018	～0.000027	～0.000045	～0.000063	～0.000090	～0.000270	～0.000450	～0.000630	～0.000900	0.000901～
	全体	550	541	0	0	2	7	0	0	0	0	0	0
	表流水	148	147	0	0	0	1	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	250	242	0	0	2	6	0	0	0	0	0	0
	その他	120	120	0	0	0	0	0	0	0	0	0	0
ピラクロニル			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	525	524	0	0	0	0	1	0	0	0	0	0
	表流水	141	141	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	29	0	0	0	0	0	0	0	0	0	0
	地下水	250	249	0	0	0	0	1	0	0	0	0	0
	その他	105	105	0	0	0	0	0	0	0	0	0	0
ピラゾキシフェン			～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
	全体	497	497	0	0	0	0	0	0	0	0	0	0
	表流水	135	135	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	26	26	0	0	0	0	0	0	0	0	0	0
	地下水	238	238	0	0	0	0	0	0	0	0	0	0
	その他	98	98	0	0	0	0	0	0	0	0	0	0
ピラゾリネート(ピラゾレート)			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	594	594	0	0	0	0	0	0	0	0	0	0
	表流水	153	153	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	284	284	0	0	0	0	0	0	0	0	0	0
	その他	125	125	0	0	0	0	0	0	0	0	0	0
ピリダフェンチオン			～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	全体	589	580	2	7	0	0	0	0	0	0	0	0
	表流水	163	162	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	270	262	2	6	0	0	0	0	0	0	0	0
	その他	124	124	0	0	0	0	0	0	0	0	0	0
ピリプチカルブ			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	653	653	0	0	0	0	0	0	0	0	0	0
	表流水	173	173	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	315	315	0	0	0	0	0	0	0	0	0	0
	その他	132	132	0	0	0	0	0	0	0	0	0	0
ピロキロン			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	665	665	0	0	0	0	0	0	0	0	0	0
	表流水	176	176	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	35	35	0	0	0	0	0	0	0	0	0	0
	地下水	318	318	0	0	0	0	0	0	0	0	0	0
	その他	136	136	0	0	0	0	0	0	0	0	0	0
フィプロニル			～0.00005	～0.00010	～0.00015	～0.00020	～0.00025	～0.00030	～0.00035	～0.00040	～0.00045	～0.00050	0.00051～
	全体	666	666	0	0	0	0	0	0	0	0	0	0
	表流水	160	160	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	334	334	0	0	0	0	0	0	0	0	0	0
	その他	140	140	0	0	0	0	0	0	0	0	0	0
フェントロチオン (MEP)			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	831	828	0	0	0	0	3	0	0	0	0	0
	表流水	217	217	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	37	37	0	0	0	0	0	0	0	0	0	0
	地下水	410	407	0	0	0	0	3	0	0	0	0	0
	その他	167	167	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
フェノカルブ (BPMC)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	689	688	0	0	1	0	0	0	0	0	0	0
	表流水	174	173	0	0	1	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	330	330	0	0	0	0	0	0	0	0	0	0
	その他	152	152	0	0	0	0	0	0	0	0	0	0
フェリムゾン			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	全体	619	619	0	0	0	0	0	0	0	0	0	0
	表流水	167	167	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	29	29	0	0	0	0	0	0	0	0	0	0
	地下水	311	311	0	0	0	0	0	0	0	0	0	0
	その他	112	112	0	0	0	0	0	0	0	0	0	0
フェンチオン (MPP)			～0.00001	～0.00002	～0.00003	～0.00005	～0.00007	～0.00010	～0.00030	～0.00050	～0.00070	～0.00100	0.00101～
	全体	682	669	0	0	0	12	0	1	0	0	0	0
	表流水	168	166	0	0	0	1	0	1	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	336	325	0	0	0	11	0	0	0	0	0	0
	その他	144	144	0	0	0	0	0	0	0	0	0	0
フェントエート (PAP)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	全体	687	674	13	0	0	0	0	0	0	0	0	0
	表流水	167	166	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	333	322	11	0	0	0	0	0	0	0	0	0
	その他	155	154	1	0	0	0	0	0	0	0	0	0
フェントラザミド			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	598	598	0	0	0	0	0	0	0	0	0	0
	表流水	148	148	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	294	294	0	0	0	0	0	0	0	0	0	0
	その他	124	124	0	0	0	0	0	0	0	0	0	0
フサライド			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	780	780	0	0	0	0	0	0	0	0	0	0
	表流水	210	210	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	38	38	0	0	0	0	0	0	0	0	0	0
	地下水	388	388	0	0	0	0	0	0	0	0	0	0
	その他	144	144	0	0	0	0	0	0	0	0	0	0
ブタクロール			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	539	539	0	0	0	0	0	0	0	0	0	0
	表流水	147	147	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	35	35	0	0	0	0	0	0	0	0	0	0
	地下水	250	250	0	0	0	0	0	0	0	0	0	0
	その他	107	107	0	0	0	0	0	0	0	0	0	0
ブタミホス			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	677	677	0	0	0	0	0	0	0	0	0	0
	表流水	171	171	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	322	322	0	0	0	0	0	0	0	0	0	0
	その他	152	152	0	0	0	0	0	0	0	0	0	0
ブプロフェジン			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	725	725	0	0	0	0	0	0	0	0	0	0
	表流水	202	202	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	342	342	0	0	0	0	0	0	0	0	0	0
	その他	148	148	0	0	0	0	0	0	0	0	0	0
フルアジナム			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	641	641	0	0	0	0	0	0	0	0	0	0
	表流水	175	175	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	311	311	0	0	0	0	0	0	0	0	0	0
	その他	123	123	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
プレチラクロール			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	721	721	0	0	0	0	0	0	0	0	0	0
	表流水	182	182	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	348	348	0	0	0	0	0	0	0	0	0	0
	その他	157	157	0	0	0	0	0	0	0	0	0	0
プロシモン			～0.0009	～0.0018	～0.0027	～0.0045	～0.0063	～0.0090	～0.0270	～0.0450	～0.0630	～0.0900	0.0901～
	全体	578	578	0	0	0	0	0	0	0	0	0	0
	表流水	153	153	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	279	279	0	0	0	0	0	0	0	0	0	0
	その他	113	113	0	0	0	0	0	0	0	0	0	0
プロチオホス			～0.00007	～0.00014	～0.00021	～0.00035	～0.00049	～0.00070	～0.00210	～0.00350	～0.00490	～0.00700	0.00701～
	全体	476	475	0	0	0	0	1	0	0	0	0	0
	表流水	133	133	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	21	21	0	0	0	0	0	0	0	0	0	0
	地下水	230	229	0	0	0	0	1	0	0	0	0	0
	その他	92	92	0	0	0	0	0	0	0	0	0	0
プロピコナゾール			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	617	617	0	0	0	0	0	0	0	0	0	0
	表流水	156	156	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	308	308	0	0	0	0	0	0	0	0	0	0
	その他	121	121	0	0	0	0	0	0	0	0	0	0
プロピザミド			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	644	644	0	0	0	0	0	0	0	0	0	0
	表流水	166	166	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	320	320	0	0	0	0	0	0	0	0	0	0
	その他	126	126	0	0	0	0	0	0	0	0	0	0
プロベナゾール			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	687	687	0	0	0	0	0	0	0	0	0	0
	表流水	178	178	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	39	39	0	0	0	0	0	0	0	0	0	0
	地下水	342	342	0	0	0	0	0	0	0	0	0	0
	その他	128	128	0	0	0	0	0	0	0	0	0	0
プロモブチド			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	717	701	0	15	0	0	1	0	0	0	0	0
	表流水	185	184	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	39	39	0	0	0	0	0	0	0	0	0	0
	地下水	339	325	0	13	0	0	1	0	0	0	0	0
	その他	154	153	0	1	0	0	0	0	0	0	0	0
ベノミル			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	619	619	0	0	0	0	0	0	0	0	0	0
	表流水	170	170	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	28	28	0	0	0	0	0	0	0	0	0	0
	地下水	299	299	0	0	0	0	0	0	0	0	0	0
	その他	122	122	0	0	0	0	0	0	0	0	0	0
ペンシクロン			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	638	638	0	0	0	0	0	0	0	0	0	0
	表流水	162	162	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	304	304	0	0	0	0	0	0	0	0	0	0
	その他	138	138	0	0	0	0	0	0	0	0	0	0
ベンゾピシクロン			～0.009	～0.018	～0.027	～0.036	～0.045	～0.054	～0.063	～0.072	～0.081	～0.090	0.091～
	全体	571	571	0	0	0	0	0	0	0	0	0	0
	表流水	154	154	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	34	34	0	0	0	0	0	0	0	0	0	0
	地下水	270	270	0	0	0	0	0	0	0	0	0	0
	その他	113	113	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
ベンゾフェナップ			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	546	546	0	0	0	0	0	0	0	0	0	0
	表流水	145	145	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	250	250	0	0	0	0	0	0	0	0	0	0
	その他	119	119	0	0	0	0	0	0	0	0	0	0
ベンタゾン			～0.002	～0.004	～0.006	～0.010	～0.0140	～0.020	～0.060	～0.100	～0.140	～0.200	0.201～
	全体	725	725	0	0	0	0	0	0	0	0	0	0
	表流水	204	204	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	40	40	0	0	0	0	0	0	0	0	0	0
	地下水	346	346	0	0	0	0	0	0	0	0	0	0
	その他	135	135	0	0	0	0	0	0	0	0	0	0
ペンディメタリン			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	681	669	0	12	0	0	0	0	0	0	0	0
	表流水	175	174	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	335	324	0	11	0	0	0	0	0	0	0	0
	その他	138	138	0	0	0	0	0	0	0	0	0	0
ベンフラカルブ			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	567	567	0	0	0	0	0	0	0	0	0	0
	表流水	146	146	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	28	28	0	0	0	0	0	0	0	0	0	0
	地下水	280	280	0	0	0	0	0	0	0	0	0	0
	その他	113	113	0	0	0	0	0	0	0	0	0	0
ベンフルラリン(ベスロジン)			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	570	567	3	0	0	0	0	0	0	0	0	0
	表流水	157	157	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	263	260	3	0	0	0	0	0	0	0	0	0
	その他	118	118	0	0	0	0	0	0	0	0	0	0
ベンフレセート			～0.007	～0.014	～0.021	～0.028	～0.035	～0.042	～0.049	～0.056	～0.063	～0.070	0.071～
	全体	462	462	0	0	0	0	0	0	0	0	0	0
	表流水	138	138	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	207	207	0	0	0	0	0	0	0	0	0	0
	その他	84	84	0	0	0	0	0	0	0	0	0	0
ホスチアゼート			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	593	592	0	0	0	0	1	0	0	0	0	0
	表流水	161	161	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	281	280	0	0	0	0	1	0	0	0	0	0
	その他	118	118	0	0	0	0	0	0	0	0	0	0
マラチオン(マラソン)			～0.007	～0.014	～0.021	～0.035	～0.049	～0.070	～0.21	～0.35	～0.49	～0.7	0.701～
	全体	728	728	0	0	0	0	0	0	0	0	0	0
	表流水	195	195	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	348	348	0	0	0	0	0	0	0	0	0	0
	その他	152	152	0	0	0	0	0	0	0	0	0	0
メコプロップ(MCPP)			～0.00050	～0.00100	～0.00150	～0.00250	～0.00350	～0.00500	～0.01500	～0.02500	～0.03500	～0.05000	0.05001～
	全体	617	616	1	0	0	0	0	0	0	0	0	0
	表流水	161	160	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	289	289	0	0	0	0	0	0	0	0	0	0
	その他	134	134	0	0	0	0	0	0	0	0	0	0
メソミル			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	648	648	0	0	0	0	0	0	0	0	0	0
	表流水	180	180	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	311	311	0	0	0	0	0	0	0	0	0	0
	その他	125	125	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
メタラキシル			～0.002	～0.004	～0.006	～0.010	～0.0140	～0.020	～0.060	～0.100	～0.140	～0.200	0.201～
	全体	705	705	0	0	0	0	0	0	0	0	0	0
	表流水	184	184	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	36	36	0	0	0	0	0	0	0	0	0	0
	地下水	328	328	0	0	0	0	0	0	0	0	0	0
	その他	157	157	0	0	0	0	0	0	0	0	0	0
メチダチオン (DMTP)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	全体	726	726	0	0	0	0	0	0	0	0	0	0
	表流水	189	189	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	26	26	0	0	0	0	0	0	0	0	0	0
	地下水	362	362	0	0	0	0	0	0	0	0	0	0
	その他	149	149	0	0	0	0	0	0	0	0	0	0
メトミノストロピン			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	574	574	0	0	0	0	0	0	0	0	0	0
	表流水	153	153	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	35	35	0	0	0	0	0	0	0	0	0	0
	地下水	274	274	0	0	0	0	0	0	0	0	0	0
	その他	112	112	0	0	0	0	0	0	0	0	0	0
メトリブジン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	582	582	0	0	0	0	0	0	0	0	0	0
	表流水	152	152	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	32	32	0	0	0	0	0	0	0	0	0	0
	地下水	285	285	0	0	0	0	0	0	0	0	0	0
	その他	113	113	0	0	0	0	0	0	0	0	0	0
メフェナセツト			～0.00009	～0.00018	～0.00027	～0.00045	～0.00063	～0.00090	～0.00270	～0.00450	～0.00630	～0.00900	0.00901～
	全体	785	769	0	16	0	0	0	0	0	0	0	0
	表流水	205	203	0	2	0	0	0	0	0	0	0	0
	ダム湖沼	37	37	0	0	0	0	0	0	0	0	0	0
	地下水	384	371	0	13	0	0	0	0	0	0	0	0
	その他	159	158	0	1	0	0	0	0	0	0	0	0
メプロニル			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	645	645	0	0	0	0	0	0	0	0	0	0
	表流水	169	169	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	33	33	0	0	0	0	0	0	0	0	0	0
	地下水	313	313	0	0	0	0	0	0	0	0	0	0
	その他	130	130	0	0	0	0	0	0	0	0	0	0
モリネート			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	722	715	3	0	0	4	0	0	0	0	0	0
	表流水	193	190	2	0	0	1	0	0	0	0	0	0
	ダム湖沼	36	36	0	0	0	0	0	0	0	0	0	0
	地下水	335	331	1	0	0	3	0	0	0	0	0	0
	その他	158	158	0	0	0	0	0	0	0	0	0	0
水温(℃)			～10.0	～12.0	～14.0	～16.0	～18.0	～20.0	～22.0	～24.0	～26.0	～28.0	28.1～
	全体	7,033	7	10	32	66	148	263	385	726	1,243	1,665	2,488
	表流水	1,612	0	1	2	8	19	44	82	168	309	421	558
	ダム湖沼	266	0	1	1	2	1	2	8	18	24	57	152
	地下水	3,463	6	7	15	29	82	125	173	351	616	883	1,176
	その他	1,692	1	1	14	27	46	92	122	189	294	304	602
紫外線(UV)吸光度(50mmセル使用時)			～0.040	～0.080	～0.120	～0.160	～0.200	～0.240	～0.280	～0.320	～0.360	～0.400	0.401～
	全体	142	82	49	7	2	2	0	0	0	0	0	0
	表流水	50	16	27	5	0	2	0	0	0	0	0	0
	ダム湖沼	17	10	5	1	1	0	0	0	0	0	0	0
	地下水	54	45	9	0	0	0	0	0	0	0	0	0
	その他	21	11	8	1	1	0	0	0	0	0	0	0
侵食性遊離炭酸			～2.5	～5.0	～7.5	～10.0	～12.5	～15.0	～17.5	～20.0	～22.5	～25.0	25.1～
	全体	294	94	85	33	26	13	12	8	12	3	3	5
	表流水	52	16	23	7	2	1	0	0	3	0	0	0
	ダム湖沼	15	6	7	0	1	1	0	0	0	0	0	0
	地下水	141	36	26	22	16	7	8	8	7	3	3	5
	その他	86	36	29	4	7	4	4	0	2	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
生物(n/ml)			～10.0	～50.0	～100.0	～500.0	～1000.0	～5000.0	～10000.0	～50000.0	～100000.0	～500000.0	500000.1～
	全体	3	3	0	0	0	0	0	0	0	0	0	0
	表流水	2	2	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	1	1	0	0	0	0	0	0	0	0	0	0
	地下水	0	0	0	0	0	0	0	0	0	0	0	0
	その他	0	0	0	0	0	0	0	0	0	0	0	0
アルカリ度			～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	～100.0	100.1～
	全体	982	17	87	140	242	180	131	84	42	17	17	25
	表流水	276	13	48	58	75	43	20	10	5	1	0	3
	ダム湖沼	63	3	4	19	17	8	4	4	0	0	2	2
	地下水	410	1	9	34	71	87	80	58	31	14	10	15
	その他	233	0	26	29	79	42	27	12	6	2	5	5
硫酸イオン			～5.0	～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	90.1～
	全体	550	95	144	150	57	61	24	5	2	6	1	5
	表流水	143	18	28	50	19	18	6	0	0	2	0	2
	ダム湖沼	33	3	16	7	4	1	0	2	0	0	0	0
	地下水	224	40	76	54	22	20	7	2	1	2	0	0
	その他	150	34	24	39	12	22	11	1	1	2	1	3
溶性ケイ酸			～5.0	～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	90.1～
	全体	129	0	4	22	28	12	18	21	14	7	3	0
	表流水	19	0	0	9	4	1	2	1	2	0	0	0
	ダム湖沼	4	0	0	4	0	0	0	0	0	0	0	0
	地下水	72	0	0	4	17	6	13	16	11	4	1	0
	その他	34	0	4	5	7	5	3	4	1	3	2	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。