

水質項目		計	区分										
一般細菌			0	～10	～20	～30	～40	～50	～60	～70	～80	～100	101～
	全体	9,377	7,585	1,598	89	48	11	13	4	7	4	10	8
	表流水	2,133	1,653	428	29	11	3	2	1	1	0	2	3
	ダム湖沼	332	274	55	2	0	0	0	1	0	0	0	0
	地下水	4,742	3,854	784	43	28	7	6	2	6	3	5	4
	その他	2,170	1,804	331	15	9	1	5	0	0	1	3	1
大腸菌(定性)			陰性	陽性									
	全体	0	0	0									
	表流水	0	0	0									
	ダム湖沼	0	0	0									
	地下水	0	0	0									
	その他	0	0	0									
カドミウム及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,490	8,483	2	5	0	0	0	0	0	0	0	0
	表流水	1,958	1,958	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	307	307	0	0	0	0	0	0	0	0	0	0
	地下水	4,246	4,241	1	4	0	0	0	0	0	0	0	0
	その他	1,979	1,977	1	1	0	0	0	0	0	0	0	0
水銀及びその化合物			～0.00005	～0.00010	～0.00015	～0.00020	～0.00025	～0.00030	～0.00035	～0.00040	～0.00045	～0.00050	0.00051～
	全体	8,481	8,466	8	1	0	0	0	0	0	0	6	0
	表流水	1,958	1,954	1	0	0	0	0	0	0	0	3	0
	ダム湖沼	307	307	0	0	0	0	0	0	0	0	0	0
	地下水	4,246	4,237	7	1	0	0	0	0	0	0	1	0
	その他	1,970	1,968	0	0	0	0	0	0	0	0	2	0
セレン及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,488	8,475	10	2	0	0	0	0	0	0	1	0
	表流水	1,958	1,956	1	1	0	0	0	0	0	0	0	0
	ダム湖沼	307	307	0	0	0	0	0	0	0	0	0	0
	地下水	4,246	4,237	9	0	0	0	0	0	0	0	0	0
	その他	1,977	1,975	0	1	0	0	0	0	0	0	1	0
鉛及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,611	8,234	223	71	35	18	8	6	7	6	1	2
	表流水	1,987	1,947	30	6	3	0	0	1	0	0	0	0
	ダム湖沼	318	309	8	0	1	0	0	0	0	0	0	0
	地下水	4,308	4,056	148	49	23	12	6	4	3	5	0	2
	その他	1,998	1,922	37	16	8	6	2	1	4	1	1	0
ヒ素及びその化合物			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,585	7,707	410	183	131	59	27	25	23	12	8	0
	表流水	1,966	1,843	57	25	23	7	4	2	4	1	0	0
	ダム湖沼	307	299	3	2	1	0	1	1	0	0	0	0
	地下水	4,317	3,728	273	123	85	45	18	19	12	6	8	0
	その他	1,995	1,837	77	33	22	7	4	3	7	5	0	0
六価クロム化合物			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	8,584	8,528	36	13	2	2	1	0	0	0	2	0
	表流水	1,975	1,961	8	5	0	1	0	0	0	0	0	0
	ダム湖沼	313	312	1	0	0	0	0	0	0	0	0	0
	地下水	4,290	4,258	23	6	1	1	0	0	0	0	1	0
	その他	2,006	1,997	4	2	1	0	1	0	0	0	1	0
亜硝酸態窒素			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
	全体	8,673	8,618	39	6	4	6	0	0	0	0	0	0
	表流水	2,013	2,004	5	1	2	1	0	0	0	0	0	0
	ダム湖沼	315	314	0	0	0	1	0	0	0	0	0	0
	地下水	4,347	4,312	24	5	2	4	0	0	0	0	0	0
	その他	1,998	1,988	10	0	0	0	0	0	0	0	0	0
シアン化物イオン及び塩化シアン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	9,367	9,358	8	0	0	0	0	1	0	0	0	0
	表流水	2,133	2,133	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	332	332	0	0	0	0	0	0	0	0	0	0
	地下水	4,732	4,725	6	0	0	0	0	1	0	0	0	0
	その他	2,170	2,168	2	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
硝酸態窒素及び亜硝酸態窒素			～0.50	～1.00	～2.00	～3.00	～4.00	～5.00	～6.00	～7.00	～8.00	～10.00	10.01～
	全体	8,869	4,218	2,102	1,432	583	257	107	86	49	19	16	0
	表流水	2,005	1,254	500	188	54	7	1	1	0	0	0	0
	ダム湖沼	318	216	70	25	2	4	0	0	0	1	0	0
	地下水	4,509	1,658	1,087	971	372	185	94	74	38	15	15	0
	その他	2,037	1,090	445	248	155	61	12	11	11	3	1	0
フッ素及びその化合物			～0.08	～0.16	～0.24	～0.32	～0.40	～0.48	～0.56	～0.64	～0.72	～0.80	0.81～
	全体	8,690	6,248	1,842	323	133	56	37	17	15	9	10	0
	表流水	1,993	1,592	317	38	20	7	8	4	3	0	4	0
	ダム湖沼	315	224	71	11	4	2	3	0	0	0	0	0
	地下水	4,375	2,970	981	228	96	40	26	11	9	8	6	0
	その他	2,007	1,462	473	46	13	7	0	2	3	1	0	0
ホウ素及びその化合物			～0.1	～0.2	～0.3	～0.4	～0.5	～0.6	～0.7	～0.8	～0.9	～1.0	1.1～
	全体	8,522	8,317	94	45	28	17	10	5	3	1	2	0
	表流水	1,962	1,936	12	5	5	1	1	1	0	0	1	0
	ダム湖沼	307	299	4	1	2	1	0	0	0	0	0	0
	地下水	4,266	4,151	59	24	10	11	8	1	1	1	0	0
	その他	1,987	1,931	19	15	11	4	1	3	2	0	1	0
四塩化炭素			～0.0002	～0.0004	～0.0006	～0.0008	～0.0010	～0.0012	～0.0014	～0.0016	～0.0018	～0.0020	0.0021～
	全体	8,489	8,469	14	0	0	0	0	0	0	0	6	0
	表流水	1,958	1,953	2	0	0	0	0	0	0	0	3	0
	ダム湖沼	307	307	0	0	0	0	0	0	0	0	0	0
	地下水	4,247	4,235	10	0	0	0	0	0	0	0	2	0
	その他	1,977	1,974	2	0	0	0	0	0	0	0	1	0
1,4－ジオキサン			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	全体	8,488	8,484	2	0	0	0	1	0	0	0	1	0
	表流水	1,959	1,958	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	307	307	0	0	0	0	0	0	0	0	0	0
	地下水	4,245	4,244	0	0	0	0	1	0	0	0	0	0
	その他	1,977	1,975	1	0	0	0	0	0	0	0	1	0
シス－1,2－ジクロロエチレン及びトランス－1,2－ジクロロエチレン			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
	全体	8,488	8,480	5	1	1	0	0	0	0	0	1	0
	表流水	1,958	1,958	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	307	307	0	0	0	0	0	0	0	0	0	0
	地下水	4,245	4,238	5	1	1	0	0	0	0	0	0	0
	その他	1,978	1,977	0	0	0	0	0	0	0	0	1	0
ジクロロメタン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	8,489	8,480	7	2	0	0	0	0	0	0	0	0
	表流水	1,959	1,959	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	307	307	0	0	0	0	0	0	0	0	0	0
	地下水	4,246	4,238	6	2	0	0	0	0	0	0	0	0
	その他	1,977	1,976	1	0	0	0	0	0	0	0	0	0
テトラクロロエチレン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,488	8,472	10	3	2	1	0	0	0	0	0	0
	表流水	1,959	1,958	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	307	307	0	0	0	0	0	0	0	0	0	0
	地下水	4,245	4,231	9	3	1	1	0	0	0	0	0	0
	その他	1,977	1,976	0	0	1	0	0	0	0	0	0	0
トリクロロエチレン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,494	8,476	10	5	2	0	1	0	0	0	0	0
	表流水	1,958	1,956	1	0	1	0	0	0	0	0	0	0
	ダム湖沼	307	307	0	0	0	0	0	0	0	0	0	0
	地下水	4,250	4,234	9	5	1	0	1	0	0	0	0	0
	その他	1,979	1,979	0	0	0	0	0	0	0	0	0	0
ベンゼン			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	8,488	8,479	6	0	0	2	0	0	0	0	1	0
	表流水	1,958	1,956	1	0	0	0	0	0	0	0	1	0
	ダム湖沼	307	307	0	0	0	0	0	0	0	0	0	0
	地下水	4,246	4,239	5	0	0	2	0	0	0	0	0	0
	その他	1,977	1,977	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
塩素酸			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
	全体	9,369	4,043	2,780	1,187	594	340	172	105	61	42	28	17
	表流水	2,133	536	666	408	212	145	70	44	26	16	3	7
	ダム湖沼	332	43	95	70	47	33	18	12	3	1	6	4
	地下水	4,734	2,372	1,361	454	249	120	69	42	25	21	16	5
	その他	2,170	1,092	658	255	86	42	15	7	7	4	3	1
クロロ酢酸			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	9,372	9,335	28	2	1	1	0	0	0	0	5	0
	表流水	2,133	2,113	17	0	1	1	0	0	0	0	1	0
	ダム湖沼	332	328	3	1	0	0	0	0	0	0	0	0
	地下水	4,737	4,727	6	1	0	0	0	0	0	0	3	0
	その他	2,170	2,167	2	0	0	0	0	0	0	0	1	0
クロロホルム			～0.006	～0.012	～0.018	～0.024	～0.030	～0.036	～0.042	～0.048	～0.056	～0.060	0.061～
	全体	9,372	5,989	1,248	1,004	551	292	174	70	20	18	4	2
	表流水	2,133	598	537	426	237	155	114	39	14	11	1	1
	ダム湖沼	332	46	80	71	55	30	22	19	3	3	2	1
	地下水	4,737	4,100	326	187	70	30	15	4	2	3	0	0
	その他	2,170	1,245	305	320	189	77	23	8	1	1	1	0
ジクロロ酢酸			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	9,372	7,044	1,204	557	280	137	71	42	26	3	7	1
	表流水	2,133	923	562	288	170	87	49	29	19	2	4	0
	ダム湖沼	332	127	89	45	25	16	12	9	5	1	3	0
	地下水	4,737	4,355	234	101	30	10	4	2	1	0	0	0
	その他	2,170	1,639	319	123	55	24	6	2	1	0	0	1
ジブロモクロロメタン			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	9,372	9,050	238	51	18	4	8	1	0	2	0	0
	表流水	2,133	2,044	68	13	2	0	5	0	0	1	0	0
	ダム湖沼	332	303	21	6	2	0	0	0	0	0	0	0
	地下水	4,737	4,615	70	29	14	4	3	1	0	1	0	0
	その他	2,170	2,088	79	3	0	0	0	0	0	0	0	0
臭素酸			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	9,372	9,121	130	59	35	17	7	2	1	0	0	0
	表流水	2,133	2,084	19	16	7	3	3	1	0	0	0	0
	ダム湖沼	332	320	7	2	3	0	0	0	0	0	0	0
	地下水	4,737	4,665	42	12	7	8	1	1	1	0	0	0
	その他	2,170	2,052	62	29	18	6	3	0	0	0	0	0
総トリハロメタン			～0.010	～0.020	～0.030	～0.040	～0.050	～0.060	～0.070	～0.080	～0.090	～0.100	0.101～
	全体	9,371	5,250	1,615	1,160	712	371	151	56	32	20	3	1
	表流水	2,133	439	625	472	335	147	63	23	18	8	2	1
	ダム湖沼	332	18	72	95	52	41	25	15	7	7	0	0
	地下水	4,736	3,674	600	270	113	46	20	7	2	3	1	0
	その他	2,170	1,119	318	323	212	137	43	11	5	2	0	0
トリクロロ酢酸			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	9,371	6,312	1,006	769	512	297	191	112	68	52	47	5
	表流水	2,133	670	445	327	218	173	109	77	44	37	28	5
	ダム湖沼	332	77	67	55	43	29	25	10	13	5	8	0
	地下水	4,736	4,193	250	138	80	28	18	10	6	6	7	0
	その他	2,170	1,372	244	249	171	67	39	15	5	4	4	0
ブロモジクロロメタン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	9,371	5,724	1,613	949	557	300	127	57	23	12	8	1
	表流水	2,133	700	599	395	229	110	48	26	11	7	7	1
	ダム湖沼	332	28	86	96	46	36	18	13	5	3	1	0
	地下水	4,736	3,805	549	214	105	42	14	6	0	1	0	0
	その他	2,170	1,191	379	244	177	112	47	12	7	1	0	0
ブロモホルム			～0.009	～0.018	～0.027	～0.036	～0.045	～0.054	～0.063	～0.072	～0.081	～0.090	0.091～
	全体	9,371	9,206	127	25	10	2	0	0	0	1	0	0
	表流水	2,133	2,087	35	5	5	1	0	0	0	0	0	0
	ダム湖沼	332	311	15	5	1	0	0	0	0	0	0	0
	地下水	4,736	4,667	51	13	4	0	0	0	0	1	0	0
	その他	2,170	2,141	26	2	0	1	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
ホルムアルデヒド			～0.008	～0.016	～0.024	～0.032	～0.040	～0.048	～0.056	～0.064	～0.072	～0.080	0.081～
	全体	9,371	9,284	75	6	2	2	2	0	0	0	0	0
	表流水	2,133	2,118	15	0	0	0	0	0	0	0	0	0
	ダム湖沼	332	329	3	0	0	0	0	0	0	0	0	0
	地下水	4,736	4,687	39	5	1	2	2	0	0	0	0	0
	その他	2,170	2,150	18	1	1	0	0	0	0	0	0	0
亜鉛及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.20	～0.40	～0.60	～0.80	～1.00	1.01～
	全体	8,542	8,060	143	104	26	180	17	10	1	1	0	0
	表流水	1,962	1,868	23	19	4	44	3	0	1	0	0	0
	ダム湖沼	309	296	6	3	1	2	1	0	0	0	0	0
	地下水	4,280	3,973	81	67	19	118	12	9	0	1	0	0
	その他	1,991	1,923	33	15	2	16	1	1	0	0	0	0
アルミニウム及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.12	～0.14	～0.16	～0.18	～0.20	0.21～
	全体	8,700	6,654	1,072	520	224	101	52	28	19	12	6	12
	表流水	2,020	1,278	331	196	94	52	26	16	10	6	3	8
	ダム湖沼	323	171	65	36	28	14	5	1	1	0	0	2
	地下水	4,334	3,819	304	112	42	22	14	7	5	5	2	2
	その他	2,023	1,386	372	176	60	13	7	4	3	1	1	0
鉄及びその化合物			～0.03	～0.06	～0.09	～0.12	～0.15	～0.18	～0.21	～0.24	～0.27	～0.30	0.31～
	全体	8,656	8,218	263	93	31	22	8	11	4	0	5	1
	表流水	2,007	1,885	68	29	8	5	5	4	2	0	1	0
	ダム湖沼	318	297	12	3	2	3	0	0	0	0	1	0
	地下水	4,324	4,131	126	39	9	9	3	2	1	0	3	1
	その他	2,007	1,905	57	22	12	5	0	5	1	0	0	0
銅及びその化合物			～0.02	～0.04	～0.06	～0.08	～0.10	～0.20	～0.40	～0.60	～0.80	～1.00	1.01～
	全体	8,547	7,969	225	81	34	200	25	5	4	4	0	0
	表流水	1,965	1,880	20	5	5	54	1	0	0	0	0	0
	ダム湖沼	313	298	7	1	4	3	0	0	0	0	0	0
	地下水	4,278	3,866	166	67	20	128	19	4	4	4	0	0
	その他	1,991	1,925	32	8	5	15	5	1	0	0	0	0
ナトリウム及びその化合物			～5.0	～10.0	～20.0	～40.0	～60.0	～80.0	～100.0	～120.0	～150.0	～200.0	200.1～
	全体	8,534	1,828	3,653	2,318	624	73	26	7	3	1	1	0
	表流水	1,965	650	814	413	78	9	1	0	0	0	0	0
	ダム湖沼	311	33	144	92	39	2	1	0	0	0	0	0
	地下水	4,279	621	1,904	1,310	362	51	21	5	3	1	1	0
	その他	1,979	524	791	503	145	11	3	2	0	0	0	0
マンガン及びその化合物			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	全体	8,558	8,421	85	18	13	5	2	1	1	2	9	1
	表流水	1,972	1,955	9	2	1	1	1	0	0	0	3	0
	ダム湖沼	313	299	11	1	1	0	0	0	0	1	0	0
	地下水	4,278	4,190	53	14	10	3	1	0	1	1	4	1
	その他	1,995	1,977	12	1	1	1	0	1	0	0	2	0
塩化物イオン			～5.0	～10.0	～20.0	～40.0	～60.0	～80.0	～100.0	～120.0	～150.0	～200.0	200.1～
	全体	9,376	2,468	3,016	2,534	1,042	219	46	23	9	14	5	0
	表流水	2,133	665	601	561	275	25	3	2	0	1	0	0
	ダム湖沼	332	24	70	152	56	21	5	1	1	1	1	0
	地下水	4,741	1,146	1,727	1,274	436	97	29	16	5	8	3	0
	その他	2,170	633	618	547	275	76	9	4	3	4	1	0
カルシウム、マグネシウム等(硬度)			～10	～20	～30	～50	～80	～100	～150	～200	～250	～300	301～
	全体	8,874	341	1,106	1,466	2,742	2,017	710	407	64	18	2	1
	表流水	1,997	208	448	410	532	277	74	45	2	1	0	0
	ダム湖沼	316	12	28	76	109	59	15	15	1	0	0	1
	地下水	4,491	56	315	585	1,459	1,314	441	258	51	10	2	0
	その他	2,070	65	315	395	642	367	180	89	10	7	0	0
蒸発残留物			～30	～50	～100	～150	～200	～250	～300	～350	～400	～500	501～
	全体	9,073	121	880	3,539	2,535	1,261	494	150	44	27	22	0
	表流水	2,043	74	434	963	423	100	30	13	5	0	1	0
	ダム湖沼	323	0	26	177	65	28	17	7	1	1	1	0
	地下水	4,591	14	210	1,482	1,553	857	318	88	33	20	16	0
	その他	2,116	33	210	917	494	276	129	42	5	6	4	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
陰イオン界面活性剤			～0.02	～0.04	～0.06	～0.08	～0.10	～0.12	～0.14	～0.16	～0.18	～0.20	0.21～
	全体	8,478	8,470	4	1	0	0	0	0	0	0	3	0
	表流水	1,958	1,957	0	0	0	0	0	0	0	0	1	0
	ダム湖沼	308	308	0	0	0	0	0	0	0	0	0	0
	地下水	4,245	4,239	4	0	0	0	0	0	0	0	2	0
	その他	1,967	1,966	0	1	0	0	0	0	0	0	0	0
ジェオスミン			～0.000001	～0.000002	～0.000004	～0.000006	～0.000008	～0.000010	～0.000012	～0.000014	～0.000016	～0.000020	0.000021～
	全体	8,578	7,877	417	193	61	23	4	0	2	0	0	1
	表流水	2,006	1,720	140	106	24	15	0	0	1	0	0	0
	ダム湖沼	316	201	54	28	25	5	1	0	1	0	0	1
	地下水	4,278	4,186	61	18	7	3	3	0	0	0	0	0
	その他	1,978	1,770	162	41	5	0	0	0	0	0	0	0
2-メチルイソボルネオール			～0.000001	～0.000002	～0.000004	～0.000006	～0.000008	～0.000010	～0.000012	～0.000014	～0.000016	～0.000020	0.000021～
	全体	8,577	8,239	201	108	13	5	6	0	1	1	1	2
	表流水	2,006	1,880	78	33	6	2	4	0	1	0	1	1
	ダム湖沼	316	261	26	19	4	3	1	0	0	1	0	1
	地下水	4,277	4,237	23	15	1	0	1	0	0	0	0	0
	その他	1,978	1,861	74	41	2	0	0	0	0	0	0	0
非イオン界面活性剤			～0.005	～0.006	～0.007	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	8,573	8,555	9	4	2	2	0	0	0	1	0	0
	表流水	1,976	1,965	6	3	0	2	0	0	0	0	0	0
	ダム湖沼	308	308	0	0	0	0	0	0	0	0	0	0
	地下水	4,309	4,302	3	1	2	0	0	0	0	1	0	0
	その他	1,980	1,980	0	0	0	0	0	0	0	0	0	0
フェノール類			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	8,476	8,458	2	2	0	0	0	0	0	0	14	0
	表流水	1,958	1,954	1	2	0	0	0	0	0	0	1	0
	ダム湖沼	307	305	0	0	0	0	0	0	0	0	2	0
	地下水	4,245	4,235	1	0	0	0	0	0	0	0	9	0
	その他	1,966	1,964	0	0	0	0	0	0	0	0	2	0
有機物(TOCの量)			～0.5	0.6	0.7	0.8	0.9	1	～2.0	～3.0	～4.0	～5.0	5.1～
	全体	9,375	5,924	714	608	627	462	299	699	41	0	0	1
	表流水	2,133	677	285	227	257	200	123	343	21	0	0	0
	ダム湖沼	332	44	32	31	50	35	30	102	8	0	0	0
	地下水	4,740	3,907	235	177	149	88	53	123	8	0	0	0
	その他	2,170	1,296	162	173	171	139	93	131	4	0	0	1
pH値			～5.8	～6.0	～6.3	～6.6	～6.9	～7.2	～7.5	～7.8	～8.2	～8.6	8.7～
	全体	9,376	1	4	28	230	682	1,634	2,686	2,503	1,386	218	4
	表流水	2,133	0	0	0	8	58	331	753	667	274	41	1
	ダム湖沼	332	0	0	0	1	14	42	138	109	28	0	0
	地下水	4,741	0	3	21	185	512	968	1,122	1,028	768	132	2
	その他	2,170	1	1	7	36	98	293	673	699	316	45	1
味の異常回数			0	1	2	3	4	5	6	7	8	9	10～
	全体	4	4	0	0	0	0	0	0	0	0	0	0
	表流水	0	0	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	0	0	0	0	0	0	0	0	0	0	0	0
	地下水	4	4	0	0	0	0	0	0	0	0	0	0
	その他	0	0	0	0	0	0	0	0	0	0	0	0
臭気の異常回数			0	1	2	3	4	5	6	7	8	9	10～
	全体	4	4	0	0	0	0	0	0	0	0	0	0
	表流水	0	0	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	0	0	0	0	0	0	0	0	0	0	0	0
	地下水	4	4	0	0	0	0	0	0	0	0	0	0
	その他	0	0	0	0	0	0	0	0	0	0	0	0
色度			～0.5	～1.0	～1.5	～2.0	～2.5	～3.0	～3.5	～4.0	～4.5	～5.0	5.1～
	全体	9,376	6,989	1,464	381	250	90	99	36	31	10	21	5
	表流水	2,133	1,180	535	157	129	41	35	20	17	4	13	2
	ダム湖沼	332	204	81	19	11	8	8	0	0	1	0	0
	地下水	4,741	3,835	597	139	75	26	37	11	11	3	5	2
	その他	2,170	1,770	251	66	35	15	19	5	3	2	3	1

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
濁度			～0.1	～0.2	～0.4	～0.6	～0.8	～1.0	～1.2	～1.4	～1.6	～2.0	2.1～
	全体	9,376	8,155	612	304	137	58	36	24	7	15	19	9
	表流水	2,133	1,802	173	78	38	21	6	5	1	3	2	4
	ダム湖沼	332	295	15	14	1	3	2	1	0	0	0	1
	地下水	4,741	4,167	303	147	61	17	18	8	3	5	11	1
	その他	2,170	1,891	121	65	37	17	10	10	3	7	6	3
アンチモン及びその化合物			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	2,754	2,751	2	1	0	0	0	0	0	0	0	0
	表流水	688	687	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	168	168	0	0	0	0	0	0	0	0	0	0
	地下水	1,234	1,232	1	1	0	0	0	0	0	0	0	0
	その他	664	664	0	0	0	0	0	0	0	0	0	0
ウラン及びその化合物			～0.0002	～0.0004	～0.0006	～0.0008	～0.0010	～0.0012	～0.0014	～0.0016	～0.0018	～0.0020	0.0021～
	全体	2,739	2,681	35	10	6	3	1	0	0	0	3	0
	表流水	682	678	1	1	1	1	0	0	0	0	0	0
	ダム湖沼	163	162	1	0	0	0	0	0	0	0	0	0
	地下水	1,232	1,187	29	6	5	1	1	0	0	0	3	0
	その他	662	654	4	3	0	1	0	0	0	0	0	0
ニッケル及びその化合物			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	2,979	2,952	21	2	1	3	0	0	0	0	0	0
	表流水	738	728	7	1	1	1	0	0	0	0	0	0
	ダム湖沼	184	183	1	0	0	0	0	0	0	0	0	0
	地下水	1,328	1,314	12	1	0	1	0	0	0	0	0	0
	その他	729	727	1	0	0	1	0	0	0	0	0	0
1,2-ジクロロエタン			～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
	全体	2,636	2,634	1	0	0	0	0	0	0	0	1	0
	表流水	649	648	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	157	157	0	0	0	0	0	0	0	0	0	0
	地下水	1,185	1,184	0	0	0	0	0	0	0	0	1	0
	その他	645	645	0	0	0	0	0	0	0	0	0	0
トルエン			～0.040	～0.080	～0.120	～0.160	～0.200	～0.240	～0.280	～0.320	～0.360	～0.400	0.401～
	全体	2,678	2,678	0	0	0	0	0	0	0	0	0	0
	表流水	651	651	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	159	159	0	0	0	0	0	0	0	0	0	0
	地下水	1,227	1,227	0	0	0	0	0	0	0	0	0	0
	その他	641	641	0	0	0	0	0	0	0	0	0	0
フタル酸ジ(2-エチルヘキシル)			～0.008	～0.016	～0.024	～0.032	～0.040	～0.048	～0.056	～0.064	～0.072	～0.080	0.081～
	全体	2,609	2,608	1	0	0	0	0	0	0	0	0	0
	表流水	666	666	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	159	159	0	0	0	0	0	0	0	0	0	0
	地下水	1,177	1,176	1	0	0	0	0	0	0	0	0	0
	その他	607	607	0	0	0	0	0	0	0	0	0	0
亜塩素酸			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
	全体	1,451	1,447	3	1	0	0	0	0	0	0	0	0
	表流水	347	347	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	101	101	0	0	0	0	0	0	0	0	0	0
	地下水	783	780	2	1	0	0	0	0	0	0	0	0
	その他	220	219	1	0	0	0	0	0	0	0	0	0
二酸化塩素			～0.06	～0.12	～0.18	～0.24	～0.30	～0.36	～0.42	～0.48	～0.54	～0.60	0.61～
	全体	739	739	0	0	0	0	0	0	0	0	0	0
	表流水	144	144	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	24	24	0	0	0	0	0	0	0	0	0	0
	地下水	476	476	0	0	0	0	0	0	0	0	0	0
	その他	95	95	0	0	0	0	0	0	0	0	0	0
ジクロロアセトニトリル			～0.004	～0.008	～0.012	～0.016	～0.020	～0.024	～0.028	～0.032	～0.036	～0.040	0.041～
	全体	3,348	3,343	5	0	0	0	0	0	0	0	0	0
	表流水	820	818	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	196	196	0	0	0	0	0	0	0	0	0	0
	地下水	1,581	1,580	1	0	0	0	0	0	0	0	0	0
	その他	751	749	2	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
抱水クロラール			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	3,349	2,714	470	131	24	6	2	2	0	0	0	0
	表流水	820	555	180	64	15	6	0	0	0	0	0	0
	ダム湖沼	196	117	51	20	7	0	1	0	0	0	0	0
	地下水	1,582	1,516	58	5	1	0	1	1	0	0	0	0
	その他	751	526	181	42	1	0	0	1	0	0	0	0
農薬類			～0.01	～0.02	～0.03	～0.05	～0.10	～0.20	～0.30	～0.50	～0.70	～1.00	1.01～
	全体	1,377	1,338	15	3	7	8	3	0	0	0	3	0
	表流水	447	418	12	3	7	6	1	0	0	0	0	0
	ダム湖沼	97	92	2	0	0	1	1	0	0	0	1	0
	地下水	580	576	0	0	0	1	1	0	0	0	2	0
	その他	253	252	1	0	0	0	0	0	0	0	0	0
残留塩素			<0.1	0.1	0.2	0.3	0.4	0.5	0.6	～0.8	～1.0	～1.2	1.3～
	全体	9,233	11	125	741	1,825	2,270	1,763	1,107	951	355	40	45
	表流水	2,094	4	9	84	215	397	470	352	369	148	27	19
	ダム湖沼	328	0	3	6	25	46	70	55	77	39	3	4
	地下水	4,664	5	87	472	1,164	1,249	815	469	284	95	6	18
	その他	2,147	2	26	179	421	578	408	231	221	73	4	4
遊離炭酸			～2.0	～4.0	～6.0	～8.0	～10.0	～12.0	～14.0	～16.0	～18.0	～20.0	20.1～
	全体	3,115	795	968	494	250	167	111	68	50	45	37	130
	表流水	764	291	278	121	35	16	6	6	1	0	3	7
	ダム湖沼	182	41	74	32	15	12	5	2	0	1	0	0
	地下水	1,464	283	337	213	147	124	80	50	43	40	31	116
	その他	705	180	279	128	53	15	20	10	6	4	3	7
1,1,1-トリクロロエタン			～0.030	～0.060	～0.090	～0.120	～0.150	～0.180	～0.210	～0.240	～0.270	～0.300	0.301～
	全体	2,763	2,763	0	0	0	0	0	0	0	0	0	0
	表流水	697	697	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	167	167	0	0	0	0	0	0	0	0	0	0
	地下水	1,226	1,226	0	0	0	0	0	0	0	0	0	0
	その他	673	673	0	0	0	0	0	0	0	0	0	0
メチル-tert-ブチルエーテル(MTBE)			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	2,661	2,660	1	0	0	0	0	0	0	0	0	0
	表流水	650	650	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	154	154	0	0	0	0	0	0	0	0	0	0
	地下水	1,222	1,221	1	0	0	0	0	0	0	0	0	0
	その他	635	635	0	0	0	0	0	0	0	0	0	0
有機物等(過マンガン酸カリウム消費量)			～0.3	～0.6	～0.9	～1.2	～1.5	～1.8	～2.1	～2.4	～2.7	～3.0	3.1～
	全体	2,114	444	304	358	297	230	175	113	83	45	32	33
	表流水	521	44	49	69	63	80	65	49	38	22	17	25
	ダム湖沼	130	2	7	12	20	19	22	17	11	12	5	3
	地下水	972	299	194	200	128	78	31	16	10	4	7	5
	その他	491	99	54	77	86	53	57	31	24	7	3	0
臭気強度(TON)			0	1	2	3	4	5	6	～8	～10	～15	16～
	全体	2,718	2,301	324	65	19	4	2	3	0	0	0	0
	表流水	666	534	89	31	7	2	2	1	0	0	0	0
	ダム湖沼	171	140	21	5	3	0	0	2	0	0	0	0
	地下水	1,251	1,111	117	17	4	2	0	0	0	0	0	0
	その他	630	516	97	12	5	0	0	0	0	0	0	0
腐食性(ランゲリア指数)			～-4.0	～-3.5	～-3.0	～-2.5	～-2.0	～-1.5	～-1.0	～-0.5	～0.0	～0.5	0.6～
	全体	3,065	7	13	69	146	449	731	887	492	164	38	69
	表流水	765	3	8	36	55	140	179	229	87	21	2	5
	ダム湖沼	185	0	1	2	19	35	45	54	20	5	0	4
	地下水	1,405	2	2	21	42	174	320	400	259	113	25	47
	その他	710	2	2	10	30	100	187	204	126	25	11	13
従属栄養細菌			0	～200	～400	～600	～800	～1000	～1200	～1400	～1600	～2000	2001～
	全体	3,250	1,282	1,927	20	11	6	2	0	1	0	0	1
	表流水	806	384	415	4	0	2	1	0	0	0	0	0
	ダム湖沼	194	104	90	0	0	0	0	0	0	0	0	0
	地下水	1,511	460	1,025	13	7	3	1	0	1	0	0	1
	その他	739	334	397	3	4	1	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
1,1-ジクロロエチレン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	2,752	2,727	0	0	0	24	0	0	0	0	0	1
	表流水	687	683	0	0	0	4	0	0	0	0	0	0
	ダム湖沼	157	157	0	0	0	0	0	0	0	0	0	0
	地下水	1,247	1,228	0	0	0	18	0	0	0	0	0	1
	その他	661	659	0	0	0	2	0	0	0	0	0	0
ペルフルオロオクタン SULFON 系(PFOS) 及びペルフルオロオクタン 系(PFOA)			～0.000005	～0.000010	～0.000015	～0.000020	～0.000025	～0.000030	～0.000035	～0.000040	～0.000045	～0.000050	0.000051～
	全体	2,443	2,154	167	59	20	16	12	6	3	1	2	3
	表流水	668	621	36	7	1	1	1	1	0	0	0	0
	ダム湖沼	138	115	15	5	1	1	0	0	0	0	0	1
	地下水	1,195	1,011	90	41	15	14	11	5	3	1	2	2
	その他	442	407	26	6	3	0	0	0	0	0	0	0
1,3-ジクロロプロペン (D-D)			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	1,128	1,127	1	0	0	0	0	0	0	0	0	0
	表流水	359	359	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0	0
	地下水	495	494	1	0	0	0	0	0	0	0	0	0
	その他	189	189	0	0	0	0	0	0	0	0	0	0
2,2-DPA(ダラボン)			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	740	725	15	0	0	0	0	0	0	0	0	0
	表流水	279	274	5	0	0	0	0	0	0	0	0	0
	ダム湖沼	73	71	2	0	0	0	0	0	0	0	0	0
	地下水	282	274	8	0	0	0	0	0	0	0	0	0
	その他	106	106	0	0	0	0	0	0	0	0	0	0
2,4-D(2,4-PA)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,043	1,043	0	0	0	0	0	0	0	0	0	0
	表流水	375	375	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	419	419	0	0	0	0	0	0	0	0	0	0
	その他	163	163	0	0	0	0	0	0	0	0	0	0
EPN			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	1,062	1,061	1	0	0	0	0	0	0	0	0	0
	表流水	344	343	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	83	83	0	0	0	0	0	0	0	0	0	0
	地下水	448	448	0	0	0	0	0	0	0	0	0	0
	その他	187	187	0	0	0	0	0	0	0	0	0	0
MCPA			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.00400	～0.0045	～0.0050	0.0051～
	全体	964	964	0	0	0	0	0	0	0	0	0	0
	表流水	361	361	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	357	357	0	0	0	0	0	0	0	0	0	0
	その他	160	160	0	0	0	0	0	0	0	0	0	0
アシュラム			～0.009	～0.018	～0.027	～0.045	～0.063	～0.090	～0.270	～0.450	～0.630	～0.90	0.901～
	全体	966	966	0	0	0	0	0	0	0	0	0	0
	表流水	346	346	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	378	378	0	0	0	0	0	0	0	0	0	0
	その他	156	156	0	0	0	0	0	0	0	0	0	0
アセフェート			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	1,079	1,079	0	0	0	0	0	0	0	0	0	0
	表流水	384	384	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0	0
	地下水	439	439	0	0	0	0	0	0	0	0	0	0
	その他	175	175	0	0	0	0	0	0	0	0	0	0
アトラジン			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	1,121	1,121	0	0	0	0	0	0	0	0	0	0
	表流水	366	366	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	87	87	0	0	0	0	0	0	0	0	0	0
	地下水	475	475	0	0	0	0	0	0	0	0	0	0
	その他	193	193	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
アニロホス			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	941	937	4	0	0	0	0	0	0	0	0	0
	表流水	321	321	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0	0
	地下水	382	378	4	0	0	0	0	0	0	0	0	0
	その他	153	153	0	0	0	0	0	0	0	0	0	0
アミトラズ			～0.0006	～0.0012	～0.0018	～0.0024	～0.0030	～0.0036	～0.0042	～0.0048	～0.0054	～0.0060	0.0061～
	全体	820	820	0	0	0	0	0	0	0	0	0	0
	表流水	292	292	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	70	70	0	0	0	0	0	0	0	0	0	0
	地下水	342	342	0	0	0	0	0	0	0	0	0	0
	その他	116	116	0	0	0	0	0	0	0	0	0	0
アラクロール			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	1,163	1,149	0	14	0	0	0	0	0	0	0	0
	表流水	389	388	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0	0
	地下水	491	479	0	12	0	0	0	0	0	0	0	0
	その他	195	194	0	1	0	0	0	0	0	0	0	0
イソキサチオン			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	1,220	1,220	0	0	0	0	0	0	0	0	0	0
	表流水	409	409	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	80	80	0	0	0	0	0	0	0	0	0	0
	地下水	519	519	0	0	0	0	0	0	0	0	0	0
	その他	212	212	0	0	0	0	0	0	0	0	0	0
イソフェンホス			～0.00001	～0.00002	～0.00003	～0.00005	～0.00007	～0.00010	～0.00030	～0.00050	～0.00070	～0.00100	0.00101～
	全体	946	931	4	6	5	0	0	0	0	0	0	0
	表流水	327	322	0	1	4	0	0	0	0	0	0	0
	ダム湖沼	77	76	0	0	1	0	0	0	0	0	0	0
	地下水	392	383	4	5	0	0	0	0	0	0	0	0
	その他	150	150	0	0	0	0	0	0	0	0	0	0
イソプロカルブ (MIPC)			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	982	982	0	0	0	0	0	0	0	0	0	0
	表流水	332	332	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	392	392	0	0	0	0	0	0	0	0	0	0
	その他	174	174	0	0	0	0	0	0	0	0	0	0
イソプロチオラン (IPT)			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	1,170	1,156	0	0	0	0	14	0	0	0	0	0
	表流水	393	392	0	0	0	0	1	0	0	0	0	0
	ダム湖沼	91	91	0	0	0	0	0	0	0	0	0	0
	地下水	494	482	0	0	0	0	12	0	0	0	0	0
	その他	192	191	0	0	0	0	1	0	0	0	0	0
イブフェンカルバゾン			～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	全体	913	889	15	4	2	2	0	1	0	0	0	0
	表流水	331	310	14	3	2	2	0	0	0	0	0	0
	ダム湖沼	72	70	1	1	0	0	0	0	0	0	0	0
	地下水	370	369	0	0	0	0	0	1	0	0	0	0
	その他	140	140	0	0	0	0	0	0	0	0	0	0
イプロベンホス (IBP)			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	1,061	1,048	0	0	0	0	0	13	0	0	0	0
	表流水	359	358	0	0	0	0	0	1	0	0	0	0
	ダム湖沼	87	87	0	0	0	0	0	0	0	0	0	0
	地下水	447	435	0	0	0	0	0	12	0	0	0	0
	その他	168	168	0	0	0	0	0	0	0	0	0	0
イミノクタジン			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	899	899	0	0	0	0	0	0	0	0	0	0
	表流水	327	327	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	65	65	0	0	0	0	0	0	0	0	0	0
	地下水	365	365	0	0	0	0	0	0	0	0	0	0
	その他	142	142	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
インダノファン			～0.0009	～0.0018	～0.0027	～0.0036	～0.0045	～0.0054	～0.0063	～0.0072	～0.0081	～0.0090	0.0091～
	全体	948	948	0	0	0	0	0	0	0	0	0	0
	表流水	334	334	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	383	383	0	0	0	0	0	0	0	0	0	0
	その他	147	147	0	0	0	0	0	0	0	0	0	0
エスプロカルブ			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	1,101	1,101	0	0	0	0	0	0	0	0	0	0
	表流水	375	375	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	87	87	0	0	0	0	0	0	0	0	0	0
	地下水	445	445	0	0	0	0	0	0	0	0	0	0
	その他	194	194	0	0	0	0	0	0	0	0	0	0
イトフェンプロックス			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	1,279	1,279	0	0	0	0	0	0	0	0	0	0
	表流水	419	419	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	93	93	0	0	0	0	0	0	0	0	0	0
	地下水	550	550	0	0	0	0	0	0	0	0	0	0
	その他	217	217	0	0	0	0	0	0	0	0	0	0
エンドスルファン(ベンゾエピン)			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	797	797	0	0	0	0	0	0	0	0	0	0
	表流水	279	279	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	74	74	0	0	0	0	0	0	0	0	0	0
	地下水	315	315	0	0	0	0	0	0	0	0	0	0
	その他	129	129	0	0	0	0	0	0	0	0	0	0
オキサジクロメホン			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	1,001	1,001	0	0	0	0	0	0	0	0	0	0
	表流水	343	343	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	90	90	0	0	0	0	0	0	0	0	0	0
	地下水	405	405	0	0	0	0	0	0	0	0	0	0
	その他	163	163	0	0	0	0	0	0	0	0	0	0
オキシ銅(有機銅)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	983	983	0	0	0	0	0	0	0	0	0	0
	表流水	352	352	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	79	79	0	0	0	0	0	0	0	0	0	0
	地下水	393	393	0	0	0	0	0	0	0	0	0	0
	その他	159	159	0	0	0	0	0	0	0	0	0	0
オリサストロビン			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	808	808	0	0	0	0	0	0	0	0	0	0
	表流水	304	304	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	75	75	0	0	0	0	0	0	0	0	0	0
	地下水	315	315	0	0	0	0	0	0	0	0	0	0
	その他	114	114	0	0	0	0	0	0	0	0	0	0
カズサホス			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	905	905	0	0	0	0	0	0	0	0	0	0
	表流水	332	332	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	352	352	0	0	0	0	0	0	0	0	0	0
	その他	137	137	0	0	0	0	0	0	0	0	0	0
カフェンストロール			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	1,162	1,161	1	0	0	0	0	0	0	0	0	0
	表流水	377	376	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0	0
	地下水	491	491	0	0	0	0	0	0	0	0	0	0
	その他	206	206	0	0	0	0	0	0	0	0	0	0
カルタツプ			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	918	917	1	0	0	0	0	0	0	0	0	0
	表流水	313	313	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	69	69	0	0	0	0	0	0	0	0	0	0
	地下水	416	415	1	0	0	0	0	0	0	0	0	0
	その他	120	120	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
カルバリル (NAC)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	981	981	0	0	0	0	0	0	0	0	0	0
	表流水	359	359	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	388	388	0	0	0	0	0	0	0	0	0	0
	その他	148	148	0	0	0	0	0	0	0	0	0	0
カルボフラン			～0.000003	～0.000006	～0.000009	～0.000015	～0.000021	～0.000030	～0.000090	～0.000150	～0.000210	～0.000300	0.000301～
	全体	915	888	7	7	4	3	2	4	0	0	0	0
	表流水	337	324	3	3	1	2	2	2	0	0	0	0
	ダム湖沼	86	81	2	1	1	0	0	1	0	0	0	0
	地下水	335	326	2	3	2	1	0	1	0	0	0	0
	その他	157	157	0	0	0	0	0	0	0	0	0	0
キノクラミン (ACN)			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	961	961	0	0	0	0	0	0	0	0	0	0
	表流水	371	371	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0	0
	地下水	353	353	0	0	0	0	0	0	0	0	0	0
	その他	149	149	0	0	0	0	0	0	0	0	0	0
キャプタン			～0.003	～0.006	～0.009	～0.015	～0.021	～0.030	～0.090	～0.150	～0.210	～0.300	0.301～
	全体	1,095	1,094	0	0	0	0	1	0	0	0	0	0
	表流水	364	364	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	87	87	0	0	0	0	0	0	0	0	0	0
	地下水	459	458	0	0	0	0	1	0	0	0	0	0
	その他	185	185	0	0	0	0	0	0	0	0	0	0
クミルロン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	961	961	0	0	0	0	0	0	0	0	0	0
	表流水	341	341	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0	0
	地下水	387	387	0	0	0	0	0	0	0	0	0	0
	その他	148	148	0	0	0	0	0	0	0	0	0	0
グリホサート			～0.02	～0.04	～0.06	～0.10	～0.14	～0.20	～0.60	～1.00	～1.40	～2.00	2.01～
	全体	1,074	1,074	0	0	0	0	0	0	0	0	0	0
	表流水	372	372	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0	0
	地下水	456	456	0	0	0	0	0	0	0	0	0	0
	その他	165	165	0	0	0	0	0	0	0	0	0	0
グルホシネート			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	900	900	0	0	0	0	0	0	0	0	0	0
	表流水	330	330	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	67	67	0	0	0	0	0	0	0	0	0	0
	地下水	376	376	0	0	0	0	0	0	0	0	0	0
	その他	127	127	0	0	0	0	0	0	0	0	0	0
クロメプロップ			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	906	906	0	0	0	0	0	0	0	0	0	0
	表流水	336	336	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	340	340	0	0	0	0	0	0	0	0	0	0
	その他	144	144	0	0	0	0	0	0	0	0	0	0
クロルニトロフェン (GNP)			～0.000001	～0.000002	～0.000003	～0.000005	～0.000007	～0.000010	～0.000030	～0.000050	～0.000070	～0.000100	0.000101～
	全体	822	809	0	0	0	0	3	0	0	0	10	0
	表流水	294	293	0	0	0	0	0	0	0	0	1	0
	ダム湖沼	72	72	0	0	0	0	0	0	0	0	0	0
	地下水	321	310	0	0	0	0	3	0	0	0	8	0
	その他	135	134	0	0	0	0	0	0	0	0	1	0
クロルピリホス			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	1,175	1,175	0	0	0	0	0	0	0	0	0	0
	表流水	401	401	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	79	79	0	0	0	0	0	0	0	0	0	0
	地下水	497	497	0	0	0	0	0	0	0	0	0	0
	その他	198	198	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
クロロタロニル (TPN)			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	1,206	1,202	0	0	0	4	0	0	0	0	0	0
	表流水	391	391	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0	0
	地下水	517	514	0	0	0	3	0	0	0	0	0	0
	その他	213	212	0	0	0	1	0	0	0	0	0	0
シアナジン			～0.00001	～0.00002	～0.00003	～0.00005	～0.00007	～0.00010	～0.00030	～0.00050	～0.00070	～0.00100	0.00101～
	全体	969	968	1	0	0	0	0	0	0	0	0	0
	表流水	336	336	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	381	381	0	0	0	0	0	0	0	0	0	0
	その他	166	165	1	0	0	0	0	0	0	0	0	0
シアノホス(CYAP)			～0.0003	～0.0006	～0.0009	～0.0012	～0.0015	～0.0018	～0.0021	～0.0024	～0.0027	～0.0030	0.0031～
	全体	945	945	0	0	0	0	0	0	0	0	0	0
	表流水	349	349	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	350	350	0	0	0	0	0	0	0	0	0	0
	その他	160	160	0	0	0	0	0	0	0	0	0	0
ジウロン (DCMU)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,017	1,017	0	0	0	0	0	0	0	0	0	0
	表流水	359	359	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0	0
	地下水	407	407	0	0	0	0	0	0	0	0	0	0
	その他	163	163	0	0	0	0	0	0	0	0	0	0
ジクロベニル (DBN)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	1,154	1,154	0	0	0	0	0	0	0	0	0	0
	表流水	389	389	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	79	79	0	0	0	0	0	0	0	0	0	0
	地下水	486	486	0	0	0	0	0	0	0	0	0	0
	その他	200	200	0	0	0	0	0	0	0	0	0	0
ジクロロボス (DDVP)			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	1,023	1,019	0	0	4	0	0	0	0	0	0	0
	表流水	335	335	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	78	78	0	0	0	0	0	0	0	0	0	0
	地下水	438	434	0	0	4	0	0	0	0	0	0	0
	その他	172	172	0	0	0	0	0	0	0	0	0	0
ジクワット			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.0100	0.0101～
	全体	953	952	0	0	0	0	0	0	0	0	1	0
	表流水	336	336	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	67	67	0	0	0	0	0	0	0	0	0	0
	地下水	396	395	0	0	0	0	0	0	0	0	1	0
	その他	154	154	0	0	0	0	0	0	0	0	0	0
ジスルホトン(エチルチオメトン)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	全体	1,025	1,021	0	0	0	0	4	0	0	0	0	0
	表流水	331	331	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	77	77	0	0	0	0	0	0	0	0	0	0
	地下水	431	427	0	0	0	0	4	0	0	0	0	0
	その他	186	186	0	0	0	0	0	0	0	0	0	0
ジチオカルバメート系農薬			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	768	768	0	0	0	0	0	0	0	0	0	0
	表流水	291	291	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	55	55	0	0	0	0	0	0	0	0	0	0
	地下水	313	313	0	0	0	0	0	0	0	0	0	0
	その他	109	109	0	0	0	0	0	0	0	0	0	0
ジチオピル			～0.00008	～0.00016	～0.00024	～0.00040	～0.00056	～0.00080	～0.00240	～0.00400	～0.00560	～0.00800	0.00801～
	全体	991	978	13	0	0	0	0	0	0	0	0	0
	表流水	333	332	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	80	80	0	0	0	0	0	0	0	0	0	0
	地下水	411	399	12	0	0	0	0	0	0	0	0	0
	その他	167	167	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
シハロホップブチル			～0.0006	～0.0012	～0.0018	～0.0024	～0.0030	～0.0036	～0.0042	～0.0048	～0.0054	～0.0060	0.0061～
	全体	980	980	0	0	0	0	0	0	0	0	0	0
	表流水	349	349	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0	0
	地下水	393	393	0	0	0	0	0	0	0	0	0	0
	その他	150	150	0	0	0	0	0	0	0	0	0	0
シマジソ (CAT)			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	1,206	1,206	0	0	0	0	0	0	0	0	0	0
	表流水	401	401	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	87	87	0	0	0	0	0	0	0	0	0	0
	地下水	512	512	0	0	0	0	0	0	0	0	0	0
	その他	206	206	0	0	0	0	0	0	0	0	0	0
ジメタメトリン			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,183	1,183	0	0	0	0	0	0	0	0	0	0
	表流水	407	407	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	92	92	0	0	0	0	0	0	0	0	0	0
	地下水	488	488	0	0	0	0	0	0	0	0	0	0
	その他	196	196	0	0	0	0	0	0	0	0	0	0
ジメトエート			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	1,007	1,007	0	0	0	0	0	0	0	0	0	0
	表流水	337	337	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0	0
	地下水	413	413	0	0	0	0	0	0	0	0	0	0
	その他	172	172	0	0	0	0	0	0	0	0	0	0
シメトリン			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	1,245	1,245	0	0	0	0	0	0	0	0	0	0
	表流水	415	415	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	91	91	0	0	0	0	0	0	0	0	0	0
	地下水	521	521	0	0	0	0	0	0	0	0	0	0
	その他	218	218	0	0	0	0	0	0	0	0	0	0
ダイアジノン			～0.00003	～0.00006	～0.00009	～0.00015	～0.00021	～0.00030	～0.00090	～0.00150	～0.00210	～0.00300	0.00301～
	全体	1,313	1,313	0	0	0	0	0	0	0	0	0	0
	表流水	430	430	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	89	89	0	0	0	0	0	0	0	0	0	0
	地下水	563	563	0	0	0	0	0	0	0	0	0	0
	その他	231	231	0	0	0	0	0	0	0	0	0	0
ダイムロン			～0.008	～0.016	～0.024	～0.040	～0.056	～0.080	～0.240	～0.400	～0.560	～0.800	0.801～
	全体	1,076	1,075	1	0	0	0	0	0	0	0	0	0
	表流水	399	399	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	93	93	0	0	0	0	0	0	0	0	0	0
	地下水	415	414	1	0	0	0	0	0	0	0	0	0
	その他	169	169	0	0	0	0	0	0	0	0	0	0
ダゾメット、メタム(カーバム)及びメチルイソチオシアネート			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	865	865	0	0	0	0	0	0	0	0	0	0
	表流水	296	296	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	62	62	0	0	0	0	0	0	0	0	0	0
	地下水	382	382	0	0	0	0	0	0	0	0	0	0
	その他	125	125	0	0	0	0	0	0	0	0	0	0
チアジニル			～0.01	～0.02	～0.03	～0.04	～0.05	～0.06	～0.07	～0.08	～0.09	～0.10	0.11～
	全体	977	977	0	0	0	0	0	0	0	0	0	0
	表流水	341	341	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0	0
	地下水	397	397	0	0	0	0	0	0	0	0	0	0
	その他	151	151	0	0	0	0	0	0	0	0	0	0
チウラム			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,146	1,144	0	2	0	0	0	0	0	0	0	0
	表流水	381	379	0	2	0	0	0	0	0	0	0	0
	ダム湖沼	87	87	0	0	0	0	0	0	0	0	0	0
	地下水	493	493	0	0	0	0	0	0	0	0	0	0
	その他	185	185	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
チオジカルブ			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	923	923	0	0	0	0	0	0	0	0	0	0
	表流水	333	333	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0	0
	地下水	369	369	0	0	0	0	0	0	0	0	0	0
	その他	140	140	0	0	0	0	0	0	0	0	0	0
チオファネートメチル			～0.003	～0.006	～0.009	～0.015	～0.021	～0.030	～0.090	～0.150	～0.210	～0.300	0.301～
	全体	1,076	1,076	0	0	0	0	0	0	0	0	0	0
	表流水	369	369	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	79	79	0	0	0	0	0	0	0	0	0	0
	地下水	465	465	0	0	0	0	0	0	0	0	0	0
	その他	163	163	0	0	0	0	0	0	0	0	0	0
チオベンカルブ			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,105	1,105	0	0	0	0	0	0	0	0	0	0
	表流水	356	356	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	87	87	0	0	0	0	0	0	0	0	0	0
	地下水	470	470	0	0	0	0	0	0	0	0	0	0
	その他	192	192	0	0	0	0	0	0	0	0	0	0
テフリルトリオン			～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	全体	967	964	2	0	0	0	0	0	1	0	0	0
	表流水	376	374	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0	0
	地下水	373	372	0	0	0	0	0	0	1	0	0	0
	その他	137	137	0	0	0	0	0	0	0	0	0	0
テルブカルブ (MBPMC)			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	962	962	0	0	0	0	0	0	0	0	0	0
	表流水	321	321	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	389	389	0	0	0	0	0	0	0	0	0	0
	その他	168	168	0	0	0	0	0	0	0	0	0	0
トリクロピル			～0.00006	～0.00012	～0.00018	～0.00030	～0.00042	～0.00060	～0.00180	～0.00300	～0.00420	～0.00600	0.00601～
	全体	977	973	0	0	4	0	0	0	0	0	0	0
	表流水	339	339	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	394	390	0	0	4	0	0	0	0	0	0	0
	その他	160	160	0	0	0	0	0	0	0	0	0	0
トリクロロホン (DEP)			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	975	975	0	0	0	0	0	0	0	0	0	0
	表流水	330	330	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	73	73	0	0	0	0	0	0	0	0	0	0
	地下水	406	406	0	0	0	0	0	0	0	0	0	0
	その他	166	166	0	0	0	0	0	0	0	0	0	0
トリシクラゾール			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	1,026	1,026	0	0	0	0	0	0	0	0	0	0
	表流水	378	378	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	90	90	0	0	0	0	0	0	0	0	0	0
	地下水	408	408	0	0	0	0	0	0	0	0	0	0
	その他	150	150	0	0	0	0	0	0	0	0	0	0
トリフルラリン			～0.0006	～0.0012	～0.0018	～0.0030	～0.0042	～0.0060	～0.0180	～0.0300	～0.0420	～0.0600	0.0601～
	全体	1,163	1,162	0	0	1	0	0	0	0	0	0	0
	表流水	385	385	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	87	87	0	0	0	0	0	0	0	0	0	0
	地下水	488	487	0	0	1	0	0	0	0	0	0	0
	その他	203	203	0	0	0	0	0	0	0	0	0	0
ナプロパミド			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	984	984	0	0	0	0	0	0	0	0	0	0
	表流水	331	331	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	399	399	0	0	0	0	0	0	0	0	0	0
	その他	170	170	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
パラコート			～0.0005	～0.0010	～0.0015	～0.0020	～0.0025	～0.0030	～0.0035	～0.0040	～0.0045	～0.0050	0.0051～
	全体	901	901	0	0	0	0	0	0	0	0	0	0
	表流水	319	319	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	65	65	0	0	0	0	0	0	0	0	0	0
	地下水	370	370	0	0	0	0	0	0	0	0	0	0
	その他	147	147	0	0	0	0	0	0	0	0	0	0
ピペロホス			～0.000009	～0.000018	～0.000027	～0.000045	～0.000063	～0.000090	～0.000270	～0.000450	～0.000630	～0.000900	0.000901～
	全体	931	921	0	0	2	8	0	0	0	0	0	0
	表流水	321	320	0	0	0	1	0	0	0	0	0	0
	ダム湖沼	83	83	0	0	0	0	0	0	0	0	0	0
	地下水	376	367	0	0	2	7	0	0	0	0	0	0
	その他	151	151	0	0	0	0	0	0	0	0	0	0
ピラクロニル			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	946	945	0	0	0	0	1	0	0	0	0	0
	表流水	347	347	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	72	72	0	0	0	0	0	0	0	0	0	0
	地下水	393	392	0	0	0	0	1	0	0	0	0	0
	その他	134	134	0	0	0	0	0	0	0	0	0	0
ピラゾキシフェン			～0.0004	～0.0008	～0.0012	～0.0016	～0.0020	～0.0024	～0.0028	～0.0032	～0.0036	～0.0040	0.0041～
	全体	847	847	0	0	0	0	0	0	0	0	0	0
	表流水	311	311	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	74	74	0	0	0	0	0	0	0	0	0	0
	地下水	339	339	0	0	0	0	0	0	0	0	0	0
	その他	123	123	0	0	0	0	0	0	0	0	0	0
ピラゾリネート(ピラゾレート)			～0.002	～0.004	～0.006	～0.008	～0.010	～0.012	～0.014	～0.016	～0.018	～0.020	0.021～
	全体	1,039	1,039	0	0	0	0	0	0	0	0	0	0
	表流水	357	357	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	425	425	0	0	0	0	0	0	0	0	0	0
	その他	171	171	0	0	0	0	0	0	0	0	0	0
ピリダフェンチオン			～0.00002	～0.00004	～0.00006	～0.00010	～0.00014	～0.00020	～0.00060	～0.00100	～0.00140	～0.00200	0.00201～
	全体	964	954	2	8	0	0	0	0	0	0	0	0
	表流水	330	329	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	395	386	2	7	0	0	0	0	0	0	0	0
	その他	155	155	0	0	0	0	0	0	0	0	0	0
ピリプチカルブ			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,092	1,092	0	0	0	0	0	0	0	0	0	0
	表流水	368	368	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0	0
	地下水	455	455	0	0	0	0	0	0	0	0	0	0
	その他	181	181	0	0	0	0	0	0	0	0	0	0
ピロキロン			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	1,156	1,156	0	0	0	0	0	0	0	0	0	0
	表流水	391	391	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	93	93	0	0	0	0	0	0	0	0	0	0
	地下水	481	481	0	0	0	0	0	0	0	0	0	0
	その他	191	191	0	0	0	0	0	0	0	0	0	0
フィプロニル			～0.00005	～0.00010	～0.00015	～0.00020	～0.00025	～0.00030	～0.00035	～0.00040	～0.00045	～0.00050	0.00051～
	全体	1,118	1,118	0	0	0	0	0	0	0	0	0	0
	表流水	376	376	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	461	461	0	0	0	0	0	0	0	0	0	0
	その他	195	195	0	0	0	0	0	0	0	0	0	0
フェントロチオン (MEP)			～0.0001	～0.0002	～0.0003	～0.0005	～0.0007	～0.0010	～0.0030	～0.0050	～0.0070	～0.010	0.0101～
	全体	1,310	1,307	0	0	0	0	3	0	0	0	0	0
	表流水	448	448	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	92	92	0	0	0	0	0	0	0	0	0	0
	地下水	546	543	0	0	0	0	3	0	0	0	0	0
	その他	224	224	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
フェノカルブ (BPMC)			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	1,147	1,146	0	0	1	0	0	0	0	0	0	0
	表流水	379	378	0	0	1	0	0	0	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0	0
	地下水	475	475	0	0	0	0	0	0	0	0	0	0
	その他	205	205	0	0	0	0	0	0	0	0	0	0
フェリムゾン			～0.005	～0.010	～0.015	～0.020	～0.025	～0.030	～0.035	～0.040	～0.045	～0.050	0.051～
	全体	975	975	0	0	0	0	0	0	0	0	0	0
	表流水	345	345	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	73	73	0	0	0	0	0	0	0	0	0	0
	地下水	421	421	0	0	0	0	0	0	0	0	0	0
	その他	136	136	0	0	0	0	0	0	0	0	0	0
フェンチオン (MPP)			～0.00001	～0.00002	～0.00003	～0.00005	～0.00007	～0.00010	～0.00030	～0.00050	～0.00070	～0.00100	0.00101～
	全体	1,069	1,055	0	0	0	13	0	1	0	0	0	0
	表流水	350	348	0	0	0	1	0	1	0	0	0	0
	ダム湖沼	87	87	0	0	0	0	0	0	0	0	0	0
	地下水	440	428	0	0	0	12	0	0	0	0	0	0
	その他	192	192	0	0	0	0	0	0	0	0	0	0
フェントエート (PAP)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	全体	1,173	1,159	14	0	0	0	0	0	0	0	0	0
	表流水	384	383	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0	0
	地下水	491	479	12	0	0	0	0	0	0	0	0	0
	その他	210	209	1	0	0	0	0	0	0	0	0	0
フェントラザミド			～0.001	～0.002	～0.003	～0.004	～0.005	～0.006	～0.007	～0.008	～0.009	～0.010	0.011～
	全体	1,019	1,019	0	0	0	0	0	0	0	0	0	0
	表流水	359	359	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	87	87	0	0	0	0	0	0	0	0	0	0
	地下水	406	406	0	0	0	0	0	0	0	0	0	0
	その他	167	167	0	0	0	0	0	0	0	0	0	0
フサライド			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	1,244	1,244	0	0	0	0	0	0	0	0	0	0
	表流水	412	412	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	91	91	0	0	0	0	0	0	0	0	0	0
	地下水	543	543	0	0	0	0	0	0	0	0	0	0
	その他	198	198	0	0	0	0	0	0	0	0	0	0
ブタクロール			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	957	957	0	0	0	0	0	0	0	0	0	0
	表流水	352	352	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	89	89	0	0	0	0	0	0	0	0	0	0
	地下水	366	366	0	0	0	0	0	0	0	0	0	0
	その他	150	150	0	0	0	0	0	0	0	0	0	0
ブタミホス			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,117	1,117	0	0	0	0	0	0	0	0	0	0
	表流水	366	366	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	466	466	0	0	0	0	0	0	0	0	0	0
	その他	201	201	0	0	0	0	0	0	0	0	0	0
ブプロフェジン			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,195	1,195	0	0	0	0	0	0	0	0	0	0
	表流水	408	408	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	89	89	0	0	0	0	0	0	0	0	0	0
	地下水	497	497	0	0	0	0	0	0	0	0	0	0
	その他	201	201	0	0	0	0	0	0	0	0	0	0
フルアジナム			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	1,026	1,026	0	0	0	0	0	0	0	0	0	0
	表流水	368	368	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	87	87	0	0	0	0	0	0	0	0	0	0
	地下水	420	420	0	0	0	0	0	0	0	0	0	0
	その他	151	151	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
プレチラクロール			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	1,193	1,193	0	0	0	0	0	0	0	0	0	0
	表流水	400	400	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	89	89	0	0	0	0	0	0	0	0	0	0
	地下水	493	493	0	0	0	0	0	0	0	0	0	0
	その他	211	211	0	0	0	0	0	0	0	0	0	0
プロシモン			～0.0009	～0.0018	～0.0027	～0.0045	～0.0063	～0.0090	～0.0270	～0.0450	～0.0630	～0.0900	0.0901～
	全体	1,001	1,001	0	0	0	0	0	0	0	0	0	0
	表流水	340	340	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0	0
	地下水	416	416	0	0	0	0	0	0	0	0	0	0
	その他	160	160	0	0	0	0	0	0	0	0	0	0
プロチオホス			～0.00007	～0.00014	～0.00021	～0.00035	～0.00049	～0.00070	～0.00210	～0.00350	～0.00490	～0.00700	0.00701～
	全体	794	793	0	0	0	0	1	0	0	0	0	0
	表流水	299	299	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	59	59	0	0	0	0	0	0	0	0	0	0
	地下水	319	318	0	0	0	0	1	0	0	0	0	0
	その他	117	117	0	0	0	0	0	0	0	0	0	0
プロピコナゾール			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	1,043	1,043	0	0	0	0	0	0	0	0	0	0
	表流水	344	344	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	447	447	0	0	0	0	0	0	0	0	0	0
	その他	168	168	0	0	0	0	0	0	0	0	0	0
プロピザミド			～0.0005	～0.0010	～0.0015	～0.0025	～0.0035	～0.0050	～0.0150	～0.0250	～0.0350	～0.0500	0.0501～
	全体	1,079	1,079	0	0	0	0	0	0	0	0	0	0
	表流水	357	357	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	460	460	0	0	0	0	0	0	0	0	0	0
	その他	176	176	0	0	0	0	0	0	0	0	0	0
プロベナゾール			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	1,163	1,163	0	0	0	0	0	0	0	0	0	0
	表流水	393	393	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	93	93	0	0	0	0	0	0	0	0	0	0
	地下水	491	491	0	0	0	0	0	0	0	0	0	0
	その他	186	186	0	0	0	0	0	0	0	0	0	0
プロモブチド			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	1,208	1,181	0	22	3	0	2	0	0	0	0	0
	表流水	406	398	0	4	3	0	1	0	0	0	0	0
	ダム湖沼	94	93	0	1	0	0	0	0	0	0	0	0
	地下水	498	482	0	15	0	0	1	0	0	0	0	0
	その他	210	208	0	2	0	0	0	0	0	0	0	0
ベノミル			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	1,046	1,045	1	0	0	0	0	0	0	0	0	0
	表流水	376	375	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	80	80	0	0	0	0	0	0	0	0	0	0
	地下水	416	416	0	0	0	0	0	0	0	0	0	0
	その他	174	174	0	0	0	0	0	0	0	0	0	0
ペンシクロン			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	1,085	1,085	0	0	0	0	0	0	0	0	0	0
	表流水	360	360	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	90	90	0	0	0	0	0	0	0	0	0	0
	地下水	448	448	0	0	0	0	0	0	0	0	0	0
	その他	187	187	0	0	0	0	0	0	0	0	0	0
ベンゾピシクロン			～0.009	～0.018	～0.027	～0.036	～0.045	～0.054	～0.063	～0.072	～0.081	～0.090	0.091～
	全体	975	975	0	0	0	0	0	0	0	0	0	0
	表流水	344	344	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	81	81	0	0	0	0	0	0	0	0	0	0
	地下水	391	391	0	0	0	0	0	0	0	0	0	0
	その他	159	159	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
ベンゾフェナップ			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	938	937	1	0	0	0	0	0	0	0	0	0
	表流水	340	340	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	84	1	0	0	0	0	0	0	0	0	0
	地下水	354	354	0	0	0	0	0	0	0	0	0	0
	その他	159	159	0	0	0	0	0	0	0	0	0	0
ベンタゾン			～0.002	～0.004	～0.006	～0.010	～0.0140	～0.020	～0.060	～0.100	～0.140	～0.200	0.201～
	全体	1,209	1,208	1	0	0	0	0	0	0	0	0	0
	表流水	418	417	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	94	94	0	0	0	0	0	0	0	0	0	0
	地下水	510	510	0	0	0	0	0	0	0	0	0	0
	その他	187	187	0	0	0	0	0	0	0	0	0	0
ペンディメタリン			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	1,155	1,140	0	15	0	0	0	0	0	0	0	0
	表流水	390	389	0	1	0	0	0	0	0	0	0	0
	ダム湖沼	88	88	0	0	0	0	0	0	0	0	0	0
	地下水	488	475	0	13	0	0	0	0	0	0	0	0
	その他	189	188	0	1	0	0	0	0	0	0	0	0
ベンフラカルブ			～0.0002	～0.0004	～0.0006	～0.0010	～0.0014	～0.0020	～0.0060	～0.0100	～0.0140	～0.0200	0.0201～
	全体	956	956	0	0	0	0	0	0	0	0	0	0
	表流水	322	322	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	78	78	0	0	0	0	0	0	0	0	0	0
	地下水	410	410	0	0	0	0	0	0	0	0	0	0
	その他	146	146	0	0	0	0	0	0	0	0	0	0
ベンフルラリン(ベスロジン)			～0.0008	～0.0016	～0.0024	～0.0040	～0.0056	～0.0080	～0.0240	～0.0400	～0.0560	～0.0800	0.0801～
	全体	960	957	3	0	0	0	0	0	0	0	0	0
	表流水	322	322	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	391	388	3	0	0	0	0	0	0	0	0	0
	その他	163	163	0	0	0	0	0	0	0	0	0	0
ベンフレセート			～0.007	～0.014	～0.021	～0.028	～0.035	～0.042	～0.049	～0.056	～0.063	～0.070	0.071～
	全体	864	864	0	0	0	0	0	0	0	0	0	0
	表流水	329	329	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	324	324	0	0	0	0	0	0	0	0	0	0
	その他	125	125	0	0	0	0	0	0	0	0	0	0
ホスチアゼート			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	991	988	2	0	0	0	1	0	0	0	0	0
	表流水	355	353	2	0	0	0	0	0	0	0	0	0
	ダム湖沼	82	82	0	0	0	0	0	0	0	0	0	0
	地下水	394	393	0	0	0	0	1	0	0	0	0	0
	その他	160	160	0	0	0	0	0	0	0	0	0	0
マラチオン(マラソン)			～0.007	～0.014	～0.021	～0.035	～0.049	～0.070	～0.21	～0.35	～0.49	～0.7	0.701～
	全体	1,193	1,193	0	0	0	0	0	0	0	0	0	0
	表流水	405	405	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	86	86	0	0	0	0	0	0	0	0	0	0
	地下水	499	499	0	0	0	0	0	0	0	0	0	0
	その他	203	203	0	0	0	0	0	0	0	0	0	0
メコプロップ(MCPP)			～0.00050	～0.00100	～0.00150	～0.00250	～0.00350	～0.00500	～0.01500	～0.02500	～0.03500	～0.05000	0.05001～
	全体	1,041	1,040	1	0	0	0	0	0	0	0	0	0
	表流水	363	362	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0	0
	地下水	410	410	0	0	0	0	0	0	0	0	0	0
	その他	183	183	0	0	0	0	0	0	0	0	0	0
メソミル			～0.0003	～0.0006	～0.0009	～0.0015	～0.0021	～0.0030	～0.0090	～0.0150	～0.0210	～0.0300	0.0301～
	全体	1,072	1,072	0	0	0	0	0	0	0	0	0	0
	表流水	384	384	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	84	84	0	0	0	0	0	0	0	0	0	0
	地下水	431	431	0	0	0	0	0	0	0	0	0	0
	その他	173	173	0	0	0	0	0	0	0	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
メタラキシル			～0.002	～0.004	～0.006	～0.010	～0.0140	～0.020	～0.060	～0.100	～0.140	～0.200	0.201～
	全体	1,170	1,170	0	0	0	0	0	0	0	0	0	0
	表流水	384	384	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	92	92	0	0	0	0	0	0	0	0	0	0
	地下水	482	482	0	0	0	0	0	0	0	0	0	0
	その他	212	212	0	0	0	0	0	0	0	0	0	0
メチダチオン (DMTP)			～0.00004	～0.00008	～0.00012	～0.00020	～0.00028	～0.00040	～0.00120	～0.00200	～0.00280	～0.00400	0.00401～
	全体	1,192	1,192	0	0	0	0	0	0	0	0	0	0
	表流水	397	397	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	79	79	0	0	0	0	0	0	0	0	0	0
	地下水	515	515	0	0	0	0	0	0	0	0	0	0
	その他	201	201	0	0	0	0	0	0	0	0	0	0
メトミノストロピン			～0.0004	～0.0008	～0.0012	～0.0020	～0.0028	～0.0040	～0.0120	～0.0200	～0.0280	～0.0400	0.0401～
	全体	985	984	1	0	0	0	0	0	0	0	0	0
	表流水	353	352	1	0	0	0	0	0	0	0	0	0
	ダム湖沼	90	90	0	0	0	0	0	0	0	0	0	0
	地下水	387	387	0	0	0	0	0	0	0	0	0	0
	その他	155	155	0	0	0	0	0	0	0	0	0	0
メトリブジン			～0.003	～0.006	～0.009	～0.012	～0.015	～0.018	～0.021	～0.024	～0.027	～0.030	0.031～
	全体	966	966	0	0	0	0	0	0	0	0	0	0
	表流水	337	337	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	85	85	0	0	0	0	0	0	0	0	0	0
	地下水	389	389	0	0	0	0	0	0	0	0	0	0
	その他	155	155	0	0	0	0	0	0	0	0	0	0
メフェナセツト			～0.00009	～0.00018	～0.00027	～0.00045	～0.00063	～0.00090	～0.00270	～0.00450	～0.00630	～0.00900	0.00901～
	全体	1,253	1,235	0	18	0	0	0	0	0	0	0	0
	表流水	411	409	0	2	0	0	0	0	0	0	0	0
	ダム湖沼	92	92	0	0	0	0	0	0	0	0	0	0
	地下水	537	522	0	15	0	0	0	0	0	0	0	0
	その他	213	212	0	1	0	0	0	0	0	0	0	0
メプロニル			～0.001	～0.002	～0.003	～0.005	～0.007	～0.010	～0.030	～0.050	～0.070	～0.100	0.101～
	全体	1,087	1,087	0	0	0	0	0	0	0	0	0	0
	表流水	360	360	0	0	0	0	0	0	0	0	0	0
	ダム湖沼	89	89	0	0	0	0	0	0	0	0	0	0
	地下水	456	456	0	0	0	0	0	0	0	0	0	0
	その他	182	182	0	0	0	0	0	0	0	0	0	0
モリネート			～0.00005	～0.00010	～0.00015	～0.00025	～0.00035	～0.00050	～0.00150	～0.00250	～0.00350	～0.00500	0.00501～
	全体	1,179	1,172	3	0	0	4	0	0	0	0	0	0
	表流水	398	395	2	0	0	1	0	0	0	0	0	0
	ダム湖沼	89	89	0	0	0	0	0	0	0	0	0	0
	地下水	482	478	1	0	0	3	0	0	0	0	0	0
	その他	210	210	0	0	0	0	0	0	0	0	0	0
水温(℃)			～10.0	～12.0	～14.0	～16.0	～18.0	～20.0	～22.0	～24.0	～26.0	～28.0	28.1～
	全体	7,077	7	10	33	66	150	266	389	734	1,250	1,673	2,499
	表流水	1,624	0	1	3	8	19	45	82	172	309	421	564
	ダム湖沼	278	0	1	1	2	1	3	9	18	27	62	154
	地下水	3,477	6	7	15	29	83	126	174	355	619	884	1,179
	その他	1,698	1	1	14	27	47	92	124	189	295	306	602
紫外線(UV)吸光度(50mmセル使用時)			～0.040	～0.080	～0.120	～0.160	～0.200	～0.240	～0.280	～0.320	～0.360	～0.400	0.401～
	全体	174	86	63	20	3	2	0	0	0	0	0	0
	表流水	70	19	39	9	1	2	0	0	0	0	0	0
	ダム湖沼	26	10	7	8	1	0	0	0	0	0	0	0
	地下水	55	46	9	0	0	0	0	0	0	0	0	0
	その他	23	11	8	3	1	0	0	0	0	0	0	0
侵食性遊離炭酸			～2.5	～5.0	～7.5	～10.0	～12.5	～15.0	～17.5	～20.0	～22.5	～25.0	25.1～
	全体	307	97	91	35	27	14	12	8	12	3	3	5
	表流水	57	19	24	7	3	1	0	0	3	0	0	0
	ダム湖沼	19	6	11	0	1	1	0	0	0	0	0	0
	地下水	145	36	27	24	16	8	8	8	7	3	3	5
	その他	86	36	29	4	7	4	4	0	2	0	0	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。

水質項目		計	区分										
生物(n/ml)			～10.0	～50.0	～100.0	～500.0	～1000.0	～5000.0	～10000.0	～50000.0	～100000.0	～500000.0	500000.1～
全体		42	32	4	3	1	1	1	0	0	0	0	0
表流水		27	20	3	2	1	1	0	0	0	0	0	0
ダム湖沼		4	4	0	0	0	0	0	0	0	0	0	0
地下水		10	8	1	1	0	0	0	0	0	0	0	0
その他		1	0	0	0	0	0	1	0	0	0	0	0
アルカリ度			～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	～100.0	100.1～
全体		1,118	17	108	173	277	199	145	93	43	18	18	27
表流水		348	13	64	77	91	55	26	12	5	2	0	3
ダム湖沼		91	3	9	22	23	11	8	8	1	0	3	3
地下水		430	1	9	36	80	90	83	60	31	14	10	16
その他		249	0	26	38	83	43	28	13	6	2	5	5
硫酸イオン			～5.0	～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	90.1～
全体		598	99	166	158	64	64	28	5	2	6	1	5
表流水		169	20	36	53	26	21	9	0	0	2	0	2
ダム湖沼		42	4	20	10	4	1	1	2	0	0	0	0
地下水		229	41	78	56	22	20	7	2	1	2	0	0
その他		158	34	32	39	12	22	11	1	1	2	1	3
溶性ケイ酸			～5.0	～10.0	～20.0	～30.0	～40.0	～50.0	～60.0	～70.0	～80.0	～90.0	90.1～
全体		164	3	6	40	37	13	19	22	14	7	3	0
表流水		42	0	2	22	10	1	3	2	2	0	0	0
ダム湖沼		8	3	0	4	0	1	0	0	0	0	0	0
地下水		79	0	0	9	19	6	13	16	11	4	1	0
その他		35	0	4	5	8	5	3	4	1	3	2	0

※大腸菌の平均値定性検査の結果は、1年の内に1度でも陽性であった場合は「陽性」に区分した。